



# STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

सत्यमेव जयते

Environment department,  
Room No. 217, 2nd floor,  
Mantralaya, Annexe,  
Mumbai- 400 032.  
Date: November 27, 2018

To,  
Mr. Chandrakant G. Dhage  
at Plot No. 148, 206,

**Subject:** Environment Clearance for Proposed expansion of Sugar Plant from 2500 TCD to 6000 TCD at gut no. 148, 206, Dattatraynagar, A/P Pargaon Via Awasan Bk., Tal. Ambegaon, Dist. Pune

Sir,  
This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 149th Day-3th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 139th meetings.

2. It is noted that the proposal is considered by SEAC-I under screening category 5j as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1. Name of Project	BIHMA SHANKAR SAHAKARI SAKHAR KARKHANA LIMITED
2. Type of institution	Private
3. Name of Project Proponent	Mr. Chandrakant G. Dhage
4. Name of Consultant	MITCON Consultancy & Engineering Services Ltd.
5. Type of project	Industrial
6. New project/expansion in existing project/modernization/diversification in existing project	Expansion of existing project Sugar Unit-ENV(NOC)2000/7931/CR177/DI dt.19/12/2000 19Mw Cogen-SEAC-2011/CR-75/TC2
7. If expansion/diversification, whether environmental clearance has been obtained for existing project	Existing project has a environmental clearance for Cogen Power plant
8. Location of the project	Plot No. 148, 206,
9. Taluka	Ambegaon
10. Village	Dattatraya Nagar, P.O. Pargaon via Awasan
Correspondence Name:	Mr. Chandrakant G. Dhage
Room Number:	NA
Floor:	NA
Building Name:	NA
Road/Street Name:	NA
Locality:	NA
City:	NA
11. Area of the project	Village
12. IOD/IOA/Concession/Plan Approval Number	NA IOD/IOA/Concession/Plan Approval Number: NA Approved Built-up Area: 60000
13. Note on the initiated work (If applicable)	NA
14. LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	NA
15. Total Plot Area (sq. m.)	Not applicable
16. Deductions	Not applicable
17. Net Plot area	Not applicable

SEIAA Meeting No: 139 Meeting Date: September 26, 2018 ( SEIAA-STATEMENT-0000000853 )  
SEIAA-MINUTES-0000000659  
SEIAA-EC-0000000537

18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable
	Non FSI area (sq. m.): Not applicable
	Total BUA area (sq. m.): 00000
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.):
	Approved Non FSI area (sq. m.):
	Date of Approval:
19.Total ground coverage (m2)	Not applicable
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21.Estimated cost of the project	820000000



# Government of Maharashtra

SEIAA Meeting No: 139 Meeting Date: September 28, 2018 ( SEIAA-STATEMENT-000000853 )  
SEIAA-MINUTES-000000659  
SEIAA-EC-000000537

Page 2 of 11

  
Shri. Anil Diggikar (Member  
Secretary SEIAA)

## 22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	SUGAR	2500	3500	6000

## 23. Total Water Requirement

<b>Dry season:</b>	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD):	Not applicable
	Fire fighting - Underground water tank (CMD):	Not applicable
	Fire fighting - Overhead water tank (CMD):	Not applicable
	Excess treated water	Not applicable
<b>Wet season:</b>	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD):	Not applicable
	Fire fighting - Underground water tank (CMD):	Not applicable
	Fire fighting - Overhead water tank (CMD):	Not applicable
	Excess treated water	Not applicable
Details of Swimming pool (If any)	Not applicable	

Government of Maharashtra

**24.Details of Total water consumed**

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Industrial Process	461	285	746	87.5	122.5	210	373.5	162.5	536
25.Rain Water Harvesting (RWH)	Level of the Ground water table:	NA							
	Size and no of RWH tank(s) and Quantity:	NA							
	Location of the RWH tank(s):	NA							
	Quantity of recharge pits:	NA							
	Size of recharge pits :	NA							
	Budgetary allocation (Capital cost) :	NA							
	Budgetary allocation (O & M cost) :	NA							
	Details of UGT tanks if any :	NA							
26.Storm water drainage	Natural water drainage pattern:	NA							
	Quantity of storm water:	NA							
	Size of SWD:	NA							
27.Sewage and Waste water	Sewage generation in KLD:	NA							
	STP technology:	NA							
	Capacity of STP (CMD):	NA							
	Location & area of the STP:	NA							
	Budgetary allocation (Capital cost):	NA							
	Budgetary allocation (O & M cost):	NA							

Government of Maharashtra

## 28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	NA
	Disposal of the construction waste debris:	NA
Waste generation in the operation Phase:	Dry waste:	NA
	Wet waste:	NA
	Hazardous waste:	NA
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	NA
	Others if any:	NA
Mode of Disposal of waste:	Dry waste:	NA
	Wet waste:	NA
	Hazardous waste:	NA
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	NA
	Others if any:	NA
Area requirement:	Location(s):	NA
	Area for the storage of waste & other material:	NA
	Area for machinery:	NA
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	NA
	O & M cost:	NA

**Government of  
Maharashtra**

29.Effluent Charecterestics					
Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)
1	NA	NA	NA	NA	NA
Amount of effluent generation (CMD):		536			
Capacity of the ETP:		Existing ETP with Capacity of 750m3/day & after expansion ETP capacity will be 1350 M3/day			
Amount of treated effluent recycled :		NA			
Amount of water send to the CETP:		NA			
Membership of CETP (if require):		NA			
Note on ETP technology to be used		NA			
Disposal of the ETP sludge		Used as Manure			



# Government of Maharashtra

### 30. Hazardous Waste Details

Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Used Spent Oil	5.1	Kg/D	2.0	00	2.0	Reuse in Boiler

### 31. Stacks emission Details

Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	Stack	Bagasse	1	72	NA	NA

### 32. Details of Fuel to be used

Serial Number	Type of Fuel	Existing	Proposed	Total
1	Bagasse	1560 MT/Day	00	1560 MT/Day

Source of Fuel: Bagasse From Own Plant

Mode of Transportation of fuel to site: NA

### 33. Energy

<b>Power requirement:</b>	Source of power supply :	Own Cogeneration plant
	During Construction Phase: (Demand Load)	NA
	DG set as Power back-up during construction phase	NA
	During Operation phase (Connected load):	NA
	During Operation phase (Demand load):	NA
	Transformer:	NA
	DG set as Power back-up during operation phase:	NA
	Fuel used:	NA
	Details of high tension line passing through the plot if any:	NA

### 34. Energy saving by non-conventional method:

NA

### 36. Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	NA	NA

### 37. Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
Stack	Wet Scrubber	ESP

Budgetary allocation (Capital cost and O&M cost):	Capital cost:	NA
	O & M cost:	NA

### 38. Environmental Management plan Budgetary Allocation

#### a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
---------------	------------	-----------	------------------------------------

1	NA	NA	NA	NA			
<b>b) Operation Phase (with Break-up):</b>							
Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)			
1	Noise Control System	NA	15	2			
2	Green Belt Development	NA	10	2			
3	Environment Monitoring and Management	NA	20	15			
4	Water Pollution Control System - ETP	NA	50	10			
5	Occupational Health & Safety	NA	10	3			
<b>39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)</b>							
Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
NA	NA	NA	NA	NA	NA	NA	NA
<b>40.Any Other Information</b>							
No Information Available							

**Government of  
Maharashtra**



	CRZ/ RRZ clearance obtain, if any:	NA
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	NA
	Category as per schedule of EIA Notification sheet	5j
	Court cases pending if any	NA
	Other Relevant Informations	NA
	Have you previously submitted Application online on MOEF Website.	No
	Date of online submission	

3. The proposal has been considered by SEIAA in its 139th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

**Specific Conditions:**

I	PP to plan and execute 100% drip irrigation in phase wise manner so as to ensure efficient use of water.
II	PP to submit an undertaking to achieve less than 100 mg/Nm <sup>3</sup> of TPM at the out let of ESP.
III	PP to undertake appropriate mitigation measures to maintain noise level within prescribed limits.
IV	PP to undertake awareness program among the sugar cane cultivators and implement appropriate measures to reduce salinity hazards and maintain proper soil health for sustainable productivity.
V	PP to implement CSR plan in consultation with the District Authorities and maintain separate account for the same.
VI	PP shall provide 100% drip irrigation for plantation.
VII	PP shall comply with the conditions mentioned with ANNEXURE XIX of the Office Memorandum issued MoEF&CC vide F.No:22034/2018-IA, III dt. 09.08.2018.

**General Conditions:**

I	(i)PP to achieve Zero Liquid Discharge. PP shall ensure that there is no increase in the effluent load to CETP.
II	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
III	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
IV	Proper Housekeeping programmes shall be implemented.
V	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.
VI	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
VII	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
VIII	Arrangement shall be made that effluent and storm water does not get mixed.
IX	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
X	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
XI	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
XII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XIII	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.

XV	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
XVI	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XVII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XVIII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XIX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <a href="http://ec.maharashtra.gov.in">http://ec.maharashtra.gov.in</a>
XXI	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XXIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely: SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXIV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

# Government of Maharashtra

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

**Copy to:**

1. SHRI JOHNY JOSEPH, CHAIRMAN SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE, CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. MUNICIPAL COMMISSIONER PUNE
10. MUNICIPAL COMMISSIONER SATARA
11. REGIONAL OFFICE MPCB PUNE
12. REGIONAL OFFICE MIDC PUNE
13. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
4. COLLECTOR OFFICE PUNE
15. COLLECTOR OFFICE SATARA
16. COLLECTOR OFFICE SOLAPUR

Government of  
Maharashtra



Con No.	Condition	Compliance
Specific Conditions-		
I	PP to plan execute 100% drip irrigation in phase wise manner so as to ensure efficient use of water.	Factory has submitted undertaking to implementation 100% Drip irrigation programme in phase wise manner. Board resolution for 100% drip irrigation has passed. Karkhana made the agreement with seven different drip irrigation companies 1)Netafim 2)Jain Irrigation 3)Kothari Agritech 4)Bothara 5) Captain Polypalst 6) Kaisan Irrigation 7) Finolex. & Bank & farmers to make it available at very reasonable cost and therefore farmer may choose the company as per their own choice.
II	PP to submit and undertaking to achieve less than 100 mg/Nm <sup>3</sup> of TPM at out let of ESP.	.Factory has submitted undertaking to achieve less than 100 mg/Nm <sup>3</sup> of TPM at out let of ESP. To control air pollution ESP ( 99.9%) with 72 m stack and Wet Scrubber (80%) with 60 m stack is already installed to both boilers & minimize less than 100mg/Nm <sup>3</sup> . There is no addition of boiler in expansion.
III	PP to undertake appropriate mitigation measures to maintain noise level within prescribed limits.	1)Factory is taking care that noise level shall be in the prescribed limit in existing plant. 2)Proper maintenance ,oiling and greasing of all machines at regular intervals carried out 3)The noise level not exceed the permissible limit 75 dB (A) during the day time,70 dB (A) night time within the plant premises. 4)Regular monitoring of noise level shall be done from coming crushing season 2019-20. 5)Green belt around the plant area is developed to reduce the noise level further. 6)Acoustic laggings and silencers are provided in equipment wherever necessary . The compressed air station are provided with suction side silencers . Ventilation fans are installed in enclosed premises

		<p>7) Central control room(s) provided for operation and supervision of plant and equipment are air-conditioned, glass fiber insulated frames help in reducing noise levels. Necessary enclosures also provided on the working platforms /areas to reduce the noise levels. The insulation are provided to reduce noise.</p> <p>8) Greenbelt shall be developed around the periphery of the plant to reduce noise levels.</p> <p>9) We shall take care the same after expansion also.</p>
IV	PP to undertake awareness program among the sugarcane cultivators and implement appropriate measures to reduce salinity hazards and maintain proper soil health for sustainable productivity.	<p>Karkhana is regularly taking consultancy of Vasantdada sugar institute to help and provide the technical guidance to the farmers for crop development, soil health care, good irrigation practices.</p> <p>Till to date 47 different awareness program have been taken regarding sustainable farming, increasing productivity, good agricultural practices etc.</p>
V	PP to implement CSR plan in consultation with the District Authorities and maintain separate account for the same.	<p>1) Karkhana is already taking many CSR activities and in future we shall take help of district Authority for effective implementation.</p> <p>2) Separate yearly account for the same shall be maintained from October 2019 onwards .</p> <p>3) Different CSR activity done by factory for example</p> <ul style="list-style-type: none"> <li>-English Medium School</li> <li>-Junior and Senior College</li> <li>-Toilets to sugarcane labours</li> <li>-Free school uniforms and school accessories to the students</li> <li>-Drip irrigation system</li> <li>-Soil Testing</li> <li>-Bio compost production</li> <li>-Sales of Fertilizers and Pharmaceuticals</li> <li>-Distribution of Fertilizers</li> <li>-Gathering, discussion and Farmers training</li> <li>-Sugarcane crop competition</li> </ul>
VI	PP shall provide 100% drip irrigation for plantation.	<p>Factory has submitted undertaking to implementation 100% Drip irrigation programme in phasewise manner. Board resolution for 100% drip</p>

VIII	Arrangement shall be made that effluent and storm water does not get mixed.	We have proper drainage for storm water & effluent & there is no mixing of waste water & storm water.
IX	Periodic monitoring of ground water shall be undertaken and result analyzed to ascertain any change in the quality of water. Result shall be regularly submitted to the Maharashtra Pollution Control Board.	Ground water within 5 Km radius ground karkhana is checked, found. Ok.
X	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. Shall be provided.	Noise proof cabins are provided to operators wherever is possible. Noise level is within standard limits & we are agree & abide us to follow the same in future.
XI	The overall noise level in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencer, enclosures, etc. On all source of noise generation .The ambient noise level shall confirm to the standards prescribed under Environment (protection) Act, 1986 Rules,1989.	Noise controlling measures are as per EMP are taken including tree barriers. Noise level is within standard limits & we are agree & abide us to follow the same in future.
XII	Green belt shall be developed & maintained around the plant periphery .Green belt development shall be carried out considering CPCB guideline including selection of plant species and in consultation with the local DFO/Agriculture Dept.	We have planted 5200 trees in our factory premises. *For bio-diversity, appx. 25 number of species are planted. *Species are selected as per CPCB publication, MPCB circular and in consultation with Botanical Department of local Institute. The Species selection is intimated to DFO for suggestions, if any.
XIII	Adequate safety measures shall be provided to limit the risk zone within the plant, boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.	Adequate safety measures are provided.

		irrigation has passed. Karkhana made the agreement with seven different drip irrigation companies 1)Netafim 2)Jain Irrigation 3)Kothari Agritech 4)Bothara 5) Captain Polypalst 6) Kaisan Irrigation 7) Finolex. & Bank & farmers to make it available at very reasonable cost and therefore farmer may choose the company as per their own choice.
<b>General Conditions-</b>		
I	PP to achieve Zero Liquid Discharge PP shall ensure that there is no increase in the effluent load to CETP.	We ensure you that there is no increase in the effluent load to CETP.
II	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.	We are agree, No additional land will be acquired /used for any activity without pollution Board permission.
III	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.	We arrange health checkup of all the employees once in every year and records is maintained as per Factory Act. Pre & post medical check-ups were organized for all employees. Employees are regularly examined and the medical records is maintained of each employee.
IV	Proper Housekeeping programmers shall be implemented.	We regularly maintain the proper housekeeping.
V	In the event of the failure of any pollution control system adopted by the unit ,the unit shall be immediately put out of operation and shall not be restarted unit the desired efficiency has been achieve.	After failure of pollution control device, We immediately stop the Boiler operation & restart after activation of pollution controlling device. We intimate both CPCB & MPCB time to time by mail in this regard without any delay.
VI	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG (set).	Appx. 15 mtrs stack height is given for existing 500 KVA D.G.set.
VII	A detailed scheme for rain water harvesting shall be prepared and implemented to recharge ground water.	Factory building & offices roof rain water is collected by down take pipes in campus water body.



XIX	Separate funds shall be allocated for implementation of environmental protection measures /EMP along with item wise break up. These cost shall be included as part of the project cost .The fund earmarked for the environment protection measures shall not be diverted for other purposes and year wise expenditure should reported to the MPCB & this department.	We have received the EC in Nov. 2018 and all the basic works required to fulfill the conditions are already completed. * We utilized Rs.300.00Lakhs for capital investment on environment as specified in EMP. * Management is very committed for the same. * The funds earmarked for Environment are not diverted to any other account head. * We have made 16 lakhs provision for the operational expenditure of EMP for the current year.
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <a href="http://ec. Maharashtra.gov.in">http://ec. Maharashtra.gov.in</a>	Karkhana published advertise in local newspapers - 1) Sakal Times (English)-4 December 2018 2) Prabhat (Marathi) - 3 December 2018
XXI	Project management should submit half yearly compliance report in respect of the stipulated prior environment clearance terms and condition in hard &soft copies to the MPCB & this department, on 1 <sup>st</sup> June&1 <sup>st</sup> December of each calendar year.	We have uploaded latest compliance report of conditions stipulated in the Environmental clearance along with analytical reports. Half yearly compliance report regularly submitted twice in year.
XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO if any from whom suggestion/representation if any were received while processing the proposal. The clearance letter shall	Environment Clearance letter granted by MPCB is already displayed on Karkhana website .

XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.	We arrange health checkup of all the employees once in every year and records is maintained as per Factory Act. Pre & post medical check-ups were organized for all employees. Employees are regularly examined and the medical records is maintained for each employee.
XV	The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.	The system is provided as per guidelines of DISH. *This is regularly inspected by Factory Inspectors during visit. *Hydrant System ,High velocity water spray system, medium velocity water system, Foam system Portable and mobile fire extinguishers etc. are different types of fire protection /diction system are installed in the plant
XVI	The project authorities must strictly comply with the rules and regulations with regards to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules,2003(amended). Authorization from the MPCB shall be obtained for collections /treatment/storages/disposal of hazardous wastes.	We regularly follow guidelines given by MPCB
XVII	Regular mock drills for the onsite emergency management plan shall be carried out. Implementation of changes/ improvement required, if any, in the on site management plan shall be ensured.	We arrange regularly. It is part of our routine practice.
XVIII	A separate environment management cell with qualified staff shall be set up for Implementation of the stipulated environmental safeguards.	Environment Management cell is established. It is headed by a qualified and experienced environmental officer having experience more than 10 years.

	also be put on the website of the Company by the proponent.	
XXIII	The proponent shall upload the status of compliance of the stipulated EC condition, including result of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Submitting Regularly .
XXIV	The project proponent shall also submit six monthly report on the status of compliance of the stipulated EC condition including result of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	Regularly Submitting.
XXV	The environment statement for each financial year ending 31 <sup>st</sup> March in Form –V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliances of EC condition and shall also be sent to the respective Regional Office of MoEF by e-mail.	Regularly Submitting.

