

दत्तात्रयनगर, पारगाव तर्फे अवसरी बु.॥, ता. आंबेगाव जि.पुणे.४१२ ४०६.
टेली फॅक्स :- (०२१३३) - २८४२३१, २८४२३२, २८४२४१, २८४२४६,
२८४२७०, २८४३८२ ९९७५५६८१३०

तार:- भीमाशंकर शुगर
ई.मेल: bsskltd@gmail.com / bsskl@rediffmail.com
Website: bsskl.sets.co.in



भीमाशंकर
सहकारी साखर कारखाना लि.

रजि.क्र. पी.एन.ए./ए.जी.एन./पी.आर.जी.(ए) एस.४७/ १९९४ दि.३१.३.१९९४

BSSK/Mfg/3049 /2019-20

By mail

Date:- 14/01/2020

To,

✓ The Scientist 'D'
Regional Office,
West Central Zone,
Ministry of Environment, Forest & Climate Change,
Near Secretariat building, East wing,
Civil lines, Nagpur-440001.
E mail I.D.- eccompliance-mh@gov.in.

Sub- Submission of Six –monthly EC Compliance Report.

Ref- SEAC-2011 /CR-755/TC2 dt.30/06/2012

Dear Sir,

We are submitting herewith six monthly compliance of our 19 MW Co-generation unit. (1st July .2019 to 31stDecember 2019) for your record reference.

Thanking you.

Yours Faithfully,

(C.G. Dhage)

Managing Director.

Encl- As above

- Copy to- 1) Cental Pollution Control Board,
Parivesh Bhavan, East, Arjun Nagar,
Shahadra, Delhi-110032
2) Environment Department,
15 th floor, New Administrative Building,
Madam Kama Road, Mantralaya,
Mumbai – 400032.
3) The Regional Officer,
Maharashtra Pollution Control Board,
3rd Floor, “ Jog Center ”Building,
Wakadewadi, Pune – Mumbai Highway, Pune -411003.
4) The Sub- Regional Officer II,
Maharashtra Pollution Control Board,
2nd floor, “Jog Center” Building,
Wakadewadi, Pune -Mumbai Highway, Pune -411 003.

Government of Maharashtra

SEAC - 2011 /CR -755 /TC2

Environment department
Room No. 217, 2nd floor,
Mantralaya Annexe,
Mumbai- 400 032.

Dated: 30th June, 2012

To,
M/s. Bhimashankar SSK,
Village Dattatraya Nagar, Pargaon,
Tal Ambegaon, Dist Pune

Sub: Environment Clearance for the Proposed Co generation power project of 19 MW capacity at Dattatraya Nagar, Pargaon, Tal Ambegaon, Dist Pune by M/s Bhimashankar Sakhari Karkhana Limited. - Environmental clearance regarding.


Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee, Maharashtra in its 46th & 56th meetings and decided to recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 48th Meeting held on 26th /27th June, 2012

2. It is noted that the proposal is for grant of Environmental Clearance for Proposed 19MW Co generation power plant to be located at Dattatraya Nagar, Paragaon, Tal Ambegaon, Dist - Pune by M/s Bhimashankar Sakhar Karkhana Limited. SEAC considered the project under screening category 1(d) - B1 of EIA Notification 2006. Project proponent has submitted EIA report.

Project information from submitted & considered documents is summarized as below-

Name of the Project	:	Cogeneration Power Project of 19 MW Capacity				
Project Proponent	:	M/s. Bhimashankar Sakhar Sakhar Karkhana Limited				
Location of the project	:	Village Dattatraya Nagar, Pargaon, Tal Ambegaon, Dist Pune				
Built up area	:	18 Acres				
Project cost	:	4,446.25 Lakhs				
Raw material	:	List of raw Materials to be used	Physical and chemical nature of raw material	Quantity (tonne s/mont h) full produc tion capacit y	Source of material	Means of Transportation (Source to storage Site) with justification
		Bagass	Ash contain		Own	Bagasse will be transport



		(Fuel) – 1.5 - 2 % Sulphur – absent or in trace Calorific value - 2,300 kcal/kg	967 TPN	sugar factory	from the yard to the furnace by bagasse handling system
Production	:	Name of products, Byproducts and Intermediate Products	Existing	Proposed activity (new / modernization / expansion)	Total
		Products	Existing consented capacity- MT/M	Proposed additional capacity-MT/M	Total capacity after proposed Expansion- MT/M
		Sugar	14490	18000	32490
		Molasses	5040	6000	11040
		Bagasse	37800	52500	90300
		Pressmud	5040	6000	11040
		Product: Electricity Generation -19.0 MW			
Total Water Requirement	:	Total Water Requirement : (i) Process : Nil (ii) Cooling water: 810 M3/day (iii) Boiler feed : 80 M3/day (iv) Drinking 5 M3/day (v) Others: 5M3/day			
Boiler and Steam Turbo Alternator (STG Set)	:	Presently the factory is having one boiler of 37 TPH capacity working at 45 ata pressure and 445°C ± 5°C steam temperature. For a new boiler is of 80 TPH capacities at 88 Ata pressure and 515°C ± 5°C steam temperature is planned to install. Operating load of the new boiler is estimate to be about 71.50 TPH during normal crushing season including the extraction of steam for process requirement, HP heater and de-aerator heating steam			
ETP details	:	Effluent generation: 50 m ³ /day treated in ETP and reused for gardening and cooling tower make up.			
Pollution control measures	:				
			Existing	Proposed to be installed	
		Air	ESP / Dust Collector	ESP	
		Water	ETP Consisting of primary treatment, secondary treatment.	ETP with anaerobic followed by aerobic system with sand and carbon filter.	
		Noise	Lubricating systems	Proposed noise friendly machines	
	Solid Waste	Fly ash Sale to Brick manufacturers	Fly ash Sale to Brick manufacturers		

Handwritten signature

Green Belt Development	:	Green belt area: 8000 Sq. mtr. Number trees Existing:6,850 Proposed No.of trees with plant species: 2,000			
Fuel Requirement	:	Bagasse – For season - 1074 MT/day During Off season: 305 MT/day.			
Environmental Management Plan	:	Sr. No		Recurring Cost per annum	Capital-Cost
		1	Air Pollution Control	1.0	275.00
		2	Water Pollution Control	1.5	-----
		3	Noise Pollution Control	-----	-----
		4	Environment Monitoring and Management	0.5	
		5	Reclamation borrow/mined area		
		6	Occupational Health	1.0	
		7	Green Belt	0.5	5.00
		8	Solid waste management	0.5	
		9	Others (Pl. Specify) ▪ Fire Protection	1.0	20.00
		Total			6.0


3. The proposal has been considered by SEIAA in its 48th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions :

- (i) Project proponent should take immediate measures to reduce the ambient SPM value due to existing activity as per MPCB directives.
- (ii) No land development / construction work preliminary or otherwise relating to the project shall be taken up without obtaining due clearance from respective authorities.
- (iii) No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
- (iv) For controlling fugitive natural dust, regular sprinkling of water & wind shields at appropriate distances in vulnerable areas of the plant shall be ensured.
- (v) Regular monitoring of the air quality, including SPM & SO₂ levels both in work zone and ambient air shall be carried out in and around the power plant and records shall be maintained. The location of monitoring stations and frequency of monitoring shall be decided in consultation with Maharashtra Pollution Control Board (MPCB) & submit report accordingly to MPCB.
- (vi) Necessary arrangement shall be made to adequate safety and ventilation arrangement in furnace area.
- (vii) Proper House keeping programmes shall be implemented.



- (viii) In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.
- (ix) A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable)
- (x) A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
- (xi) Arrangement shall be made that effluent and storm water does not get mixed.
- (xii) Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
- (xiii) Leq of Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
- (xiv) The overall noise levels in and around the plant shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
- (xv) Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- (xvi) Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
- (xvii) Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
- (xviii) The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
- (xix) The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
- (xx) The company shall undertake following Waste Minimization Measures :
- Metering of quantities of active ingredients to minimize waste.
 - Reuse of by- products from the process as raw materials or as raw material substitutes in other process.
 - Maximizing Recoveries.
 - Use of automated material transfer system to minimize spillage..
- (xxi) Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
- (xxii) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (xxiii) Transportation of ash will be through closed containers and all measures should be taken to prevent spilling of the ash.
- (xxiv) Separate silos will be provided for collecting and storing bottom ash and fly ash.
- (xxv) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should be reported to the MPCB & this department

- (xxvi) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://ec.maharashtra.gov.in>
- (xxvii) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- (xxviii) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (xxix) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (xxx) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- (xxxii) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- (xxxiii) The environmental clearance is being issued without prejudice to the court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. The Environment department reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
6. **Validity of Environment Clearance:** The environmental clearance accorded shall be valid for a period of 5 years to start of power plant.
7. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.



8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
9. Any appeal against this environmental clearance shall lie with the National Green Tribunal, Van Vigyan Bhawan, Sec- 5, P.K. Puram, New Dehli - 110 022, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010



(Valsa R Nair Singh)
Secretary, Environment
department & MS, SEIAA

Copy to:

1. Shri. P.M.A Hakeem, IAS (Retd.), Chairman, SEIAA, 'Jugnu' Kottaram Road, Calicut- 673 006 Kerla.
2. Shri. Dr. S. Devotta, Chairman, SEAC, T2/302 Sky City, Vanagaram -Ambattur Road, Chennai - 600 095
3. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
4. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP)
5. Regional Office, MPCB, Pune.
6. Collector, Pune.
7. IA- Division, Monitoring Cell, MoEF, Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi-110003.
8. Director (TC-1), Dy. Secretary (TC-2), Scientist-1, Environment department.
9. Select file (TC-3).

ANNEXURE - 2
EC COMPLIANCE CONDITIONS

Sr.No	Condition	Compliance Status
i	Project proponent should take immediate measures to reduce the ambient SPM value due to existing activity as per MPCB directives.	Stack Height for 37 TPH Boiler -60 mtrs. & 80 TPH Boiler -72 mtrs.We have provided ESP to 80 TPH boiler & Wet scrubber for 37 TPH boiler & Ambient SPM is within limit given by MPCB.(Photograph is enclosed - Ann.I)
ii	No land development / construction work preliminary or otherwise relating to the project shall be taken up without obtaining due clearance from respective authorities.	No land development or any construction is done & in future also we will not entertain any activity without MPCB permission.
iii	No additional land shall be used/acquired for an activity of the project without obtaining proper permission.	We are agree ,No additional land will be acquired /used for any activity without pollution Board permission.
iv	For controlling fugitive natural dust,regular sprinkling of water & wind shields at appropriate distances in vulnerable areas of the shall be ensured.	For dust control we have provided.ESP& wet scubber,for Boiler & Dust cature in sugar house.Further we regularly sprinkle water by spray nozzle fitted to tanker to control dust in the factory permises.(Photograph is enclosed - Ann II.)
v	Regular monitoring of the air quality,including SPM & SO2 levels both in work zone and ambient air shall be carried out in and around the records shall be maintained. The location of monitoring stations and frequency of monitoring shall be decided in consultation with Maharashtra Pollution Control Board (MPCB) & submit report accordingly to MPCB.	We are monitoring air & water pollution data regularly by OCMS & online data is submitted to CPCB & reports to MPCB. (Report & photographs is enclosed-Ann.III)
vi	Necessary arrangement shall be made adequate safety and ventilation arrangement in furnace area.	We have made provision for proper ventilation system in the process area.(Photographs is enclosed Ann.IV)
vii	Proper House keeping pro grammes shall be implemented.	We regularly maintain the proper house keeping.
viii	In the event of the failure of any pollution control system adopted by the unit,the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve .	After failure of pollution control device,We immediately stop the Boiler operation & restart after activation of polltuion controlling device.We intimate both CPCB & MPCB time to time by mail in this regard without any delay.

ix	A Stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set.(If applicable)	Appx. 15 mtrs stack height is given for existing 500 KVA D.G.set.
x	A detailed scheme for rain water harvesting shall be prepared and implemented to recharge ground water.	*Factory building & offices roof rain water is collected by down take pipes in campus water body. (Details of Construction of Rain harvesting structure is enclosed. Ann.V)
xi	Arrangement shall be made that effluent and storm water does not get mixed.	We have proper drainage for storm water & effluent & there is no mixing of waste water & storm water.
xii	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in quality of water. Results shall be submitted to the Maharashtra Pollution Control Board.	Ground water within 5 Km radius ground karkhana is checked,found ok.Reports are attached. (Ann.VI)
xiii	Leq of Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.	*Noise proof cabins are provided to operators wherever is possible *The air compressor, process air blower, pneumatic valves are kept in the closed cabs. * Noise level – within limit. (Report Attached-VII)
xiv	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures ,etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act.1986 Rules,1989.	* Noise controlling measures are as per EMP are taken including tree barriers. * Noise level is within standard limits & we are agree with the same for future also.
xv	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO / Agriculture Dept.	* We have planted on 19.52 hectares factory land.. *For bio-diversity ,appx. 25 number of species are planted. *Species are selected as per CPCB publication, MPCB circular and in consultation with Botanical Department of local Institute. The Species selection is intimated to DFO for suggestions, if any. (Photographs & List enclosed. AnnVIII)

xvi	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall be installed at strategic places for early detection and warning.	*Adequate safety measures are provided.
xvii	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.	*We arrange health checkup of all the employees once in every year and records is maintained as per Factory Act. * Pre & post medical check-ups were organised for all employees. Employees are regularly examined and the medical records is maintained for each employee. *All precautionary measures are adopted by the company to reduce the risk of employees for occupational safety and health hazardous.(Photographs Attached- IX)
xviii	The company shall make the arrangement for protection of possible fire hazardous during manufacturing processes in the material handling.	*The system is provided as per guidelines of DISH. *This is regularly inspected by Factory Inspectors during visit. *Hydrant System ,High velocity water spray system,medium velocity water system,Foam system Portable and mobile fire extinguishers etc. are different types of fire protection /detection system are installed in the plant.
xix	The project authorities must strictly comply with the rules & regulations with regard to handling and disposal of hazardous waste in accordance with the Hazardous Waste (Management and Handling) Rules,2003(amended).Authorization from the MPCB shall be obtained for collections/treatment/storage /disposal of hazardous wastes.	We are regularly follow guidelines given by MPCB .

xx	The company shall undertake following Waste Minimization Measures: Metering of quantities of active ingredients to minimize wastes. Reuse of by-products from the process as raw materials or as raw material substitutes in other process. Maximizing Recoveries. Use of automated material transfer system to minimize spillage.	We have minimised the waste water generation by proper monitoring & Reuse of condensate water by cooling in cooling towers.
xxi	Regular mock drills for the on site emergency management plans shall be carried out. Implementation of changes / improvement required, if any, in the on site management plans shall be ensured.	We arrange regularly. It is part of our routine practice.
xxii	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	<p>*Environment Management cell is established.</p> <p>*It is headed by a qualified and experienced environmental officer having experience more than 10 years.</p> <p>*Environment Management cell - Environment Officer-(M.Sc.(Env.Sci.))-1 No. ETP Chemist(B.Sc.)-3 Nos. ETP operators (12 th) - 7 Nos.</p> <p>*For additional work he has an approach to MoEF approved laboratory and NABET approved FAE. for guidance & trainings.</p>
xxiii	Transportation of ash will be through closed containers and all measures should be taken to prevent spilling of the ash.	Transportation of ash is always carried out in closed tractors.
xxiv	Separate silos will be provided for collecting and storing bottom ash and fly ash.	<p>Provided separate silos & ash collection sand filters for the collection & storage of bottom ash & fly ash.</p> <p>*Ash generated from the co-gen plant is used for compost.</p>
xxv	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environmental protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.	<p>*We have received the EC in 2012 and all the basic works required to fulfill the conditions are already completed.</p> <p>* We utilized Rs.300.00Lakhs for capital investment on environment as specified in EMP.</p> <p>* Management is very committed for the same.</p> <p>* The funds earmarked for Environment are not diverted to any other account head.</p> <p>* We have made 16 lakhs provision for the operational expenditure of EMP for the current year.</p>

xxvi	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at	Karkhana were published advertise in local newspapers - 1) Pudhari(English)-13 July 2012 2) Sakal (Marathi) - 14 July 2012 (Ann.X)
xxvii	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.	Regularly Submitted.
xxviii	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	*Compliance of EC granted by MoEF is conveyed to local authority, MPCB, villagers, NGO and is already displayed on gate.
xxix	The proponent shall upload the compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical	Regularly Submitted.
xxx	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office CPCB and the SPCB.	*We have uploaded latest compliance report of conditions stipulated in the Environmental clearance along with analytical reports. *Half yearly compliance report are submitted twice since 2012.

xxxii	<p>The environmental statement for each financial year ending 31 st march in Form-V is mandated to be submitted by the project proponent to the concerned State pollution Control Board as prescribed under the Environment (Protection) Rules,1986,as amended subsequently,shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be send to the respective Regional Offices of MoEF by e-mail.</p>	<p>*We are already submitting the annual,statutory Environmental statement in Form V every year to MPCB. *In future we shall also endorse a copy each to CPCB and MoEF RO Office& upload it on web site. *The latest recent annual,statutory Environmetal statement on Form V is enclosed herewith. (Ann. XI .)</p>
xxxii	<p>The environmental clearance is being issued without prejudice to the court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision of the Hon'ble court will be bindng on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed</p>	<p>There is no any environmental issues & cases regarding pollution.</p>