



(Regd.No: P.N.A. / A.G.N. / P.R.G.(A) S-47 / 1994 Dt.31-3-1994) GSTIN : 27AAAAB0949G1ZZ

Dattatraynagar, Pargaon Via Awasari (BK), Tal. Ambegaon, Dist.Pune. 412 406

Tel.Fax:(02133) 284270, 9975568130, 8888846990 E-mail: bsskltd@gmail.com, Web site: www.bhimashankarssk.com, www.bsskl.sets.co.in

BSSK/Mfg/ 817 /2024-25

Date:-22/06/2024

By Mail

To,

The Deputy Director General of Forests (Central)
West Central Zone,
Regional Office,
Near Secretariat building,
VCA Ground, Civil lines, Nagpur-440001.
E mail I.D.- eccompliance-mh@gov.in.

Sub- Submission of Six Monthly EC Compliance Report.
Ref- SEIAA-0000000537 dt.28/11/2018.

Dear Sir,

We are submitting herewith six monthly compliance report of Environmental Clearance for Sugar Unit 2500 TCD to 6000 TCD (From 1st Jan. 2024 to 30 June 2024) for your reference.

Thanking you.

Yours Faithfully,

(C.G. Dhage)
Managing Director.

Encl-1) Environment Clearance Copy.2) Part- I – Data Sheet.
3) Part-II -Six Monthly EC Compliance Report

- Copy to-1) Cental Pollution Control Board,
Parivesh Bhavan, East, Arjun Nagar,
Shahadra, Delhi-110032
2) Environment Department,
15 th floor, New Administrative Building,
Madam Kama Road, Mantralaya,
Mumbai – 400032.
3) The Regional Officer,
Maharashtra Pollution Control Board,
3rd Floor, “Jog Center” Building,
Wakadewadi, Pune - 411003.
4) The Sub- Regional Officer II,
Maharashtra Pollution Control Board,
2nd floor, “Jog Center” Building,
Wakadewadi, Pune 411003.

Annexure

Sr.No.	Details	Page No.
1	2500 to 6000 TCD Sugar Unit E.C	1-14
2	Six monthly Compliance Report –Part I-Data Sheet	15-16
3	EC Compliance Conditions	17-25
	I)Drip Irrigation Details	26-73
	II)Stack height & ESP Photograph	74-75
	III)Stack-On line monitoring report (Report Season-2023-24) (Month-Nov.2023 to March 2024)	76-83
	IV)Air Ambient Analysis Report (Report Season-2023-24) (Month-Nov. 2023 to March 2024)	84-123
	V)Noise monitoring report (Report Season-2023-24) (Month -Nov.2023 to March 2024)	124-129
	VI) Soil Health Awareness Photographs & Soil Health Awareness Details	130-131
	VII) CSR Activity Details	132-133
	VIII) CSR Activity Details –Cane Development activity	134-147
	IX) In plant –Drip irrigation Photograph	149-151
	X)ETP Outlet analysis report –MoEF Approved Akanksha Lab (Report Season-2023-24)(Nov.2023 to March 2024)	151-160
	XI)ETP Outlet report-Online monitoring report (Report Season-2023-24) (Nov. 2023 to March 2024)	161-166
	XII)Health Checkup details & Photograph	167-178
	XIII)Rain Water Harvesting	179-188
	XIV) Ground water sample report MoEF Approved Akanksha Lab (Report Season-2023-24) (Month-Nov.2023 to March 24)	189-218
	XV)Noise safety photograph	219-220
	XVI)Green Belt details& photographs	221-226
	XVII)Mock Drills photographs	227-228
	XVIII)EC news in Newspaper	229-230
	XIX)Web Site Screen shot –EC compliance report	231-234
	XX) Environment Statement (2023-24)	235-238

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SEIAA-2019/CR-214SEIAA
Environment Department
Room No. 217, 2nd Floor,
Mantralaya,
Mumbai-400032.
Date: 31.12.2019

To
Mr. Chandrakant G. Dhage,
Bhimashankar SSKL,
Ambegaon Bk, Pune.

Sub: Correction in Environmental Clearance for proposed expansion of Sugar Plant from 2500 TCD to 6000 TCD at Dattatraya Nagar, P.O. Pargaon via Awasari Bk., Tal. Ambegaon, Dist. Pune by Bhimashankar Sahakari Sakhar Karkhana Limited.

Ref: 1. Application received from PP dated 21.08.2019.
2. Environment Clearance No. SEIAA-EC-0000000537, dated 27.11.2018.

With reference to above subject matter, it is noted that, you have received Environment Clearance vide letter dated 27.11.2018. You have further applied for correction in EC vide above ref. (1).


You have requested to correct EC dated 27.11.2018 as below-


Sr. No. in EC Letter	Particulate	EC Letter reflects	Corrections required in EC letter
1	Name of Project	Bhima Shankar Sahakari Sakhar Karkhana Limited.	Bhimashankar Sahakari Sakhar Karkhana Ltd.
2	Type of Institution	Private	Co-operative
15	Total Plot Area (sq. m.)	NA	Total factory area 586840.0 sq.m. Industrial activity 69845.0 sq.m
22	Production Details	Existing (MT/M): 2500 Proposed (MT/M): 3500 Total (MT/M): 6000	Existing (MT/D): 2500 Proposed (MT/D): 3500 Total (MT/D): 6000 Per day production
24	Details of Total water consumed	Consumption: Existing: 461 Proposed: 285 Total: 746 Loss Existing: 87.5 Proposed: 122.5 Total: 210 Effluent CMD Existing: 373.5 Proposed: 162.5 Total: 536	Consumption: Existing: 684 Proposed: 516 Total: 1200 Loss Existing: 286 Proposed: 97 Total: 383 Effluent CMD Existing: 398 Proposed: 419 Total: 817
28	Waste generation in the operation Phase:	Dry waste: NA Wet waste: NA Hazardous waste: NA	Dry waste: 271.2.2 TPD Ash & Press mud Wet waste: 0.5 MTD ETP Sludge Hazardous waste: 0.35 MTA Spent oil
	Mode of Disposal	Dry waste: NA	Dry waste: Press mud and bagasse ash will

	of waste:	Wet waste: NA Hazardous waste: NA Biomedical waste (If Applicable): NA	be used in Bio-composting and can be sold Used as fuel in boiler Wet waste: NA
29.	Amount of effluent generation (CMD):	536	817
30.	Used Spent Oil	Existing: 2.0 Proposed: 0.0 Total: 2.0	Existing: 1.8 Proposed: 0.3/25 Total: 2.1
31.	Stacks emission Details	Stack no.- 1 Height from ground level (m)- 72 m	Stack no.- 1 Height from ground level (m)- 72 m & 60 m
35.	DG set as Power back-up during operation phase	NA	500 kVA
37.		Existing pollution control system : Wet Scrubber Proposed to be installed: ESP	Existing pollution control system : Scrubber and ESP Proposed to be installed: NA
	Budgetary allocation (Capital cost and O&M cost): Capital cost: O&M cost:	Capital cost: NA O&M cost: NA	Capital cost: 100 lakhs O&M cost: 2 lakhs

After detailed scrutiny of documents submitted by you, Environment Clearance vide letter dated 27.11.2018 is corrected as above.

The terms and conditions stipulated in the EC letter dt 27.11.2018 vide above shall remain the same.


(Anil Duggikar)
Principle Secretary &
Member Secretary, SEIAA



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: November 27, 2018

To,
Mr. Chandrakant G. Dhage
at Plot No. 148, 206,

Subject: Environment Clearance for Proposed expansion of Sugar Plant from 4500 TCD to 6000 TCD at gut no. 148, 206, Dattatraynagar, A/P Pargan via Awasan Bk., Tal. Ambegaon, Dist. Pune

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 149th Day-3th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 139th meetings.

2. It is noted that the proposal is considered by SEAC under screening category 5j as per EIA Notification 2006.

Brief Information of the project submitted by you is as below.

1. Name of Project	BHIMA SHANKAR SATTAR SAKHAR KARKHANA LIMITED
2. Type of institution	Private
3. Name of Project Proponent	Mr. Chandrakant G. Dhage
4. Name of Consultant	MITCON Consultancy & Engineering Services Ltd.
5. Type of project	Industrial
6. New project/expansion in existing project/modernization/diversification in existing project	Expansion of Existing project Sugar Unit ENV(NOC)2000/7931/CR177/MI dt.19/12/2000 19Mw Cogen SEAC-2011/CR-755/TC2
7. If expansion/diversification, whether environmental clearance has been obtained for existing project	Existing project has a environmental clearance for Cogen Power plant
8. Location of the project	Plot No. 148, 206,
9. Taluka	Ambegaon
10. Village	Dattatraya Nagar, P.O. Pargan via Awasan
Correspondence Name:	Mr. Chandrakant G. Dhage
Room Number:	NA
Floor:	NA
Building Name:	NA
Road/Street Name:	NA
Locality:	NA
City:	NA
11. Whether in Corporation / Municipal / other area	Village
12. IOD/IOA/Concession/Plan Approval Number	NA IOD/IOA/Concession/Plan Approval Number: NA Approved Built-up Area: 00000
13. Note on the initiated work (If applicable)	NA
14. LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	NA
15. Total Plot Area (sq. m.)	Not applicable
16. Deductions	Not applicable
17. Net Plot area	Not applicable

SEIAA Meeting No: 139 Meeting Date: September 28, 2018 (
SEIAA-STATEMENT-0000000853)
SEIAA-MINUTES-0000000659
SEIAA-EC-0000000537

Page 1 of 11

Shri. Anil Diggikar (Member
Secretary SEIAA)

18 (a). Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable
	Non FSI area (sq. m.): Not applicable
	Total BUA area (sq. m.): 00000
18 (b). Approved Built up area as per DCR	Approved FSI area (sq. m.):
	Approved Non FSI area (sq. m.):
	Date of Approval:
19. Total ground coverage (m2)	Not applicable
20. Ground coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21. Estimated cost of the project	820000000



Government of Maharashtra

SEIAA Meeting No: 139 Meeting Date: September 28, 2018 (SEIAA-STATEMENT-0000000853)
SEIAA-MINUTES-0000000659
SEIAA-EC-0000000537

Page 2 of 11


Shri. Anil Diggikar (Member
Secretary SEIAA)

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	SUGAR	2500	3500	6000

23. Total Water Requirement

Dry season:	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD):	Not applicable
	Fire fighting - Underground water tank (CMD):	Not applicable
	Fire fighting - Overhead water tank (CMD):	Not applicable
	Excess treated water	Not applicable
Wet season:	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD):	Not applicable
	Fire fighting - Underground water tank (CMD):	Not applicable
	Fire fighting - Overhead water tank (CMD):	Not applicable
	Excess treated water	Not applicable
Details of Swimming pool (If any)	Not applicable	

Government of Maharashtra

24. Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Industrial Process	461	285	746	87.5	122.5	210	373.5	162.5	536

25. Rain Water Harvesting (RWH)

Level of the Ground water table:	NA
Size and no of RWH tank(s) and Quantity:	NA
Location of the RWH tank(s):	NA
Quantity of recharge pits:	NA
Size of recharge pits:	NA
Budgetary allocation (Capital cost):	NA
Budgetary allocation (O & M cost):	NA
Details of UGT tanks if any:	NA

26. Storm water drainage

Natural water drainage pattern:	NA
Quantity of storm water:	NA
Size of SWD:	NA

27. Sewage and Waste water

Sewage generation in KLD:	NA
STP technology:	NA
Capacity of STP (CMD):	NA
Location & area of the STP:	NA
Budgetary allocation (Capital cost):	NA
Budgetary allocation (O & M cost):	NA

Government of Maharashtra

29. Effluent Characteristics					
Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	NA	NA	NA	NA	NA
Amount of effluent generation (CMD):		536			
Capacity of the ETP:		Existing ETP with Capacity of 750m ³ /day & after expansion ETP capacity will be 1350 M ³ /day			
Amount of treated effluent recycled :		NA			
Amount of water send to the CETP:		NA			
Membership of CETP (if require):		NA			
Note on ETP technology to be used		NA			
Disposal of the ETP sludge		Used as Manure			



**Government of
Maharashtra**

SEIAA Meeting No: 139 Meeting Date: September 28, 2018 (SEIAA-STATEMENT-0000000833)
SEIAA-MINUTES-0000000659
SEIAA-EC-0000000537

Page 6 of 11

Shri. Anil Diggikar (Member Secretary SEIAA)

28.Solid waste Management		
Waste generation in the Pre Construction and Construction phase:	Waste generation:	NA
	Disposal of the construction waste debris:	NA
Waste generation in the operation Phase:	Dry waste:	NA
	Wet waste:	NA
	Hazardous waste:	NA
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	NA
	Others if any:	NA
Mode of Disposal of waste:	Dry waste:	NA
	Wet waste:	NA
	Hazardous waste:	NA
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	NA
	Others if any:	NA
Area requirement:	Location(s):	NA
	Area for the storage of waste & other material:	NA
	Area for machinery:	NA
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	NA
	O & M cost:	NA

Government of Maharashtra

30. Hazardous Waste Details							
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Used Spent Oil	5.1	Kg/D	2.0	00	2.0	Reuse in Boiler

31. Stacks emission Details						
Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	Stack	Bagasse	1	72	NA	NA

32. Details of Fuel to be used				
Serial Number	Type of Fuel	Existing	Proposed	Total
1	Bagasse	1560 MT/Day	00	1560 MT/Day
Source of Fuel		Bagasse from Own Plant		
Mode of Transportation of fuel to site		NA		

33. Energy		
Power requirement:	Source of power supply :	Own Cogeneration plant
	During Construction Phase: (Demand Load)	NA
	DG set as Power back-up during construction phase	NA
	During Operation phase (Connected load):	NA
	During Operation phase (Demand load):	NA
	Transformer	NA
	DG set as Power back-up during operation phase:	NA
	Fuel used:	NA
	Details of high tension line passing through the plot if any:	NA

34. Energy saving by non-conventional method:
NA

36. Detail calculations & % of saving:		
Serial Number	Energy Conservation Measures	Saving %
1	NA	NA

37. Details of pollution control Systems			
Source	Existing pollution control system		Proposed to be installed
Stack	Wet Scrubber		ESP
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	NA	
	O & M cost:	NA	

38. Environmental Management plan Budgetary Allocation			
a) Construction phase (with Break-up):			
Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)

1	NA	NA	NA				
b) Operation Phase (with Break-up):							
Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)			
1	Noise Control System	NA	15	2			
2	Green Belt Development	NA	10	2			
3	Environment Monitoring and Management	NA	20	15			
4	Water Pollution Control System - ETP	NA	50	10			
5	Occupational Health & Safety	NA	10	3			
39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)							
Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
NA	NA	NA	NA	NA	NA	NA	NA
40.Any Other Information							
No Information Available							

**Government of
Maharashtra**

	CRZ/ RRZ clearance obtain, if any:	NA
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	NA
	Category as per schedule of EIA Notification sheet	5j
	Court cases pending if any	NA
	Other Relevant Informations	NA
	Have you previously submitted Application online on MOEF Website	No
	Date of online submission	

3. The proposal has been considered by SEIAA in its 139th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to plan and execute 100% drip irrigation in phase wise manner so as to ensure efficient use of water.
II	PP to submit an undertaking to achieve less than 100 mg/Nm ³ of TPM at the out let of ESP.
III	PP to undertake appropriate mitigation measures to maintain noise level within prescribed limits.
IV	PP to undertake awareness program among the sugar cane cultivators and implement appropriate measures to reduce salinity hazards and maintain proper soil health for sustainable productivity.
V	PP to implement CSR plan in consultation with the District Authorities and maintain separate account for the same.
VI	PP shall provide 100% drip irrigation for plantation.
VII	PP shall comply with the conditions mentioned with ANNEXURE XIX of the Office Memorandum issued MoEF&CC vide P.No.22034/2018-IA III dt. 09.08.2018.

General Conditions:

I	(i) PP to achieve Zero Liquid Discharge. PP shall ensure that there is no increase in the effluent load to CETP.
II	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
III	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
IV	Proper Housekeeping programmes shall be implemented.
V	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.
VI	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set (if applicable).
VII	A detailed scheme for rain water harvesting shall be prepared and implemented to recharge ground water.
VIII	Arrangement shall be made that effluent and storm water does not get mixed.
IX	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
X	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
XI	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
XII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XIII	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.

XV	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
XVI	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XVII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XVIII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XIX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in
XXI	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XXIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely: SP ₁ , RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) in critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXIV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

Government of Maharashtra

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

1. SHRI JOHNY JOSEPH, CHAIRMAN SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL D. KALE, CHAIRMAN-SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. MUNICIPAL COMMISSIONER PUNE
10. MUNICIPAL COMMISSIONER SATARA
11. REGIONAL OFFICE MPCB PUNE
12. REGIONAL OFFICE MDC PUNE
13. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD.
14. COLLECTOR OFFICE PUNE
15. COLLECTOR OFFICE SATARA
16. COLLECTOR OFFICE SOLAPUR

Government of
Maharashtra

2500 to 6000 MT TCD Sugar Expansion EC
SIX MONTHLY COMPLIANCE REPORT
Part-I
DATA SHEET

1	Project Type: River Valley/Mining/Industry/Thermal/Nuclear/ Others (Specify)	Industry
2	Name of the Project	Bhimashankar Sahakari Sakhar Karkhana Ltd.Dattatrayanagar,Pargaon Tarfe Awasari Bk.,Tal_Ambegaon Dist-Pune Pin- 412406
3	Clearance letter(S)/OM No. and Date	SEIAA-0000000537 Date - 28/11/2018
4	Location a) District (s)	Pune
	b) State (s)	Maharashtra
	c) Location latitude / longitude	Latitude 18°58' 30.57"N and Longitude 74°5'31.68"E
5	Address For Correspondence	
	a) Address of the Managing Director(with Pin code/Telephone/Telex/Fax/Numbers)	Mr. Chandrakant G. Dhage Bhimashankar Sahakari Sakhar Karkhana Ltd.Dattatrayanagar, Pargaon Tarfe Awasari Bk.,Tal.Ambegaon, Dist-Pune Pin- 412406 Phone No.(02133)284241/284341 Fax-(02133)284270
6	Salient Features	
	a) of the Project	This Sugar unit situated at Dattatrayanagar.
	b) of the Environmental Management Plans	Environment Management Plan Includes – Green Belt Development (Plantation with mostly indigenous plant species) Measures to avoid sound pollution Water Environment Solid waste management Rain water Harvesting Firefighting system
7	Breakup of the Project Area	
	Submergence area : Forest & Non Forest	N.A.
	Others	Plot Area-580000 m2 Total Built up area - 72844 m2 Open area- 513952 m2
8	Break up the Project affected population with the enumeration of those losing Houses/Dwelling units only, Agricultural Land & Landless Laborers /Artisans:	Project land is owned by project proponent. So population not affected.
	a) SC, ST / Adivasi	N.A.
	B) Others (Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures, if a survey is carried out give details & year of survey)	N.A.

9 (a)	Financial Details: Project cost as originally planned and subsequent revised estimates and the year of price reference	Total Project Cost- 8200.000 Lakhs.
(b)	Allocation made for environmental management plans with item wise and year wise breakup	Year wise Break up- 2019-20 =Rs.15,00,000/- 2020-21=Rs.18,00,000/- 2021-22=Rs.20,00,000/- 2022-23= Rs.18,00,000/- 2023-24 = Rs.14,00,000/-
c)	Payback Period	-
d)	Whether (c) includes the cost of environmental management as shown in the above	Yes
e)	Actual expenditure incurred on the project so far	Rs. 7336.17 Lakhs
f)	Actual expenditure incurred on the environmental management plans so far	E.T.P.O&M, OCMS- AMC ,OCMS Spare, ESP maintenance expenditure Year Wise Expenditure - 2019-20 =Rs.21,36,500/- 2020-21=Rs.31,02,090/- 2021-22=Rs.27,55,548/- 2022-23 = Rs.96,39,000/- 2023-24 = Rs.81,79,590/-
10	Forest Land Requirement:-	
a)	The Status of approval for diversion of forest land for non-forestry use.	N.A.
b)	The status of clearing felling	N.A.
c)	The Status of compensatory afforestation, if any comments on the viability & sustainability of compensatory afforestation program in the light of actual field experience so far	N.A.
11	The status of clear felling in non-forest areas (such as submergence area or reservoir, approach roads) if any with quantitative information required.	N.A.
12	Status of construction (Actual & / or Planned)	Actual
a)	Date of commencement (Actual & / or Planned)	Actual
b)	Date of completion (Actual & / or Planned)	Actual
13	Reasons for the delay if the project is yet to start	-
14	Dates of the site visits- The dates on which the project was monitored by the Regional Office on previous occasions, if any	Mr. Sureshkumar Adappa (Scientist-D) MoEF Regional Office-Nagpur, visited on dt. 22/06/2021 and satisfactory report is issued.
a)	Details of correspondence with project authorities for obtaining action plan/information on status of compliance to safeguards other than the routine letters for logistics support for site visit.(the monitoring report may obtain the details of all letters issued so far but the later reports may cover only the letters issued subsequently.	No show cause or notices of pollution department. We are regularly monitoring both air & water data as per CPCB guidelines & parameters are within limit.


K. P. Tigre
 (Process Manager)
 Bhimashankar Sahakari Sakhar Karkhana Ltd.
 Dattatrayanagar, Pargaon Via - Awasari Ek
 Tal. Ambegaon, Dist. Pune - 412 468

PART- II		
2500 to 6000 TCD Sugar Expansion EC Compliance Conditions		
Con.No.	Condition	Compliance
Specific Conditions-		
I	PP to plan execute 100% drip irrigation in phase wise manner so as to ensure efficient use of water.	Karkhana already undertaken the program to increase the area under drip irrigation. Board resolution for 100% drip irrigation has been passed. To increase drip irrigation factory is continuously providing technical and financial support to the farmers and organizing awareness programme among farmers in every cane center for drip irrigation. Karkhana made the common agreement with Union Bank of India to sanction farmers loan at very reasonable rate of interest. for setting up drip irrigation. Karkhana is paying the said loan interest. Karkhana made mutual agreement with three different drip irrigation companies 1) Jain Irrigation 2) Netafim 3) Riulis Irrigation 4) Sona Poli Plast 5) Kothari Agritech We are continuously taking awareness program among farmers to aware, educate and inspire them for drip irrigation. We have made 70.94 Hectare drip irrigation season 2023-24. (Details Information- Drip irrigation scheme, Agreement Copies & Season 2023-24 Farmer's List & Photographs are Attached. Ann.I- (Page No.26 to 73)
II	PP to submit and undertaking to achieve less than 100 mg/Nm ³ of TPM at out let of ESP.	To control air pollution ESP (99.9%) with 72 m stack and Wet Scrubber (80%) with 60 m stack is already installed to both boilers & minimized TPM less than 100mg/Nm³. Photographs attached -Ann.II (Page No.74 to 75)

III		During Crushing season, we are monitoring daily TPM level by OCMS and Analyzing monthly from Akanksha Laboratories. The TPM level throughout the season is maintained below 100mg/m³. OCMS report and Akanksha Lab reports are attached for confirmation. OCMS Air Ambient report –(Season 2023-24- Nov. 23 to March 24)-Ann. III (Page No. 76 to 83) MoEF Approved – Akanksha Lab(NABL) report attached for confirmation. Ann.IV (Page No. 84 to 123)
	PP to undertake appropriate mitigation measures to maintain noise level within prescribed limits.	1) Factory is taking care to maintain noise level in the prescribed limit. 2) Proper maintenance, oiling and greasing of all machines is carried out at regular intervals. 3) The noise level is not exceeding the permissible limit 75 dB (A) during the day time, 70 dB (A) night time. 4) Regular monitoring of noise level in every month during crushing season. 5) Green belt around the plant area is developed to reduce the noise level. 6) Acoustic laggings and silencers are provided in equipment wherever necessary. The compressed air station is provided with suction side silencers. Ventilation fans are installed in enclosed premises 7) Central control room(s) provided for operation and supervision of plant and equipment are air-conditioned, glass fiber insulated frames help in reducing noise levels. Necessary enclosures also provided on the working

VI	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG (set).	Appx. 15 mtrs stack height is given for existing 500 KVA D.G.set.
VII	A detailed scheme for rain water harvesting shall be prepared and implemented to recharge ground water.	Factory building & offices roof rain water is collected by down take pipes in campus water body. (Details Attached .XIII) Page No.179 to 188
VIII	Arrangement shall be made that effluent and storm water does not get mixed.	We have proper drainage for storm water & effluent & there is no mixing of waste water & storm water.
IX	Periodic monitoring of ground water shall be undertaken and result analyzed to ascertain any change in the quality of water. Result shall be regularly submitted to the Maharashtra Pollution Control Board.	We are checking Ground water samples within 5 Km radius area in every month during crushing season. All the results are within limit. Season 2023-24. (Nov.23 to March 24) MoEF Approved – Akanksha Lab(NABL) Ground Water Analysis reports are attached–Ann.XIV Page No.189 to 218
X	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. Shall be provided.	Noise proof cabins are provided to operators wherever is possible. Further we are providing ear plugs for employees Noise level is within standard limits. (Photographs Attached. Ann..XV) Page No.219to 220
XI	The overall noise level in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencer, enclosures, etc. On all source of noise generation .The ambient noise level shall confirm to the standards prescribed under Environment (protection) Act, 1986 Rules,1989.	Noise controlling measures are provided as per EMP. Noise level is within standard limits.
XII	Green belt shall be developed & maintained around the plant periphery .Green belt development shall be carried out considering CPCB guideline including	Till 2019,we have planted 6502 trees on 33% of the total area of the factory with drip irrigation. Apart from this, it is planned to plant 5000 trees on the remaining

	selection of plant species and in consultation with the local DFO/Agriculture Dept.	area.(Certificate issued by Regional Forest Officer, Manchur and Taluka Agriculture Officer and Photographs are attached. Ann.XVI) Page No.221to 226
XIII	Adequate safety measures shall be provided to limit the risk zone within the plant, boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.	Adequate safety measures like helpmates, Shoes, Safety belts etc. are provided.
XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act XV.	We arrange health checkup camp for all employees once in every year and records is maintained as per Factory Act. We are organizing pre & post medical check-ups for all employees. Medical record is maintained of each employee. The Factory has taken all workers the mediclaim policies to take care of the health of the workers.
XV	The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.	The system is provided as per guidelines of DISH. *This is regularly inspected by Factory Inspectors during visit. *Hydrant System ,High velocity water spray system, medium velocity water system, Foam system Portable and mobile fire extinguishers etc. are different types of fire protection /diction system are installed in the plant
XVI	The project authorities must strictly comply with the rules and regulations with regards to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) rules,2003(amended). Authorization from the MPCB shall be obtained for collections / treatment/ storages/ disposal of hazardous wastes.	We are regularly following guidelines given by MPCB.

XVII	Regular mock drills for the onsite emergency management plan shall be carried out. Implementation of changes/ improvement required, if any, in the onsite management plan shall be ensured.	We arrange regularly. It is part of our routine practice. (Photographs are Attached. XVII) Page No.227 to 228
XVIII	A separate environment management cell with qualified staff shall be set up for Implementation of the stipulated environmental safeguards.	Environment Management cell is established. It is headed by a qualified and experienced environmental officer having experience more than 10 years.
XIX	Separate funds shall be allocated for implementation of environmental protection measures /EMP along with item wise break up. These cost shall be included as part of the project cost .The fund earmarked for the environment protection measures shall not be diverted for other purposes and year wise expenditure should reported to the MPCB & this department.	We have received the EC in Nov. 2018 and all the basic works required to fulfill the conditions are already completed * We have invested Rs.300.00 Lakhs in capital investment made for environment protection as specified in EMP. *Management is very committed for the same. * The funds earmarked for Environment are not diverted to any other account head. * We have make Rs.15 lakhs provision for the operational expenditure 2024-25.
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in	Karkhana published advertise in local newspapers - 1) Prabhat (Marathi) - 3 rd December 2018 2) Sakal Times (English)-4 th December 2018 (Copy Attached Ann. XVIII) Page No.229 to 230

XXI	Project management should submit half yearly compliance report in respect of the stipulated prior environment clearance terms and condition in hard & soft copies to the MPCB & this department, on 1 st June & 1 st December of each calendar year.	We have uploaded EC compliance report and all Analysis Reports on our Karkhana Web Site. Further we are submitting Six monthly compliance report to MoEF, Nagpur on regular basis. (Screen shot Copy Attached Ann. XIX) Page No. 231 to 234
XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO if any from whom suggestion/representation if any were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Environment Clearance letter granted by Maharashtra State Environment Impact Assessment Authority (SEIAA) is already displayed on Karkhana website.
XXIII	The proponent shall upload the status of compliance of the stipulated EC condition, including result of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Submitting Regularly.
XXIV	The project proponent shall also submit six monthly report on the status of compliance of the stipulated EC condition including result of monitored data (both in hard copies as well as by e-mail) to the	Submitting Regularly.

XXV	respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The environment statement for each financial year ending 31st March in Form -V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliances of EC condition and shall also be sent to the respective Regional Office of MoEF by e-mail.	Submitting Regularly. (Year 2023-24) Copy Attached Ann. XX Page No. 235 to 238.
-----	--	---


 K. P. Thare
 (Process Manager)
 Bhraeshankar Sahakar Sakhar Karkhana Ltd
 Dattatrayanagar, Paryag Vile - Awasari Bk
 Tal. Ambegaon, Dist. Pune - 412 406

		platforms /areas to reduce the noise levels The insulation are provided to reduce noise 8) Greenbelt is developed around the periphery of the plant to reduce noise levels. Noise level monitoring report attached. MoEF Approved – Akanksha Lab (NABL)(Season 2023-24) Nov.23 to March 24) Ann.V (Page No. 124 to 129)
IV	PP to undertake awareness program among the sugarcane cultivators and implement appropriate measures to reduce salinity hazards and maintain proper soil health for sustainable productivity.	Karkhana is regularly taking consultancy of Vasantdada Sugar Institute to help and provide the technical guidance to the farmers for crop development, soil health care, good irrigation practices. In season 2023-24, 11different awareness program has taken regarding sustainable farming, increasing productivity, good agricultural practices (Photographs & Details attached. Ann.-VI) Page No. 130 to 131)
V	PP to implement CSR plan in consultation with the District Authorities and maintain separate account for the same.	The factory has spent CSR Rs.62,53,999/- in year 2023-24 for different social activities.(Details attached –Ann.VII) Page No.132 to 133 In Season 2023-24, Rs.4,11,37,986/- has been spent for different sugarcane development activities like 1) Foundation and Certified seed supply, 2) Farmers Training, 3) Soil Testing, 4) Green Manure seed supply, 5) Drip Irrigation scheme subsidy, 6) Bio fertilizer supply, 7) Bio compost supply, 8) Chemical Fertilizer supply, 9) Micronutrient supply. Details information Attached. (Ann.-VIII)Page No.134 to 147

VI	PP shall provide 100% drip irrigation for plantation.	All plants in factory premises has drip irrigation facility. (Photographs Attached IX) Page No.149 to 150
General Conditions-		
I	PP to achieve Zero Liquid Discharge PP shall ensure that there is no increase in the effluent load to CETP.	We ensure you that there is no increase in the effluent load to ETP. (Season 2023-24 –Nov. 23 to March 24) MoEF Approved–Akanksha Lab(NABL) Treated Effluent monitoring reports are attached–Ann.X Page No.151 to 160. OCEMS Treated Water Reports are Attached –(Season 2023-24 –Nov.23 to March 24)Ann. XI. Page No.161 to 166
II	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.	No additional land is acquired.
III	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.	We arrange health checkup camp for all employees once in every year and records is maintained as per Factory Act. We are organizing pre & post medical check-ups for all employees. Medical record is maintained of each employee.(Details & Photographs Attached-XII) Page No.167 to 178
IV	Proper Housekeeping programmers shall be implemented.	We regularly maintain the proper housekeeping.
V	In the event of the failure of any pollution control system adopted by the unit ,the unit shall be immediately put out of operation and shall not be restarted unit the desired efficiency has been achieve.	After failure of pollution control device, we immediately stop the Boiler operation & restart after activation of pollution controlling device. We intimate both CPCB & MPCB time to time by mail in this regard without any delay.

Drip irrigation scheme: - Since planting season 2017-18 factory is implementing drip irrigation scheme to bring maximum area under drip irrigation in sugarcane crop. Under this scheme Karkhana has made agreement with 5 drip irrigation companies.

Factory is implementing following drip irrigation scheme to bring area under drip irrigation to sugarcane crop. Factory has made contract with 5 ISI mark drip companies and drip loan proposal made through Union Bank of India-Manchar Branch

1. Farmers request to install drip irrigation is taken & agreement made between farmer and factory on stamp paper of Rs.100/-
2. As per quotation the work order of drip installation is given to company.
3. By opening bank account of respective farmers and after completion of loan documents in the bank by considering Rs.60,000/- per acre drip cost, Rs.49000/- or if cost is below Rs.50,000/- the amount Rs.11,000/- keeping behind the above amount Rs.49000/- is paid to respective company within 30 days after arrival of completion report by inspection.
4. Rs.1,000/- is delivered to company after completion of subsidy proposal.
5. Drip set and cane grower insurance – Beneficiary farmer get insurance policy of Rs.1 Lac for one year and drip set is also insured for one year from installation date by respective drip company.
6. Remaining amount Rs.10,000/- per acre is delivered to company after one year of first payment.
7. Free acid treatment to drip set for three times.
8. No installation & transport charges.
9. Free agronomical advice & training etc.

**Seasonwise area under drip irrigation in sugarcane crop and
Cost incurred by sugar factory**

Planting Season	Area (ha.)	Expenditure (Rs.)
2009-10	26.80	368500.00
2010-11	9.28	127600.00
2011-12	133.15	3328750.00
2012-13	516.46	23016750.00
2013-14	359.59	17979500.00
2014-15	134.42	8401250.00
2015-16	92.68	5792500.00
2016-17	104.16	9114000.00
2017-18	259.40	31662534.00
2018-19	298.74	37006679.00
2019-20	545.50	74818937.00
2020-21	158.10	19762500.00
2021-22	33.58	5037000.00
2022-23	29.27	4390500.00
2023-24	69.39	10408500.00

हंगाम २०२३-२४ टिक्क रिचन क्षेत्र (हे.आर) तपशिल बाबत

अ. नं.	ऊस उत्पादकाचे नाव	गाव	टिक्क क्षेत्र (हे.आर)
जैन इरिगेशन लि.			
१	थिटे शारदा मुरलिधर	भागडी	०.४३
२	वायाळ हेमलता यशवंत	नांदुर	०.४०
३	वायाळ यशवंत सदाशिव	नांदुर	०.७४
४	चिखले सुमंत सोपान	कळंब	०.७०
५	टेमगिरे नंदा सखाराम	जाधववाडी	०.४०
६	खिलारी विलास पांडुरंग	भराडी	०.८०
७	बनकर अनंता भगवान	महाळुगे पडवळ	०.८०
८	बनकर भगवंत दगडु	महाळुगे पडवळ	०.६८
९	बनकर जीवग चंद्रवंत	महाळुगे पडवळ	०.४०
१०	बनकर सोपान किसन	महाळुगे पडवळ	०.४५
११	विश्वासराव रामदास नथु	थोरंदाले	०.८०
१२	दांगट बजरंग श्रीपती	मंगडेवाडी	०.२९
१३	दांगट विलास श्रीपती	मंगडेवाडी	०.३५
१४	ढोबळे रामदास यशवंत	जारकरवाडी	१.२०
१५	हिगे हिराबाई मिनानाथ	अवसरी बुद्रुक	०.६०
१६	खिलारी सुरेश धोंडीभाऊ	जवळे	०.६०
१७	पोंदे तुकाराम लक्ष्मण	लाखणगाव	१.२०
१८	पोंदे गंगुबाई तुकाराम	लाखणगाव	०.४०
१९	जाधव तुकाराम नामदेव	मंचर	०.८०
२०	जाधव वसंत नामदेव	मंचर	०.५७
२१	बांगर रंगनाथ त्रिंबक	चांडोली बुद्रुक	०.६०
२२	भोर यशवंत काशिनाथ	रांजणी	०.८०
२३	बनकर जनार्दन काशिनाथ	महाळुगे पडवळ	१.२०
२४	थोरात सतिश पांडुरंग	एकलहरे	०.८०
२५	वायाळ मारुती रामभाऊ	कळंब	०.८०
२६	मावकर बाळू महिपती	चांडोली बुद्रुक	०.४०
२७	थोरात वैभव दत्तात्रय	चांडोली बुद्रुक	०.४०
२८	भोर निलकश रामदास	हिवरे तर्फे नारायणगाव	०.४०
२९	भोर तुळशिराम तबा	हिवरे तर्फे नारायणगाव	०.४०
३०	गायकवाड रामदास सखाराम	खोडद	०.५४
मेटाफिम इरिगेशन लि.			
३१	डुकरे काशिनाथ श्रीपत	पारगाव तर्फे आळे	४.४०
३२	गोरडे वसंत दगडु	शिंगवे	०.७०
३३	गोरडे ओमप्रकाश दगडु	शिंगवे	०.३५
३४	गुंड श्रीहरी बबन	थोरांदले	१.००
३५	गावडे पोपट यशवंत	गावडेवाडी	०.३०
३६	गावडे संदिप पोपट	गावडेवाडी	०.३०
३७	गुंड संदिप सिताराम	थोरांदले	०.५०
३८	गुंड संदिप सिताराम	थोरांदले	०.४०
३९	खुडे निलेश शिवाजी	जारकरवाडी	०.६०
४०	पाटील दत्तात्रय मुकिंदा	लाखणगाव	०.९०

अ. नं.	ऊस उत्पादकाचे नाव	गाव	ठिक क्षेत्र (हे.आर)
४१	बालुंज ज्ञानेश्वर गोटीराम	ताखणगाव	०.८३
४२	शिंदे हिशबाई बबन	भराडी	०.६०
४३	शिंदे संगिता संजय	भराडी	०.४०
४४	हिगे नंदा मच्छिंद्र	अवसरी बुद्रुक	०.६८
४५	चांगण हनुमंत गणभाऊ	पारगाव	०.४०
४६	थोरात वसंत हरिभाऊ	मंचर	०.५५
४७	थोरात वसंत हरिभाऊ	चांडोली खुर्द	०.५५
४८	गावडे भाऊसाहेब उमाजी	जवळे	१.८०
४९	थोरात राजेंद्र गणपत	खडकी	०.८०
५०	हिगे यशवंत नारायण	अवसरी बुद्रुक	०.८०
५१	शिंदे सविता संतोष	थोरांदळे	०.४०
५२	जांभळे विश्वनाथ हरिभाऊ	भराडी	०.८०
५३	लौढे तुकाराम देवराम	अवसरी खुर्द	०.३५
५४	बांगर आनंदा हरिभाऊ	निरगुडसर	०.५०
५५	साबळे नंदकिशोर बाळा	पारगाव	०.३०
५६	लोखंडे खंडू विश्राम	वळती	०.८०
५७	थोरात कुंडलिक रखमा	मंचर	०.४०
५८	थोरात पांडुरंग रखमा	चांडोली खुर्द	०.४०
५९	शिंदे चंद्रकांत बबन	खडकमळा	०.३३
६०	शिंदे देविदास बबन	खडकमळा	०.३७
रिवुलिस इरिगेशन इंडिया लि.			
६१	खिलारी अरुण तुकाराम	भराडी	०.६०
६२	चिखले जयवंत रामचंद्र	नांदुर	०.६०
६३	सैद दिलीप लक्ष्मण	महाळुंगे पडवळ	०.३८
६४	भालेराव चंद्रकला दशरथ	कळंब	०.५५
६५	खिलारी ठकसेन नामदेव	भराडी	०.४५
६६	खिलारी बाळासाहेब नामदेव	भराडी	०.४०
६७	सावंत रामदास बाबुराव	चिंचोली	०.९५
६८	जाधव स्वप्निल सुर्यकांत	नांदुर	०.६०
६९	जाधव नामदेव लक्ष्मण	नांदुर	०.६०
७०	शिंदे बाळू बबन	नांदुर	०.४०
७१	ढोबळे विशाल दशरथ	पारगाव	०.४०
७२	ढोबळे अमोल दशरथ	पारगाव	०.३४
७३	लोखंडे बाळशिराम कुंडलिक	शिंगवे	१.८०
७४	वाव्हळ भाऊ हरिभाऊ	शिंगवे	०.८४
७५	मेहेत्रे अविनाश रखमा	शिंगवे	०.८०
७६	खिलारी योगेश ठकरोन	भराडी	०.४०
७७	थोरात मंगलदास कोंडीभाऊ	चांडोली बुद्रुक	०.५०
७८	भालेराव दिलीप वसंत	कळंब	०.४०
७९	वायाळ संतोष ज्ञानेश्वर	नांदुर	१.३९
८०	चिखले शिवाजी बबन	नांदुर	०.७१
८१	शिंदे शुभम बाळू	नांदुर	०.४०
८२	काळे तुकाराम नामदेवराव	घोडेगाव	०.५५

अ. नं.	ऊस उत्पादकाचे नाव	गाव	ठिबक क्षेत्र (हे.आर)
८३	चिखले अमित-नामदेव	नांदुर	०.३०
८४	जंबुकर सिताराम दाजी	नारोडी	०.६४
८५	आवटे सदाशिव बाबुराव	महाळुंगे पडवळ	०.४४
८६	दरेकर गिरीश विठ्ठल	दरेकरवाडी	०.४५
८७	जाधव दिनेश मधुकर	नांदुर	०.७०
८८	येवले अशोक तुकाराम	गंगापूर बुद्रुक	०.६७
८९	चिखले नरेंद्र भगवान	नांदुर	०.६०
९०	येवले जालिंदर बाळू	गंगापूर बुद्रुक	०.४९
९१	भालेराव सुरेश कोंडाजी	कळंब	१.८०
९२	भालेराव राजेश पांडुरंग	कळंब	०.७१
९३	भालेराव पांडुरंग कोंडाजी	कळंब	०.४०
९४	चासकर ताराबाई भाऊ	महाळुंगे पडवळ	०.४०
९५	येवले जितेंद्र हरिभाऊ	गंगापूर बुद्रुक	०.४०
९६	चिखले मच्छिंद्र भगवान	नांदुर	०.६०
९७	चासकर वसंत मारुती	महाळुंगे पडवळ	०.२५
९८	थोरात हरिचंद्र नामुजी	लौकी	०.५४
९९	चासकर चंद्रकांत सदाशिव	महाळुंगे पडवळ	०.३०
सोना पॉली प्लास्ट प्रा. लि.			
१००	जाधव ज्ञानेश्वर शिवराम	जाधववाडी	०.३०
१०१	जाधव सुरेखा धोंडू	जाधववाडी	०.६९
१०२	भालेराव संजय सबाजी	कळंब	०.४०
१०३	दळवी राधाबाई किसन	कळंब	०.६०
१०४	भोर किसन नथु	जाधववाडी	०.८०
१०५	जाधव ताराबाई कुंडलिक	मांजरावाडी	०.५६
१०६	बारवे खंडू नथु	चास	०.७५
कोठारी अग्नीटेक प्रा. लि.			
१०७	जाधव सिताराम महादु	मंचर	०.५२
१०८	इंदोरे रोहिदास मारुती	चांडोली खुर्द	०.५०
१०९	थोरात अशोक सखाराम	चांडोली बुद्रुक	०.६०
११०	थोरात ज्ञानेश्वर महादेव	चांडोली बुद्रुक	०.४१
१११	टाके देवराम रावजी	शिगवे	०.६०
एकूण			७०.९४

करारनामा

भीमाशंकर सहकारी साखर कारखाना लि.
दत्तात्रयनगर, पारगांव तर्फे अवसरी बु.
ता. आंबेगाव, जि. पुणे

व

जैन एरिगेशन सिस्टीम लि.,,
संगम प्रोजेक्ट, स.नं. ४०/१, बी - २, ४६ दुसरा
मजला डॉ. आंबेडकर रोड
जुना वेलस्ली रोड, आर.टी.ओ ऑफीस व
संगम ब्रीजजवळ, शिवाजीनगर, पुणे - ४११००१

2023/24



महाराष्ट्र MAHARASHTRA

© 2022 ©

38AA 127632

8/10/2023

सदरचा मुद्रांक लिहणे अण्ड लायसन्ससाठी नाही

रणजित लक्ष्मण वाजगे, मुद्रांक विक्रेता, नारायणगाव, ला.नं. २२०७०९६, मुलत ३१/३/

वा.गांव विद्दी कं.

1719

दि. ८-५-२३

रु. 100/-

मुद्रांक कोणत्या कारणासाठी वापराक्याचा

करार

मुंबई मुद्रांक अधिनियम, १९५८ चे अनुच्छेद ४

नांव जेन हरिगणेश बिस्मिल लि

पत्ता



पुणे

रणजित लक्ष्मण वाजगे पत्ता

मुद्रांक विक्रेता नारायणगाव

ला.नं. २२०७०९६

भा.जेन बाळू तक्ररी



करारनामा

करारनामा आज वार २५ वार दि. ९८ माहे मे सन २०२३ रोजी

करारनामा लिहून घेणार:

जी.भा.शंकर सहकारी साखर कारखाना लि.

दत्तात्रयनगर, पारगाव तर्फे अवतारी सु. ता.आंबेगाव, जि.पुणे करिता

कार्यकारी संचालक - श्री.चंद्रकांत गंगारकर कणे

वय - ५७ वर्षे लिंग - नोकर

करखान्या लिहून देणार:-

जेन एरिगेशन सिस्टीम लि.,

संगम प्रोजेक्ट, स.नं.४०/१, बी - २, ४६ दुसरा मजला

ऑ. अविशकर रोड, जुना गेलरली रोड,

आर.टी.ओ ऑफीस व संगम तीर्जजवळ ,

शियाजीनगर, पुणे - ४११००१

(मुख्यादार) करिता

विभागीय व्यवस्थापक, विही विभाग - श्री.रवी मणपतराव गाडीवान

तस - ५२-तारें मंडा- नोकरी

कारणे करखान्या लिहून देतो कि

भीमाशंकर सहकारी साखर कारखाना लि, दत्तात्रयनगर, पारगांव तर्फे अखरी बु. ता.अंबेगाव, जि.पुणे सांच्या संचालक मंडळाचे कारखान्याच्या सभासद/उत्स उत्पादकांचे एकरी उत्पन्न वाढ होवून चांगल्या गुणवत्तेचा दर्जेदार उच्च मिठावा म्हणुन शेतकऱ्यांना उच्च विकासाती ठिक्क शिंतन संत बराबुन देण्याची योजना सध्याच्या निष्पत्ती घेतला आहे.

दि.०८/०१/२०२३ रोजी कारखान्याच्या मा.संचालक मंडळ सभेमध्ये झालेल्या चर्चेप्रमाणे व सोबत जोडलेल्या दरपत्रकांनुसार जेन एरिगेशन सिस्टीम लि.सांना खालील अटी शर्तीप्रमाणे काम देण्यात आले आहे.

करखान्या लिहून देणार ही ठिक्क शिंतन संवाचे साहित्य उत्पादन करणारी व त्यांची विक्री व पुरवठा करणारी कायदयान्वये (नोंदलेली) कंपनी आहे. सदर कंपनीला नोंदविलेला पत्ता वर नमुद कोट्याप्रमाणे आहे (सदर कंपनीला उल्लेख यापुढे मुख्यादार असा करण्यात आला आहे.) लिहून घेणार हा महाराष्ट्र राज्य सहकारी संस्था अधिनियम १९६० अंतर्गत नोंदणी केलेला सहकारी साखर कारखाना असुन, त्याचा सभासद व विमर सभासदांचे उभापासुन साखर व इतर पदार्थ तयार करण्याचा व्यवसाय आहे. (यापुढे लिहून घेणार हा सहकार कायदयान्वये नोंदलेला साखर कारखाना असुन त्याचा उल्लेख कारखाना असा केला आहे.)

योजना सशस्ती करण्यासाठी कारखाना व मुख्यादार ठिक्क कंपनी यांमधील अटी व शर्ती खालीलप्रमाणे असातील.

- १) कारखाना ठिक्क शिंतन संत बराबिणाच्या उक्क सभासदांची नावे व संबंधीत आवश्यक असाणारी कागदपत्रे मुख्यादारास देईल.
- २) प्राप्त झालेल्या मादीनुसार मुख्यादार किंवा त्याचे अधिकृत वितरक लाभार्थी शेतकऱ्यांच्या शेतावर प्रत्यक्ष जाऊन शेताचे मोजमाप (सर्व्हे) करतील.
- ३) मोजमापानुसार मुख्यादार किंवा त्याचे अधिकृत वितरक अभियंताकडुन तांत्रिक व आर्थिक दृष्ट्या योग्य अयलेला आयखळ तयार करून त्यासाठी लागणाऱ्या साहित्याची यादी (कोटेशन) तयार करतील.
- ४) कारखाना मुख्यादारास शेतकरी निहाय वर्क ऑर्डर देईल. कारखान्याकडुन वर्क ऑर्डर मिळाल्यानंतर मुख्यादार लाभार्थी शेतकऱ्याला खोदाईचा लेआउट तीन दिवसांचे आत देईल. शेतकऱ्यांना लेआउटप्रमाणे पाच दिवसांच्या आत खोदाई पूर्ण करावी लागेल. वर खोदाई पुर्ण झाल्यानंतर दहा दिवसांच्या आत मुख्यादार शेतावर ठिक्क शिंतन संवासाठी लागणारे साहित्याचा पुरवठा करून संवाची उभारणी करून देण्यात येईल व त्यानंतर कारखान्याचे अधिकारी प्रत्यक्ष पादणी करतील.

- १७) अ) शेतकरी निवास ठिकाण सिंचन संचाची दिले गेलेल्या दरम्यानप्रमाणे पुरवठादार किंवा पुरवठादाराचे कारखान्यासाठी अधिकृत केलेले वितरक देतील. (अधिकृत वितरकाची यादी शेतकरी जोडलेली आहे) त्यावर पुरवठादाराची किंवा अधिकृत वितरकाची स्वाक्षरी राहिल.
- ब) ठिकाण सिंचन संच कार्यान्वित झाल्यानंतर पुरवठादार / अधिकृत वितरक या लागार्थी शेतकरी सांच्या राहिलेले संच उभारणी अडथाल व विलंब कारखान्याकडे सादर करतील.
- क) कारखान्याचे अधिकारी समक्ष पाहणी करतील.
- १८) पुरवठादार कृषि आसुबतालय पुणे, सांच्याकडे मान्यता प्राप्त पुरवठादार असून त्यांनी स्वतः उत्पादीत केलेले ठिकाण सिंचन संचातील सर्व मुख्य साहित्य वी, आय.एस. मान्यताप्राप्त व उत्तम दर्जाचे असातील.
- १९) संचाच्या आराखड्याप्रमाणे ग्रेन सयमेनसाठी लागणारे व इतर खोदकाम, फिल्टर ओटा तसेच इतर शिष्टीत वर्क शेतकरी-यांचे स्वस्थवणे करावयाचे आहे. सयसरकेस ठिकाणासाठी लागणारा सर्व खोदकाम स्वतः शेतकरी-यांचे करावयाचे आहे.
- २०) माती व पाणी परिक्षण लागार्थी शेतकरी-यांचे स्वस्थवणे कारखान्याच्या प्रयोगशाळेतून करावयाचे आहे.
- २१) ठिकाण सिंचन संचाची निगा संवधारकाने कशी घ्यावयाची हे समजून सांगण्याची जबाबदारी वितरकाची राहिल.
- अ) फिल्टरची वेळोवेळी नियमित स्वच्छता करणे, त्याचप्रमाणे संपूर्ण संचाचे नियमितपणे प्लशिंग करणे. (लॅटरल, सयमेन)
- ब) संच धारकाने पिकाचे जीवनचक्र संपेपर्यंत गूळांच्या कक्षेत वाफसा स्थिती कायम रहावी यासाठी नियमित संच चालवावा.
- क) ठिकाण संचाची कार्यक्षमता उत्कृष्ट राहिल तसेच संच सतत कार्यरत राहिल याची दक्षता संवधारकाने घ्यावयाची आहे.
- २२) ठिकाण सिंचन संचाची मर्यादीत हमी (वॉरंटी) तीन वर्षांची राहिल. मर्यादीत हमी अंतर्गत फक्त उत्पादन गुलक दोषांचा समावेश राहिल. तीन वर्षांच्या कालावधीत ठिकाण सिंचन संचाचा कोणताही भाग (कॅन्सुमेबल्स, इलेक्ट्रीक अँटर्स, रबर पार्ट्स, फिल्टर जाळी/वाळु इत्यादी सोडुन) उत्पादन गुलक दोषांमुळे नादुरुस्त किंवा न चालणारा (सदोष) निघाल्यास पुरवठादार गरजेनुसार फक्त ते सुटे भाग किंवा साहित्य गोफत दुरुस्त करून किंवा बदलून देईल.
- २३) ऊसतोडणी करताना संच खराब झाल्यास याची जबाबदारी संवधारकाची राहिल. शेतकरी-यांचे विहिरीचे, तोअरचे पाणी अवाजक कमी/बंद झाल्यास त्यामुळे पिकाचे नुकसान होणे, संचाची निगा न राखल्यामुळे होणा-या नुकसानीस संच धारक जबाबदार राहिल. त्याची कारखान्यास काही एक तोषीय लागू देणार नाही.
- २४) ठिकाण सिंचन संच यशस्विताची योजना यशवितांना विलंब होण्याचे कारण उदा. एखादा दैवी/नैसर्गिक आपत्तीमुळे पुरवठादारांच्या भाजवी अखत्यारीत वाहेरील घटनेमुळे किंवा सरकारी कायदेकानुन व आयात नियमांतील बदलांमुळे असेल तर त्यामुळे होणा-या विलंबास पुरवठादार जबाबदार राहणार नाही.

१३) शासनाने अनुदान योजना राबविण्याचे ठरविल्यास प्रत्येक लाभार्थी शेतकऱ्यांसाठी ठिबक सिंचन संवासासाठी आवश्यक असणारी शासकीय अनुदान प्रकरणे तयार करून ती शासकीय निखगाप्रमाणे दाखल करण्याची जबाबदारी वितरकाची / पुरवठादाराची राहिल. (शासनाच्या निखगाला अधिन सधून) अनुदानासाठी लागणारी कागदपत्रे उदा. ७/१२ उतारा, ८अ, रु.१००/- किंमतीचे तीन स्टॅप, संगतीपत्र (एकत्रित कुटूंबातील ७/१२ असल्यास इतर हिस्सेदार / वारसदारांचे संगतीपत्र) व माती-पाणी परिक्षण अहवाल इत्यादींची पूर्तता करण्याची जबाबदारी सभासद शेतकऱ्याची राहिल. तसेच साहित्याचे बिल, शेताचा नकाशा व हमीपत्र पुरवठादार देईल.

१४) ठिबक संवाची किंमत प्लॉटच्या डिझाइन प्रमाणे साहित्याच्या मागणी प्रमाणे कमी जास्त होईल, दखत्रका नुसार लागणा-या मालाचे दर आकारण्यात येतील. जी.एस.टी. कर जास्तीचा आकारण्यात येईल. तसेच करार केलेनंतर करारासोबत जोडलेले दर पत्रक हे पुढील सहा महिन्यांसाठी कायम राहतील. सहा महिन्यांनंतर दर कमी/जास्त झाल्यास त्याची पूर्व मंजूरी घेवून दरास मान्यता दिलेनंतर मालाचा पुरवठा व वील आकारणी नविन दराने आकारण्यात येईल.

१५) पुरवठादाराने रासायनिक प्रक्रिया (अॅसिड ट्रिटमेंट) संच उभारणीनंतर वर्षातून एक वेळेस व ३ वर्षातून तीन वेळा संपूर्णपणे गोफत करून द्यावयाची आहे. तीनपेक्षा जास्तवेळा रासायनिक प्रक्रिया सेवा हवी असल्यास त्यास आवश्यक अॅसिड व रु.२००/- प्रत्येक सेवेसाठी संचधारकास आगाऊ द्यावे लागतील.

१६) आपल्या कारखान्या मार्फत राबविण्यात येणा-या ऊस उत्पादन वाढीच्या ठिबक योजनेमध्ये पुरवठादार कंपनी खालील प्रमाणे सहभागी होईल.

१. ठिबक सिंचन संवासासाठी १ वर्षाकरीता विमा गोफत देण्यात येईल.

ठिबक संच विमा संरक्षण - ठिबक संच बसविलेनंतर चोरी जाणे, पुर, भुकंप, अपघात, ठिबक संच जळीत होणे यांमुळे होणा-या नुकसानाची विमा संरक्षण मिळणार आहे. (विमा स्वतः ठिबक संवाची टॅक्स इन्व्हॉइस नुसार होणारी किंमत) (१ वर्षासाठी)

२. पुरवठादार कंपनीकडून लाभार्थी शेतकऱ्याचा रु.१.०० लाखाचा विमा (अपघाती मृत्यू / कायम अपंगत्व) गोफत काढण्यात येईल. (१ वर्षासाठी)

वैयव्यकीक शेतकरी विमा संरक्षण - ठिबक संच ज्या शेतकऱ्याचे नावावर आहे त्या शेतकऱ्याचा अपघाती मृत्यू झालेस किंवा कायम स्वरूपाचे अपंगत्व आलेस १ लाखाचा विमा पुरवठादार यांचेकडून देणेत येईल. (१ वर्षासाठी)

३. पुरवठादार कंपनीचे वितरकांकडून माल वाहतूक खर्च व जोडणी खर्च संबंधित शेतकऱ्याकडून वाहतूक व जोडणी खर्चापोटी प्रति एकरी रु.५००/- शेतकऱ्याकडून रोख स्वरूपात घेणेत यावे.

४. सवसरफेस नळ्या अंशरण्यासाठी पुरवठादार गोफत यंत्र उपलब्ध करून देतील.

५. लाभार्थी शेतकऱ्यांना स्वतःमात्र, पाणी निरोजन मार्गदर्शन तसेच वर्षातून ३ वेळा कृषी तज्ञ भेट देतील. त्याचा रिपोर्ट / फिडबॅक शेतकरी व शेतकी विभाग यांचे साह्यिनिशी फायनल वेगेंट वेळी देणे आवश्यक आहे. सेवा व सुविधा न पुरविल्यास करार रद्द करण्याचा अधिकार कारखान्यास राहिल.

६. शेतकरीनिहाय स्वतः व पाणी व्यवस्थापन परिषदक / माहिती पुरविका (अपरी) देऊन त्याच्या अंगलबजावणीसाठी मार्गदर्शन करण्यात येईल.
७. कारखाना सहकार्याने पुरवठा कंपनीचे तक्रारकडून तक्रारून तीन वेळा मंड/माव पातळीवर छंटे शेतकरी भेळतो घेण्यात येतील.
८. कारखाना व पुरवठादार ठिबक कंपनी मार्फत बसविल्यात येणा-या सदर योजनांतर्गत ठिबक शिंचन संचावर जास्तीत जास्त उत्पादन घेणा-या प्रथम ३ शेतक-यास कारखाना वार्षिक सर्वसाधारण सभेमध्ये प्रत्येकी रक्कम रु.११००० देवून गौरविण्यात येईल.
९. ठिबक मालाचा दर्जा व गुणवत्ता तपासणी कारखानामार्फत केली जाईल.
१०. ठिबक योजनेतील कयरांतर्गत कंपनीला प्रति महिना १५ हेक्टर (प्रति वार्षिक ५८० हेक्टर) ऊस क्षेत्रावर ठिबक शिंचन संच बसविणेचे उद्दिष्ट पूर्तता करणे बंधकारक राहिल. उद्दिष्ट पूर्तता न केलेस सदर करार रद्द करणेचा अधिकार कारखान्यास राहिल. मासिक उद्दिष्ट पूर्तता अहवाल महिना अखेरीस कारखान्यास लेखी स्वरूपात देणे बंधनकारक राहिल.

१७) पुरवठादायास खालीलप्रमाणे पेमेंट अदा करण्यात येईल.

अ) संचाची किंमत ऊस लागवडीची पद्धत / प्लॉटच्या डिझाईन प्रमाणे आवश्यक साहित्याच्या मागणीप्रमाणे कमी जास्त होते. त्यानुसार माग्य दख्खनानुसार एकूण दिलाची रक्कम अकारण्यात येईल.

ब) कारखाना बँकेकडून शेतकरीनिहाय कर्ज घेत असल्याने बँकेने शेतकरीनिहाय कर्ज मंजूर केलेनंतरच कारखाना पुरवठादायास शेतक-यांमार्फत सहभागी कंपनीच्या वितरकाची निवड झालेनंतर कारखान्याकडून संबंधित कंपनीस वर्क ऑर्डर देणेत येईल किंवा सोबत शेतकरीनिहाय बँकेचे मंजूर पत्र देईल.

क) कंपनीमार्फत शेताचा आराखडा / सर्व्हे तयार करणे व रितसर संच बसविलेनंतर संबंधित शेतक-याचे शंगतीपत्रासह व शेतकी विभागाचे तपासणी रिपोर्टसह बिल सादर झालेनंतर रु. ४९,०००/- अथवा बिल रक्कम रु.६०,०००/- पेक्षा कमी असल्यास बिलाचे रक्कमेपैकी रु.११,०००/- राखून ठेवून उर्वरीत रक्कम ठिबक कंपनीस ३० दिवसाचे आत अदा करणेत येईल. तसेच अनुदान प्रस्ताव सादर केलेनंतर रु.१,०००/- अदा करणेत येतील.

ड) उर्वरीत रक्कम रु.१०,०००/- ऊस गाळपास अथवा वेणेस आलेनंतर एक महिन्यात कारखान्याकडून कंपनीस अदा करणेत येईल.

१८) ठिबक शिंचन संच साहित्याचे दख्खनक सोबत जोडलेले आहे. सदरचे दर पत्रक करार तारखेपासून पुढील सहा महिन्यापर्यंत कायम राहील. सहा महिन्यानंतर कराराच्या कालावधीत महाराष्ट्र शासनाने ठिबक साहित्याचे दर निश्चित केल्यास व पुरवठादाराने अशा निश्चित केलेल्या दरास लिहून घेणार यांचेकडून मागता दिलेनंतर (आउटपुट दिनांक नंतर) पुरवठा केलेल्या मालाची मूल आवकणी नविन दराने आकारनेत येईल.

१९) वरील कयरांमधील अटी व शर्ती प्रमाणे पुरवठादार मागणेत सुकल्यास प्रस्तुत करार रद्द करणेत अधिकार कारखान्यास राहिल तरीच करार रद्द करणेताना ८ दिवस अगोदर नोटीस देणेत येईल.

तसेच यदा कदाचित्त घरील करारातील अटी व शर्तीचा भंग होवून कुणाचे नुकसान झालेस त्याची नुकसान भरपाईची जबाबदारी लिहून देणार यांची राहिल.

२०) या कराराबाबत व योजनेच्या अंमलबजावणी काळात काही वाद, मतभेद अथवा गैरसमज निर्माण झाल्यास पुरवठादार व कारखाना संयुक्तपणे न्यायासाठी न्यायालयातील प्रक्रिया करेल. पुरवठादाराचे कारखान्यामध्ये रु. १५०/- लागमात्र सभासद फी पावती क ६१४ नुसार १९ / ०५ / २०२३ रोजी भरणा केलेला आहे. पुरवठादार कारखान्याचे लागमात्र सभासद झाले असल्याने उपस्थित वाद महाराष्ट्र राज्य सहकारी संस्था अधिनियम १९६० अन्वये सहकार न्यायालय पुणे यांच्याकडे निर्णयासाठी सोपवण्यात येईल.

२१) सदर करारनामा दिनांक १९ / ०५ / २०२३ पासून ते दिनांक १८ / ०५ / २०२४ पर्यंत १ वर्षासाठी लागू राहिल.

घरील करारातील अटी व शर्ती कबुल असून आज दिनांक १९ / ०५ / २०२३ रोजी कारखाना कार्यालयात दोन साक्षीदारांसमक्ष सही करून करारनामा करून दिला.

करारनामा लिहून देणार

जैन एरिगेशन सिस्टीम लि.,
विभागीय विक्री व्यवस्थापक, - श्री. रवी गणपतराव गाडीवान


करारनामा लिहून घेणार

भीमाशंकर सहकारी साखर कारखाना लि. करिता
कार्यकारी संचालक - श्री. चंदकांत मंगधार ढगे

साक्षीदार

१. दिनेश्वर रामभाई आंबे
स. मंगारजी लक्ष्मी मंगेभाय जि. पुणे

२. सचिन बाळ वाकसे
म. पो. नारायणगाव






NOTED AND REGISTERED
AT SR. NO. 516/2023
REG. NO. 32

19 MAY 2023

BEFORE ME

SANJAY D. ARVIKAR
M.Com., LL.B.
ADVOCATE & NOTARY
GOVT. OF INDIA
Ghodegaon, Tal. Ambegaon
Dist. Pune



करारनामा

भीमाशंकर सहकारी साखर कारखाना लि.
दत्तात्रयनगर, पारगांव तर्फे अवसरी बु.
ता. आंबेगाव, जि. पुणे

व

नेटाफिम इरिगेशन इंडीया प्रा.लि.
ऑफीस नं. १ व २, बिल्डींग नं. सी १,
सौदामिनी कॉम्प्लेक्स, भुसारी कॉलनी,
सर्व्हे नं. १०१, पौड रोड, कोथरुड, पुणे ३८

(सन - २०२३-२०२४)



महाराष्ट्र MAHARASHTRA

© 2022 ©

45AA 024364

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते



सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते

सत्यमेव जयते



Sr. District Manager. ठाणे

रुपेश कुमार

श्री. विठ्ठल रामजी कासपुरी

परवाना धारक मुजंक विहिता प.क्र. २२०२००५

परवानाची मुदत दि. १९ मार्च २०२४

पोरका मार्केट, ता. वडोदा रोड, हस्तेन विजयनगर रोड

पत्ता नं. २२०२००५, वि. २२०२००५

करारनामा

करारनामा आज वार सोमवार वार दि. १० माहे जुलै सन २०२३ रोजी

करारनामा लिहून घेणार:-

भीमाशंकर सहकारी साखर कारखाना लि.

दत्तात्रयनगर, पारगांव तर्फे अवसरी बु. ता. आंबेगाव, जि. पुणे करिता

कार्यकारी संचालक - श्री. चंद्रकांत गंगाधर ढगे

वय - ५९ वर्षे धंदा - नोकरी

करारनामा लिहून देणार:-नेटाफिम इरिगेशन इंडीया प्रा.लि. प्लॉट नं. २६८ ते २७०
ऑफीस नं.१ व २, बिल्डींग नं.सी १, सौदामिनी कॉम्प्लेक्स
भुसारी कॉलनी, सर्व्हे नं.१०१, पौड रोड, कोथरुड, पुणे ३८
(पुख्तादार) करिता
विभागीय व्यवस्थापक - श्री.रुपेशकुमार अंकुश ढाणे
वय - ४४ वर्षे धंदा- नोकरी

कारणे करारनामा लिहून देतो कि

भीमाशंकर सहकारी साखर कारखाना लि. दत्तात्रयनगर, पारगांव तर्फे अवसरी बु. ता.आंबेगाव, जि.पुणे यांच्या संचालक मंडळाने कारखान्याच्या सभासद/ऊस उत्पादकांचे एकरी उत्पन्न वाढ होवून चांगल्या गुणवत्तेचा दर्जेदार ऊस मिळावा म्हणुन शेतकऱ्यांना ऊस पिकासाठी ठिबक सिंचन संच बसवुन देण्याची योजना राबवण्याचा निर्णय घेतला आहे.

दि. ०८/०१/२०२३ रोजी कारखान्याच्या गा शेतकी समिती सभेमध्ये झालेल्या चर्चेप्रमाणे व सोबत जोडलेल्या दरपत्रकानुसार नेटाफिम इरिगेशन इंडीया प्रा.लि. यांना खालील अटी शर्तीप्रमाणे काम देण्यात आले आहे.

करारनामा लिहून देणार ही ठिबक सिंचन संचाचे साहित्य उत्पादन करणारी व त्यांची विक्री व पुख्ता करणारी कायदयान्वये (नोंदलेली) कंपनी आहे. सदर कंपनीचा नोंदविलेला पत्ता वर नमुद केल्याप्रमाणे आहे (सदर कंपनीचा उल्लेख यापुढे पुख्तादार असा करण्यात आला आहे.) लिहून घेणार हा महाराष्ट्र राज्य सहकारी संस्था अधिनियम १९६० अंतर्गत नोंदणी केलेला सहकारी साखर कारखाना असुन, त्यांचा सभासद व बिगर सभासदांचे ऊसापासुन साखर व इतर पदार्थ तयार करण्याचा व्यवसाय आहे. (यापुढे लिहून घेणार हा सहकार कायदयान्वये नोंदलेला साखर कारखाना असुन त्यांचा उल्लेख कारखाना असा केला आहे.)

योजना यशस्वी करण्यासाठी कारखाना व पुख्तादार ठिबक कंपनी यांमधील अटी व शर्ती खालीलप्रमाणे असतील.

- १) कारखाना ठिबक सिंचन संच बसविणाऱ्या इच्छुक सभासदांची नावे व संबंधीत आवश्यक असणारी कागदपत्रे पुख्तादारास देईल.
- २) प्राप्त झालेल्या यादीनुसार पुख्तादार किंवा त्याचे अधिकृत वितरक लाभार्थी शेतकऱ्यांच्या शेतावर प्रत्यक्ष जाऊन शेताचे मोजमाप (सर्व्हे) करतील.
- ३) मोजमापानुसार पुख्तादार किंवा त्याचे अधिकृत वितरक अभियंत्याकडुन तांत्रिक व आर्थिक दृष्ट्या योग्य असलेला आराखडा तयार करून त्यासाठी लागणाऱ्या साहित्याची यादी (कोटेशन) तयार करतील.
- ४) कारखाना पुख्तादारास शेतकरी निहाय वर्क ऑर्डर देईल. कारखान्याकडून वर्क ऑर्डर मिळाल्यानंतर पुख्तादार लाभार्थी शेतकऱ्याला खोदाईचा लेआऊट तीन दिवसांचे आत देईल. शेतकऱ्यांना लेआऊटप्रमाणे पाच दिवसांच्या आत खोदाई पूर्ण करावी लागेल. वर खोदाई पुर्ण झाल्यानंतर ६६ दिवसांच्या आत पुख्तादार शेतावर ठिबक सिंचन संचासाठी लागणारे साहित्याचा पुख्ता करून संचाची उभारणी करून देण्यात येईल व त्यानंतर कारखान्याचे अधिकारी प्रत्यक्ष पाहणी करतील.

- ७) अ) शेतकरी निहाय ठिबक सिंचन संचाची बिले मान्य दरपत्रकाप्रमाणे पुरवठादार किंवा पुरवठादाराचे कारखान्यासाठी अधिकृत केलेले वितरक देतील. (अधिकृत वितरकाची यादी सोबत जोडलेली आहे) त्यावर पुरवठादाराची किंवा अधिकृत वितरकाची स्वाक्षरी राहिल.
- ब) ठिबक सिंचन संच कार्यान्वित झाल्यानंतर पुरवठादार / अधिकृत वितरक व लाभार्थी शेतकरी यांच्या सहनिशी संच उभारणी अहवाल व बिल कारखान्याकडे सादर करतील.
- क) कारखान्याचे अधिकारी समक्ष पाहणी करतील.
- ८) पुरवठादार कृषि आयुक्तालय पुणे, यांच्याकडे मान्यता प्राप्त पुरवठादार असून त्यांनी स्वतः उत्पादीत केलेले ठिबक सिंचन संचातील सर्व मुख्य साहित्य बी. आय.एस. मान्यताप्राप्त व उत्तम दर्जाचे असतील.
- ९) संचाच्या आराखड्याप्रमाणे मेन सबमेनसाठी लागणारे व इतर खोदकाम, फिल्टर ओटा तसेच इतर सिव्हील वर्क शेतकऱ्याने स्वखर्चाने करावयाचे आहे. सबसर्फेस ठिबकसाठी लागणारा सर्व खोदाई स्वतः शेतकऱ्याने करावयाचा आहे.
- ८) माती व पाणी परिक्षण लाभार्थी शेतकऱ्याने स्वखर्चाने कारखान्याच्या प्रयोगशाळेतून करावयाचे आहे.
- ९) ठिबक सिंचन संचाची निगा संचधारकाने कशी घ्यावयाची हे समजून सांगण्याची जबाबदारी वितरकाची राहिल.
- अ) फिल्टरची वेळोवेळी नियमित स्वच्छता करणे, त्याचप्रमाणे संपूर्ण संचाचे नियमितपणे फ्लशिंग करणे. (लॅटरल, सबमेन)
- ब) संच धारकाने पिकाचे जीवनचक्र संपेपर्यंत गूळांच्या कक्षेत वाफसा स्थिती कायम रहावी यासाठी नियमित संच चालवावा.
- क) ठिबक संचाची कार्यक्षमता उत्कृष्ट राहिल तसेच संच सतत कार्यरत राहिल याची दक्षता संचधारकाने घ्यावयाची आहे.
- १०) ठिबक सिंचन संचाची मर्यादीत हमी (वॉरंटी) तीन वर्षांची राहिल. मर्यादीत हमी अंतर्गत फक्त उत्पादन गुलक दोषांचा समावेश राहिल. तीन वर्षांच्या कालावधीत ठिबक सिंचन संचाचा कोणताही भाग (कॅन्स्युमेबल्स, इलेक्ट्रीक अॅटॅच्स, रबर पार्ट्स, फिल्टर जाळी/वाळु इत्यादी सोडून) उत्पादन गुलक दोषांमुळे नादुरुस्त किंवा न चालणारा (सदोष) निघाल्यास पुरवठादार गरजेनुसार फक्त ते सुटे भाग किंवा साहित्य मोफत दुरुस्त करून किंवा बदलून देईल.
- ११) ऊसतोडणी करताना संच खराब झाल्यास याची जबाबदारी संचधारकाची राहिल. शेतकऱ्याचे विहिरीचे, बोअरचे पाणी अचानक कमी/बंद झाल्यास त्यामुळे पिकाचे नुकसान होणे, संचाची निगा न राखल्यामुळे होणा-या नुकसानीस संच धारक जबाबदार राहिल, त्याची कारखान्यास काही एक तोषीस लागू देणार नाही.
- १२) ठिबक सिंचन संच वसविण्याची योजना राबवितांना विलंब होण्याचे कारण उदा. एखादा टँकी/नैसर्गिक आपत्तीमुळे पुरवठादारांच्या मानवी अखत्यारीत बाहेरील घटनेमुळे किंवा सरकारी कायदेकानून व आयात नियमांतील बदलांमुळे असेल तर त्यामुळे होणाऱ्या विलंबास पुरवठादार जबाबदार राहणार नाही.
- १३) शासनाने अनुदान योजना राबविण्याचे उद्देशित्यास प्रत्येक लाभार्थी शेतकऱ्यासाठी ठिबक सिंचन संचासाठी आवश्यक असणारी शासकीय अनुदान प्रकरणे तयार करून ती शासकीय नियमाप्रमाणे

दाखल करण्याची जबाबदारी वितरकाची / पुरवठादाराची राहिल. (शासनाच्या नियमांला अधिन राहून) अनुदानासाठी लागणारी कागदपत्रे उदा. ७/१२ उतास, ८अ, रु.१००/- किंमतीचे तीन स्टॅप, संगतीपत्र (एकत्रित कुटूंबातील ७/१२ असल्यास इतर हिस्सेदार / वारसदारांचे संगतीपत्र) व माती-पाणी परिक्षण अहवाल इत्यादींची पूर्तता करण्याची जबाबदारी सभासद शेतकऱ्याची राहिल. तसेच साहित्याचे बिल, शेताचा नकाशा व हमीपत्र पुरवठादार देईल.

१४) ठिबक संचाची किंमत प्लॉटच्या डिझाइन प्रमाणे साहित्याच्या मागणी प्रमाणे कमी जास्त होईल. दरपत्रका नुसार लागणा-या मालाचे दर आकारण्यात येतील. जी.एस.टी. कर जास्तीचा आकारण्यात येईल. तसेच करार केलेनंतर करारासोबत जोडलेले दर पत्रक हे पुढील सहा महिन्यासाठी कायम राहतील. सहा महिन्यानंतर दर कमी/जास्त झाल्यास त्याची पूर्व मंजूरी घेवून दरास मान्यता दिलेनंतर मालाचा पुरवठा व बील आकारणी नविन दराने आकारण्यात येईल.

१५) पुरवठादाराने रासायनिक प्रक्रिया (अॅसिड ट्रिटमेंट) संच उभारणीनंतर वर्षातून एक वेळेस व ३ वर्षातून तीन वेळा संपुर्णपणे मोफत करून द्यावयाची आहे. तीनवेळा जास्तवेळा रासायनिक प्रक्रिया सेवा हवी असल्यास त्यास आवश्यक अॅसिड व रु.२००/- प्रत्येक सेवेसाठी संचधारकास आगाऊ द्यावे लागतील.

१६) आपल्या कारखान्या मार्फत राबविण्यात येणा-या ऊस उत्पादन वाढीच्या ठिबक योजनेमध्ये पुरवठादार कंपनी खालील प्रमाणे सहभागी होईल.

१. ठिबक सिंचन संचासाठी १ वर्षाकरीता विमा मोफत देण्यात येईल.

ठिबक संच विमा संरक्षण - ठिबक संच बसविलेनंतर चोरी जाणे, पुर, भुकंप, अपघात, ठिबक संच जळीत होणे यांमुळे होणा-या नुकसानीस विमा संरक्षण मिळणार आहे. (विमा स्वकम ठिबक संचाची टॅक्स इन्स्टाईस नुसार होणारी किंमत) (१ वर्षासाठी)

२. पुरवठादार कंपनीकडून लाभार्थी शेतकऱ्याचा रु.१.०० लाखाचा विमा (अपघाती मृत्यू / कायम अपंगत्व) मोफत काढण्यात येईल. (१ वर्षासाठी)

वैयक्तीक शेतकरी विमा संरक्षण - ठिबक संच ज्या शेतकऱ्याचे नावावर आहे त्या शेतकऱ्याचा अपघाती मृत्यू झालेस किंवा कायम स्वरूपा अपंगत्व आलेस १ लाखाचा विमा पुरवठादार यांचेकडून देणेत येईल. (१ वर्षासाठी)

३. पुरवठादार कंपनीचे वितरकांकडून माल वाहतूक खर्च व जोडणी खर्च संबंधित शेतकऱ्याकडून वाहतूक व जोडणी खर्चापोटी प्रति एकरी रु.५००/- शेतकऱ्याकडून रोख स्वरूपात घेणेत यावे.

४. सबसर्फेस नळ्या अंशरण्यासाठी पुरवठादार मोफत यंत्र उपलब्ध करून देतील.

५. लाभार्थी शेतकऱ्यांना खतमात्रा, पाणी नियोजन मार्गदर्शन तसेच वर्षातून ३ वेळा कृषी तज्ञ भेट देतील. त्याचा रिपोर्ट / फिडबॅक शेतकरी व शेतकी विभाग यांचे सहीनिशी फायनल पेमेंट वेळी देणे आवश्यक आहे. सेवा व सुविधा न पुरविल्यास करार रद्द करण्याचा अधिकार कारखान्यास राहिल.

६. शेतकरीनिहाय खत व पाणी व्यवस्थापन परिपत्रक / माहिती पुस्तिका (डायरी) देऊन त्याच्या अंमलबजावणीसाठी मार्गदर्शन करण्यात येईल.

७. कारखाना सहकार्याने पुरवठा कंपनीचे तज्ज्ञांकडून वर्षातून तीन वेळा गट/गाव पातळीवर छोटे शेतकरी मेळावे घेण्यात येतील.

८. कारखाना व पुरवठादार ठिबक कंपनी मार्फत राबविण्यात येणा-या सदर योजनेअंतर्गत ठिबक सिंचन संचावर जास्तीत जास्त उत्पादन घेणा-या प्रथम ३ शेतक-यास कारखाना वार्षिक सर्वसाधारण सभेमध्ये प्रत्येकी रक्कम रु.११००० देवून गौरविण्यात येईल.

९. ठिबक मालाचा दर्जा व गुणवत्ता तपासणी कारखान्यामार्फत केली जाईल.

१०. ठिबक योजनेतील करारांतर्गत कंपनीला प्रति महिना १५ हेक्टर (प्रति वार्षिक १८० हेक्टर) ऊस क्षेत्रावर ठिबक सिंचन संच बसविणेचे उद्दिष्ट पूर्तता करणे बंधकारक राहिल. उद्दिष्ट पूर्तता न केलेस सदर करार रद्द करणेचा अधिकार कारखान्यास राहिल. मासिक उद्दिष्ट पूर्तता अहवाल महिना अखेरीस कारखान्यास लेखी स्वरूपात देणे बंधनकारक राहिल.

११) पुरवठादासस खालीलप्रमाणे पेमेंट अदा करण्यात येईल.

अ) संचाची किंमत ऊस लागवडीची पध्दत / प्लॉटच्या डिझाईन प्रमाणे आवश्यक साहित्याच्या मागणीप्रमाणे कमी जास्त होते. त्यानुसार मान्य दरपत्रकानुसार एकूण बिलाची रक्कम आकारण्यात येईल.

ब) कारखाना बँकेकडून शेतकरीनिहाय कर्ज घेत असल्याने बँकेने शेतकरीनिहाय कर्ज मंजूर केलेनंतरच कारखाना पुरवठादास शेतक-यांमार्फत सहभागी कंपनीच्या वितरकाची निवड झालेनंतर कारखान्याकडून संबंधित कंपनीस वर्क ऑर्डर देणेत येईल किंवा सोबत शेतकरीनिहाय बँकेचे मंजूर पत्र देईल.

क) कंपनीमार्फत शेताचा आराखडा / सर्व्हे तयार करणे व रितसर संच बसविलेनंतर संबंधित शेतक-यांचे संगतीपत्रासह व शेतकी विभागाचे तपासणी रिपोर्टसह बिल सादर झालेनंतर रु. ४९,०००/- अथवा बिल रक्कम रु.६०,०००/- पेक्षा कमी असल्यास बिलाचे रक्कमेपैकी रु.११,०००/- राखून ठेवून उर्वरीत रक्कम ठिबक कंपनीस ३० दिवसाचे आत अदा करणेत येईल. तसेच अनुदान प्रस्ताव सादर केलेनंतर रु.१,०००/- अदा करणेत येतील.

ड) उर्वरीत रक्कम रु.१०,०००/- ऊस गाळपास अथवा बेणेस आलेनंतर एक महिन्यात कारखान्याकडून कंपनीस अदा करणेत येईल.

१८) ठिबक सिंचन संच साहित्याचे दरपत्रक सोबत जोडलेले आहे. सदरचे दर पत्रक करार तारखेपासून पुढील सहा महिन्यापर्यंत कायम राहिल. सहा महिन्यानंतर कराराच्या कालावधीत महाराष्ट्र शासनाने ठिबक साहित्याचे दर निश्चित केल्यास व पुरवठादाराने अशा निश्चित केलेल्या दरास लिहून घेणार यांचेकडून मान्यता दिलेनंतर (आउटवर्ड दिनांक नंतर) पुरवठा केलेल्या मालाची बील आकारणी नविन दराने आकारनेत येईल.

१९) वरील करारामधील अटी व शर्ती प्रमाणे पुरवठादार वागणेश तुकल्यास प्रस्तुतचा करार रद्द करणेचा अधिकार कारखान्यास राहिल तसेच करार रद्द करणेबाबत ८ दिवस अगोदर नोटीस देणेत येईल, तसेच यदा कदाचित वरील करारातील अटी व शर्तीचा भंग होवून कुणाचे नुकसान झालेस त्याची नुकसान भरपाईची जबाबदारी लिहून देणार यांची राहिल.

२०) या कथराबाबत व योजनेच्या अंमलबजावणी काळात काही वाद, मतभेद अथवा नैरसमज निर्माण झाल्यास पुरवठादार व कारखाना संयुक्तपणे न्यायासाठी न्यायालयीन प्रक्रिया करेल. पुरवठादाराने कारखान्यामध्ये रु.१५०/- नाममात्र सभासद फी पावती क १५६२ नुसार दि १० / ०७ / २०२३ रोजी भरणे केलेला आहे. पुरवठादार कारखान्याचे नाममात्र सभासद झाले असल्याने उपस्थित वाद महाराष्ट्र राज्य सहकारी संस्था अधिनियम १९६० अन्वये सहकार न्यायालय पुणे यांच्याकडे निर्णयासाठी सोपवण्यात येईल.

२१) सदर करारनामा दिनांक १९ / ०५ / २०२३ पासून ते दिनांक ३९ / ०५ / २०२४ पर्यंत ०१ वर्षासाठी लागू राहील.

वरील कथरातील अटी व शर्ती कबुल असून आज दिनांक १० / ०७ / २०२३ रोजी कारखाना कार्यालयात दोन साक्षीदारांसमक्ष सही करून करारनामा करून दिला.

करारनामा लिहून देणार

नेटाफिम इरिगेशन इंडिया प्रा.लि. करिता
विभागीय व्यवस्थापक - श्री. रुपेशकुमार अंकुश ढाणे








करारनामा लिहून घेणार


भीमाशंकर सहकारी साखर कारखाना लि. करिता
कार्यकारी संचालक - श्री. चंद्रकांत गंगाधर ढगे




साक्षीदार

१. श्री. विशाल चंद्रकांत ढगे
दत्तामयनगर, पाठाण ना. कावेगाव जि. पुणे

२. विशाल खेतबराय फालिदास
रा. रामभुवनभा. लि. रा. नगर जि. पुणे



NOTED AND REGISTERED
AT SR. NO 710/2023
REG. NO. 33

10 JUL 2023

BEFORE ME

SANJAY D. ARVIKAR
M.Com., LL.B.
ADVOCATE & NOTARY
GOVT OF INDIA
Chandegani, Tal. Chandegani
Dist. Pune

46 (AR)

करारनामा

भीमाशंकर सहकारी साखर कारखाना लि.
दत्तात्रयनगर, पारगांव तर्फे अवसरी बु.
ता. आंबेगाव, जि. पुणे

व

रिवुलिस इरिगेशन इंडीया प्रा.लि.
ऑफीस नं. २०३, मेफेयर टॉवर्स, दुसरा माळा,
के.बी. जोशी पथ, जुना पुना-मुंबई हायवे,
वाकडेवाडी, शिवाजीनगर, पुणे ५

(सन - २०२२-२०२३)



महाराष्ट्र MAHARASHTRA

© 2022 ©

25AA 588694

राज्य मुद्रांक लिख अॅन्ड लायसेन्ससाठी नवी,

(सं. १४ मुद्रांक एवढा फारगुती खरेदी केला आहे. त्याच फारगुती खरेदी केलेल्या सारक्यासुद्धा ६ महिन्यांचा आर
वापरने बंधनकारक नाही.)

अनु.क्र. ९६२५२ दि. २३/११/२०२३ रकम १००

मुद्रांक कोणत्याच फारगुती फारगुती नाही. प्रतिलिप्या / मसाल

मुद्रांक मुद्रांक शिक्कित, १९५० चे अनुसंधान


मुद्रांक धारकाचे नाव / पत्ता योगेश्वर अनिल कोठमणी

संपूर्ण पत्ता - २१ न्याशिक ता. जि. नाशिक

हस्त व्यक्तीचे नाव व पत्ता - विजय नारायण र. शेठ

मुद्रांक धारकाची / हस्त व्यक्तीची
सही / अंगठा

श्री. विजय नारायण र. शेठ
परवाना नंबर मुद्रांक लि. २२०२००५
परवान्याची मुदत दि. २१ मार्च २०२४
पोस्टा फॉर्म, तक्रारी देत, हॉटेन विक्रीच्या शेजारी
पत्ता, ता. आगगाव, जि. पुणे



करारनामा

करारनामा आज वार दि २४ माहे १ सन २०२३ रोजी

करारनामा लिहून घेणार :- भीमशंकर सहकारी साखर कारखाना लि.

दत्तात्रयनगर, पारगाव तर्फे असवसरी बु. ता. आंबेगाव जि. पुणे करिता

कार्यकारी संचालक - श्री. चंद्रकांत गंगाधर ढगे

वय - ५७ वर्षे धंदा : लोकरी

करारनामा लिहून देणार:- रिवुलिस इरिगेशन इंडीया प्रा.लि.
ऑफीस नं.२०३, मेफेयर टॉवर्स, दुसरा पाळा,
के.वी. जोशी पथ, जुना पुना-मुंबई हायवे,
वाकडेवाडी, शिवाजीनगर, पुणे ५
(पुरवठादार) करिता

विभागीय विक्री व्यवस्थापक - श्री.योगेश अनिल कुलकर्णी

वय - ३४ वर्ष धंदा

- नोकरी

कारणे करारनामा लिहून देतो कि

भीमाशंकर सहकारी साखर कारखाना लि. दत्तात्रयनगर, पारगांव तर्फे अवसारी बु. ता.आंबेगाव, जि.पुणे यांच्या संचालक मंडळाने कारखान्याच्या सभासद/ऊस उत्पादकांचे एकरी उत्पन्न वाढ होवून वांगल्या गुणवत्तेचा दर्जेदार ऊस मिळावा म्हणुन शेताकऱ्यांना ऊस पिकासाठी ठिबक सिंचन संघ बसवुन देण्याची योजना राबवण्याचा निर्णय घेतला आहे.

दि. ०८/०१/२०२३ रोजी कारखान्याच्या मा.संचालक मंडळ सभेमध्ये झालेल्या चर्चेप्रमाणे व सोबत जोडलेल्या दरपत्रकानुसार रिवुलिस इरिगेशन इंडीया प्रा.लि. यांना खालील अटी शर्तीप्रमाणे काम देण्यात आले आहे.

करारनामा लिहून देणार ही ठिबक सिंचन संचाचे साहित्य उत्पादन करणारी व त्यांची विक्री व पुरवठा करणारी कायदयान्वये (नोंदलेली) कंपनी आहे. सदर कंपनीचा नोंदविलेला पत्ता वर नमुद केव्याप्रमाणे आहे (सदर कंपनीचा उल्लेख यापुढे पुरवठादार असा करण्यात आला आहे.) लिहून घेणार हा महाराष्ट्र राज्य सहकारी संस्था अधिनियम १९६० अंतर्गत नोंदणी केलेला सहकारी साखर कारखाना असुन, त्यांचा सभासद व बिगर सभासदांचे ऊसापासुन साखर व इतर पदार्थ तयार करण्याचा व्यवसाय आहे. (यापुढे लिहून घेणार हा सहकार कायदयान्वये नोंदलेला साखर कारखाना असुन त्यांचा उल्लेख कारखाना असा केला आहे.)

योजना यशस्वी करण्यासाठी कारखाना व पुरवठादार ठिबक कंपनी यांमधील अटी व शर्ती खालीलप्रमाणे असतील.

- १) कारखाना ठिबक सिंचन संघ बसविणाऱ्या इच्छुक सभासदांची नावे व संबंधीत आवश्यक असणारी कागदपत्रे पुरवठादारास देईल.
- २) प्राप्त झालेल्या यादीनुसार पुरवठादार किंवा त्यांचे अधिकृत वितरक लाभार्थी शेताकऱ्यांच्या शेतावर प्रत्यक्ष जाऊन शेताचे मोजमाप (सर्व्हे) करतील.
- ३) मोजमापानुसार पुरवठादार किंवा त्यांचे अधिकृत वितरक अभिसंत्याकडुन तांत्रिक व आर्थिक दृष्ट्या योग्य असलेला आराखडा तयार करुन त्यासाठी लागणाऱ्या साहित्याची यादी (कोटेशन) तयार करतील.
- ४) कारखाना पुरवठादारास शेतकरी निहाय वर्क ऑर्डर देईल. कारखान्याकडून वर्क ऑर्डर मिळाल्यानंतर पुरवठादार लाभार्थी शेतकऱ्याला खोदाईचा लेआऊट तीन दिवसांचे आत देईल. शेतकऱ्यांना लेआऊटप्रमाणे पाव दिवसांच्या आत खोदाई पूर्ण करावी लागेल. घर खोदाई पूर्ण झाल्यानंतर दहा दिवसांच्या आत पुरवठादार शेतावर ठिबक सिंचन संचासाठी लागणारे साहित्याला

पुरवठा करून संचाची उभारणी करून देण्यात येईल व त्यानंतर कारखान्याचे अधिकारी प्रत्यक्ष पाहणी करतील.

- १) अ) शेतकरी निहाय ठिबक सिंचन संचाची विले गान्य दरप्रमाणप्रमाणे पुरवठादार किंवा पुरवठादाराचे कारखान्यासाठी अधिकृत केलेले वितरक देतील. (अधिकृत वितरकाची खादी सोबत जोडलेली आहे) त्यावर पुरवठादाराची किंवा अधिकृत वितरकाची स्वाक्षरी राहील.
- ब) ठिबक सिंचन संच कार्यान्वित झाल्यानंतर पुरवठादार / अधिकृत वितरक व लाभार्थी शेतकरी यांच्या सद्दीनिशी संच उभारणी अहवाल व विले कारखान्याकडे सादर करतील.
- क) कारखान्याचे अधिकारी समक्षा पाहणी करतील.
- ६) पुरवठादार कृषि आयुक्तालय पुणे, यांच्याकडे मान्यता प्राप्त पुरवठादार असून त्यांनी स्वतः उत्पादीत केलेले ठिबक सिंचन संचातील सर्व मुख्य साहित्य बी. आय.एस. मान्यताप्राप्त व उत्तम दर्जाचे असातील.
- ७) संचाच्या आराखड्याप्रमाणे भेज सवगेनसाठी लागणारे व इतर खोदकाम, फिल्टर ओटा तसेच इतर शिन्दील रक शेतक-याने स्वखर्चाने करावयाचे आहे. शबसभेस ठिबकसाठी लागणाऱ्या सर्व खोदाई खर्च शेतक-याने करावयाचा आहे.
- ८) गाती व पाणी परिक्षण लाभार्थी शेतक-याने स्वखर्चाने कारखान्याच्या प्रयोगशाळेतून करावयाचे आहे. ठिबक सिंचन संचाची निगा संचधारकाने कशी घ्यावयाची हे समजून सांगण्याची जबाबदारी वितरकाची राहील.
- अ) फिल्टरची वेळोवेळी नियमित स्वच्छता करणे, त्याचप्रमाणे संपूर्ण संचाचे नियमितपणे प्लॅनिंग करणे. (लॅटरल, सवगेन)
- ब) संच धारकाने पिकाचे जीवनचक्र संपेपर्यंत मूळांच्या कक्षेत चाफ्या स्थिती कायम रहावी यासाठी नियमित संच चालवावा.
- क) ठिबक संचाची कार्यक्षमता उत्कृष्ट राहील तसेच संच सतत कार्यरत राहील याची दक्षता संचधारकाने घ्यावयाची आहे.
- १०) ठिबक सिंचन संचाची गरादीत हमी (वॉरंटी) तीन वर्षांची राहील. गरादीत हमी अंतर्गत फक्त उत्पादन मुलक दोषांचा समावेश राहील, तीन वर्षांच्या कालावधीत ठिबक सिंचन संचाचा कोणताही भाग (कंड्युगेबल, इलेक्ट्रीक अॅटर्स, स्वर पार्ट्स, फिल्टर जाळी/वाळु इत्यादी सोडुन) उत्पादन मुलक दोषांमुळे जादुरुस्त किंवा न चालणारा (सलोक) निघाल्यास पुरवठादार गरजेनुसार फक्त ते सुटे भाग किंवा साहित्य गोफत दुरुस्त करून किंवा बदलून देईल.
- ११) ऊयतोडणी करताना संच खराब झाल्यास याची जबाबदारी संचधारकाची राहील. शेतक-यांचे विहिरीचे, सोअरचे पाणी अवानक कमी/बंद झाल्यास त्यामुळे पिकाचे नुकसान होणे, संचाची निगा न राखल्यामुळे होणा-या नुकसानीस संच धारक जबाबदार राहील. त्याची कारखान्यास काही एक तोषीस लागू देणार नाही.
- १२) ठिबक सिंचन संच बसविण्याची योजना सबवितांना दिलेले होण्याचे कारण उदा. एखादा टँकी/नैसर्गिक आपत्तीमुळे पुरवठादाराच्या मानवी अक्षमतेमुळे राहिलील पाटनेमुळे किंवा सरकारी कायदेकानून व

आयात नियमांतील बदलांमुळे असेल तर त्यामुळे होणाऱ्या वित्तवासा पुरवठादार जबाबदार राहणार नाही.

१३) शासनाने अनुदान योजना संचविषयाचे ठरविल्यास प्रत्येक लाभार्थी शेतकऱ्यांसाठी ठिबक सिंचन संचासाठी आवश्यक असणारी शासकीय अनुदान प्रकरणे तयार करून ती शासकीय निरमाप्रमाणे दाखल करण्याची जबाबदारी वितरकाची / पुरवठादासची राहिल. (शासनाच्या नियमांना अधिन राहून) अनुदानासाठी लागणारी कागदपत्रे उदा. ७/१२ उत्तरा, ८अ, रु.१००/- किंमतीचे तीन स्टॅप, संगतीपत्र (एकत्रित कुटुंबातील ७/१२ असल्यास इतर हिस्सेदार / वारसदारांचे संगतीपत्र) व माती-पाणी परिक्षण अहवाल इत्यादीची पूर्तता करण्याची जबाबदारी यथासद शेतकऱ्याची राहिल. तसेच साहित्याचे धिल, शेताचा नकाशा व हमीपत्र पुरवठादार देईल.

१४) ठिबक संचाची किंमत प्लॉटच्या डिझाइन प्रमाणे साहित्याच्या मागणी प्रमाणे कमी जास्त होईल, दरपत्रका नुसार लागणा-या मालाचे दर आकारण्यात येतील. जी.एस.टी. कर जास्तीचा आकारण्यात येईल. तसेच करार केलेनंतर करारासोबत जोडलेले दर पत्रक हे पुढील सहा महिन्यांसाठी कायम राहतील. सहा महिन्यांनंतर दर कमी/जास्त झाल्यास त्याची पूर्व मंजूरी घेवून दरस मान्यता दिलेनंतर मालाचा पुरवठा व बील आकारणी नविन दराने आकारण्यात येईल.

१५) पुरवठादासने रासायनिक प्रक्रिया (अॅसिड ट्रिटमेंट) संच उभारणीनंतर वर्षातून एक वेळेस व ३ वर्षातून तीन वेळा संपूर्णपणे गोफत करून दयावयाची आहे. तीनवेळा जास्तवेळा रासायनिक प्रक्रिया येवा हवी असल्यास त्यास आवश्यक अॅसिड व रु.२००/- प्रत्येक सेवेसाठी संचधारकास आगाऊ द्यावे लागतील.

१६) आपल्या कारखान्या मार्फत संचविषयात येणा-या उच्च उत्पादन वाढीच्या ठिबक योजनेमध्ये पुरवठादार कंपनी खालील प्रमाणे सहभागी होईल.

१. ठिबक सिंचन संचासाठी १ वर्षावरील विमा गोफत देण्यात येईल.

ठिबक संच विमा संरक्षण - ठिबक संच बसविलेनंतर चोरी जाणे, पुर, भुक्क, अपघात, ठिबक संच जळीत होणे यामुळे होणा-या नुकसानीस विमा संरक्षण मिळणार आहे. (विमा स्वकम ठिबक संचाची टॅक्स इन्व्हाइस नुसार होणारी किंमत) (१ वर्षासाठी)

२. पुरवठादार कंपनीकडून लाभार्थी शेतक-याचा रु.१.०० लाखाचा विमा (अपघाती मृत्यू / कायम अपंगत्व) गोफत काढण्यात येईल. (१ वर्षासाठी)

वैयक्तीक शेतकरी विमा संरक्षण - ठिबक संच ज्या शेतक-याचे नावावर आहे त्या शेतक-याचा अपघाती मृत्यू झालेस किंवा कायम स्वरूपाचे अपंगत्व आलेस १ लाखाचा विमा पुरवठादार यांचेकडून देणेत येईल. (१ वर्षासाठी)

३. पुरवठादार कंपनीचे वितरकांकडून माल वाहतूक खर्च व जोडणी खर्च संबंधित शेतक-याकडून वाहतूक व जोडणी खर्चापोटी प्रति एकरी रु.५००/- शेतक-याकडून रोख स्वरूपात घेणेत यावे.

४. सवसारेणस नळ्या अंशरण्यासाठी पुरवठादार गोफत संच उपलब्ध करून देतील.

५. लाभार्थी शेतक-यांना स्वतःमात्र, पाणी नियोजन मार्गदर्शन तसेच वर्षातून ३ वेळा कृषी तज्ञ गेट देतील. त्याचा रिपोर्ट / निष्कर्षक शेतकरी व शेतकरी विभाग यांचे सहनिशी फायनल मेमेंट देली

देणे आवश्यक आहे. सेवा व सुविधा न पुरविल्यास करार रद्द करण्याचा अधिकार कारखान्यास राहिल.

६. शेतकरीनिहाय स्वतः व पाणी व्यवस्थापन परिपत्रक / माहिती पुरतीका (ठाररी) देऊन त्याच्या अंगलवजावणीसाठी मार्गदर्शन करण्यात येईल.

७. कारखाना सहकाऱ्याने पुरवठा कंपनीचे तज्ञांकडून वर्षातून तीन वेळा गट/गाव पातळीवर छोटे शेतकरी मेळावे घेण्यात येतील.

८. कारखाना व पुरवठादार ठिबक कंपनी मार्फत राबविण्यात येणा-या सदर योजनेअंतर्गत ठिबक सिंचन संवावर जास्तीत जास्त उत्पादन येणा-या प्रथम ३ शेतक-यास कारखाना वार्षिक सर्वसाधारण सभेमध्ये प्रत्येकी स्वकम रु.११००० देवून गौरविण्यात येईल.

९. ठिबक मालाचा दर्जा व गुणवत्ता तपासणी कारखान्यामार्फत केली जाईल.

१०. ठिबक योजनेतील करारांतर्गत कंपनीला प्रति महिना १५ हेक्टर (प्रति वार्षिक १८० हेक्टर) ऊस क्षेत्रावर ठिबक सिंचन संच वसविणेचे उद्दिष्ट पूर्तता करणे बंधकारक राहिल. उद्दिष्ट पूर्तता न केलेस सदर करार रद्द करणेचा अधिकार कारखान्यास राहिल. मासिक उद्दिष्ट पूर्तता अहवाल महिना अखेरीस कारखान्यास लेखी स्वरूपात देणे बंधनकारक राहिल.

११) पुरवठादारास खालीलप्रमाणे पेमेंट अदा करण्यात येईल.

अ) संवादी किंमत ऊस लागवडीची पध्दत / प्लॉटच्या डिझाईन प्रमाणे आवश्यक साहित्याच्या मागणीप्रमाणे कमी जास्त होते. त्यानुसार मान्य दरपत्रकानुसार एकूण बिलाची स्वकम आतकरण्यात येईल.

ब) कारखाना बँकेकडून शेतकरीनिहाय कर्ज घेत असल्याने बँकेने शेतकरीनिहाय कर्ज मंजूर केलेनंतरच कारखाना पुरवठादारास शेतक-यांमार्फत सहकारी कंपनीच्या वितरकाची निवड झालेनंतर कारखान्याकडून संबंधित कंपनीस वर्क ऑर्डर देणेत येईल किंवा सोबत शेतकरीनिहाय बँकेचे मंजूर पत्र देईल.

क) कंपनीमार्फत शेताचा आराखडा / सर्व्हे तयार करणे व रितसर संच वसविलेनंतर संबंधित शेतक-यांचे संगतीपत्रासह व शेतकी विभागाचे तपासणी रिपोर्टसह बिल सादर झालेनंतर रु. ४९,०००/- अथवा बिल स्वकम रु.६०,०००/- पेक्षा कमी असल्यास बिलाचे स्वकमेपैकी रु.११,०००/- राखून ठेवून उर्वरित स्वकम ठिबक कंपनीस ३० दिवसाचे आत अदा करणेत येईल. तसेच अनुदान प्रस्ताव सादर केलेनंतर रु.१,०००/- अदा करणेत येतील.

ड) उर्वरित स्वकम रु.१०,०००/- ऊस गाळपास अथवा घेणेस आलेनंतर एक महिन्यात कारखान्याकडून कंपनीस अदा करणेत येईल.

१८) ठिबक सिंचन संघ साहित्याचे दरपत्रक सोबत जोडलेले आहे. सदरचे दर पत्रक करार तारखेपासून पुढील सहा महिन्यांपर्यंत कायम राहिल. सहा महिन्यांनंतर कराराच्या कालावधीत महाराष्ट्र शासनाने ठिबक साहित्याचे दर निश्चित केल्यास व पुरवठादाराने अशा निश्चित केलेल्या दरास लिहून घेणार

यांचेकडून मान्यता दिलेनंतर (आउटवर्ड दिनांक नंतर) पुरवठा केलेल्या मालाची वील आकारणी नविन द्याने आकारनेत येईल.

१९) वरील करारामधील अटी व शर्ती प्रमाणे पुरवठादार वाणणेस चुकल्यास प्रस्तुतवा करार रद्द करणेचा अधिकार कारखान्यास राहिल तसेच करार रद्द करणेबाबत ८ दिवस अगोदर नोटीस देणेत येईल, तसेच यदा कदावित वरील करारातील अटी व शर्तीचा गंग होतून कुणाचे नुकसान झालेस त्याची नुकसान भरपाईची जबाबदारी लिहून देणार यांची राहिल.

२०) या कराराबाबत व योजनेच्या अंगलवजावणी काळात काही वाद, मतभेद अथवा गैरसमज निर्माण झाल्यास पुरवठादार व कारखान्या संयुक्तपणे न्यायासाठी न्यायालयीन प्रकिया करेल. पुरवठादाराचे कारखान्यामध्ये रु.१५०/- नाममात्र राभासद फी पावती क ५३५४ नुसार दि १४ / ०१ / २०२३ रोजी भरणा केलेला आहे. पुरवठादार कारखान्याचे नाममात्र राभासद झाले असल्याने उपस्थित वाद महाराष्ट्र राज्य सहकारी संस्था अधिनियम १९६० अन्वये सहकार न्यायालय पुणे यांच्याकडे निर्णयासाठी सोपवण्यात येईल.


२१) सदर करारनामा दिनांक १२० पासून ते दिनांक १२० पर्यंत वर्षासाठी लागू राहिल.

वरील करारातील अटी व शर्ती कबुल असून आज दिनांक २४ / १ / २०२३ रोजी कारखान्या कार्यालयात दोन साक्षीदारांसमक्ष राहिल करारनामा करून दिला.

करारनामा लिहून देणार


रिवुलिस इरिगेशन इंडीया प्रा.लि. करिता
विभागीय विक्री व्यवस्थापक - श्री.योगेश अनिल कुलकर्णी

करारनामा लिहून घेणार






विजय नारायण येवले
मु.पो. मंचर, ता. आंबेगाव (पुणे)
२. दिनेश रामभाऊ आवकु

साक्षीदार



BEFORE ME

SANJAY D. ARVAKAR
M.Com., LL.B.
ADVOCATE & NOTARY
GOVT. OF INDIA
Ghodegaon, Tal. Ambegaon
Dist. Pune




करारनामा

भीमाशंकर सहकारी साखर कारखाना लि.
दत्तात्रयनगर, पारगांव तर्फे अवसरी बु.
ता. आंबेगाव, जि. पुणे

व

सोना पॉली प्लास्ट प्रा.लि.
माणिक भवन, कोपरगाव, जि.अहमदनगर.

(सन - २०२३-२०२४)



महाराष्ट्र MAHARASHTRA

2022

2022

35AA 437955

30/11/22

दस्तावेज क्र.


3518

श्री. पं. लोकरे सा. लि.

अपेक्षावे.

20/10/2022

70



करारनामा

करारनामा आज वार सोमवार दि. ११ माहे सप्टेंबर सन २०२३ रोजी

करारनामा लिहून घेणार:-

भीमाशंकर सहकारी साखर कारखाना लि.
दत्तात्रयनगर, पारगांव तर्फे अवसरी बु. ता.आंबेगाव, जि.पुणे करिता
कार्यकारी संवाक - श्री.चंद्रकांत गंगाधर ढगे
वय -५८ वर्षे धंदा- लोकरी

करारनामा लिहून देणार:- सोना पॉली प्लास्ट प्रा.लि.

माणिक भवन, कोपरगाव, जि.अहमदनगर.

(पुख्तादार) करिता

विभागीय विक्री व्यवस्थापक - श्री.अविनाश काशिनाथ आढाव

वय - ४४ वर्ष वर्ष धंदा - नोकरी

कारणे करारनामा लिहून देतो कि

भीमाशंकर सहकारी साखर कारखाना लि. दत्तात्रयनगर, पारगांव तर्फे अवसरी बु. ता.आंबेगाव, जि.पुणे यांच्या संचालक मंडळाने कारखान्याच्या सभासद/ऊस उत्पादकांचे एकरी उत्पन्न वाढ होवून वांगल्या गुणवत्तेचा दर्जेदार ऊस मिळावा म्हणुन शेतकऱ्यांना ऊस पिकासाठी ठिबक सिंचन संघ बसवुन देण्याची योजना राबवण्याचा निर्णय घेतला आहे.

दि. ०८/०१/२०२३ रोजी कारखान्याच्या मा.संचालक मंडळ सभेमध्ये झालेल्या चर्चेप्रमाणे व सोबत जोडलेल्या दरपत्रकानुसार सोना पॉली प्लास्ट प्रा.लि. यांना खालील अटी शर्तीप्रमाणे काम देण्यात आले आहे.

करारनामा लिहून देणार ही ठिबक सिंचन संघाचे साहित्य उत्पादन करणारी व त्यांची विक्री व पुख्ता करणारी कायदयान्वये (नोंदलेली) कंपनी आहे. सदर कंपनीचा नोंदविलेला पत्ता वर नमुद केल्याप्रमाणे आहे (सदर कंपनीचा उल्लेख यापुढे पुख्तादार असा करण्यात आला आहे.) लिहून घेणार हा महाराष्ट्र राज्य सहकारी संस्था अधिनियम १९६० अंतर्गत नोंदणी केलेला सहकारी साखर कारखाना असुन, त्याचा सभासद व बिगर सभासदांचे ऊसापासुन साखर व इतर पदार्थ तयार करण्याचा व्यवसाय आहे. (यापुढे लिहून घेणार हा सहकार कायदयान्वये नोंदलेला साखर कारखाना असुन त्याचा उल्लेख कारखाना असा केला आहे.)

योजना यशस्वी करण्यासाठी कारखाना व पुख्तादार ठिबक कंपनी यांमधील अटी व शर्ती खालीलप्रमाणे असतील.

- १) कारखाना ठिबक सिंचन संघ बसविणाऱ्या इच्छुक सभासदांची नावे व संबंधीत आवश्यक असणारी कागदपत्रे पुख्तादारास देईल.
- २) प्राप्त झालेल्या यादीनुसार पुख्तादार किंवा त्याचे अधिकृत वितरक लाभार्थी शेतकऱ्यांच्या शेतावर प्रत्यक्ष जाऊन शेताचे मोजमाप (सर्व्हे) करतील.
- ३) मोजमापानुसार पुख्तादार किंवा त्याचे अधिकृत वितरक अभियंत्याकडून तांत्रिक व आर्थिक दृष्ट्या योग्य असलेला आराखडा तयार करून त्यासाठी लागणाऱ्या साहित्याची यादी (कोटेशन) तयार करतील.
- ४) कारखाना पुख्तादारास शेतकरी निहाय वर्क ऑर्डर देईल. कारखान्याकडून वर्क ऑर्डर मिळाल्यानंतर पुख्तादार लाभार्थी शेतकऱ्याला खोदाईवा लेआऊट तीन दिवसांचे आत देईल. शेतकऱ्यांना लेआऊटप्रमाणे पाच दिवसांच्या आत खोदाई पूर्ण करावी लागेल. वर खोदाई पूर्ण झाल्यानंतर दहा दिवसांच्या आत पुख्तादार शेतावर ठिबक सिंचन संघासाठी लागणारे साहित्याचा पुख्ता करून संघाची उभारणी करून देण्यात येईल व त्यानंतर कारखान्याचे अधिकारी प्रत्यक्ष पाहणी करतील.

- १) अ) शेतकरी निहाय ठिबक सिंचन संचाची बिले मान्य दरपत्रकाप्रमाणे पुरवठादार किंवा पुरवठादाराने कारखान्यासाठी अधिकृत केलेले वितरक देतील. (अधिकृत वितरकाची यादी सोबत जोडलेली आहे) त्यावर पुरवठादाराची किंवा अधिकृत वितरकाची स्वाक्षरी राहील.
- ब) ठिबक सिंचन संच कार्यान्वित झाल्यानंतर पुरवठादार / अधिकृत वितरक व लाभार्थी शेतकरी यांच्या सहीनिशी संच उभारणी अहवाल व बिल कारखान्याकडे सादर करतील.
- क) कारखान्याचे अधिकारी समक्ष पाहणी करतील.
- ६) पुरवठादार कृषि आयुक्तालय पुणे, यांच्याकडे मान्यता प्राप्त पुरवठादार असून त्यांनी स्वतः उत्पादीत केलेले ठिबक सिंचन संचातील सर्व मुख्य साहित्य बी. आय.एस. मान्यताप्राप्त व उत्तम दर्जाचे असतील.
- ७) संचाच्या आराखड्याप्रमाणे मेन सबमेनसाठी लागणारे व इतर खोदकाम, फिल्टर ओटा तसेच इतर सिव्हील वर्क शेतक-याने स्वखर्चाने करावयाचे आहे. सबसर्फेस ठिबकसाठी लागणारा सर्व खोदाई खर्च शेतक-याने करावयाचा आहे.
- ८) माती व पाणी परिक्षण लाभार्थी शेतकऱ्याने स्वखर्चाने कारखान्याच्या प्रयोगशालेतून करावयाचे आहे.
- ९) ठिबक सिंचन संचाची निमा संचधारकाने कशी घ्यावयाची हे समजून सांगण्याची जबाबदारी वितरकाची राहील.
- अ) फिल्टरची वेळोवेळी नियमित स्वच्छता करणे, त्याचप्रमाणे संपूर्ण संचाचे नियमितपणे फ्लशिंग करणे. (लॅटरल, सवमेन)
- ब) संच धारकाने पिकाचे जीवनचक्र संपेपर्यंत मूलांच्या कक्षेत वाफसा स्थिती कायम रहावी यासाठी नियमित संच चालवावा.
- क) ठिबक संचाची कार्यक्षमता उत्कृष्ट राहील तसेच संच सतत कार्यरत राहील याची दक्षता संचधारकाने घ्यावयाची आहे.
- १०) ठिबक सिंचन संचाची मर्यादीत हमी (वॉरंटी) तीन वर्षांची राहील. मर्यादीत हमी अंतर्गत फक्त उत्पादन मुलक दोषांचा समावेश राहील. तीन वर्षांच्या कालावधीत ठिबक सिंचन संचाचा कोणताही भाग (कंड्युमेबल्स, इलेक्ट्रीक ॲटम्स, स्वर पार्ट्स, फिल्टर जाळी/वाळु इत्यादी सोडुन) उत्पादन मुलक दोषांमुळे नादुरुस्त किंवा न चालणारा (सदोष) निघाल्यास पुरवठादार मरजेनुसार फक्त ते सुटे भाग किंवा साहित्य गोफत दुरुस्त करून किंवा बदलून देईल.
- ११) ऊसतोडणी करताना संच खराब झाल्यास याची जबाबदारी संचधारकाची राहील. शेतकऱ्यांचे विहिरीचे, बोअरचे पाणी अचानक कमी/बंद झाल्यास त्यामुळे पिकाचे नुकसान होणे, संचाची निमा न राखल्यामुळे होणा-या नुकसानीस संच धारक जबाबदार राहील, त्याची कारखान्यास काही एक तोषीस लागू देणार नाही.
- १२) ठिबक सिंचन संच बसविण्याची योजना राबवितांना विलंब होण्याचे कारण उदा. एखादा दैवी/नैसर्गिक आपत्तीमुळे पुरवठादारांच्या मानवी अखत्यारीत बाहेरील घटनेमुळे किंवा सरकारी कायदेकानून व आयात नियमातील बदलांमुळे असेल तर त्यामुळे होणाऱ्या विलंबास पुरवठादार जबाबदार राहणार नाही.
- १३) शासनाने अनुदान योजना राबविण्याचे ठरविल्यास प्रत्येक लाभार्थी शेतकऱ्यांसाठी ठिबक सिंचन संचासाठी आवश्यक असणारी शासकीय अनुदान प्रकरणे तयार करून ती शासकीय नियमाप्रमाणे

दाखल करण्याची जबाबदारी वितरकाची / पुरवठादाराची राहिल. (शासनाच्या नियमाला अधिन राहून) अनुदानासाठी लागणारी कागदपत्रे उदा. ७/१२ उतारा, ८३, रु.१००/- किंमतीचे तीन स्टॅप, संमतीपत्र (एकत्रित कुटूंबातील ७/१२ असल्यास इतर हिस्सेदार / वारसदारांचे संमतीपत्र) व माती-पाणी परिक्षण अहवाल इत्यादींची पूर्तता करण्याची जबाबदारी सभासद शेतकऱ्याची राहिल. तसेच साहित्याचे बिल, शेताचा नकाशा व हमीपत्र पुरवठादार देईल.

१४) ठिबक संचाची किंमत प्लॉटच्या डिझाइन प्रमाणे साहित्याच्या मागणी प्रमाणे कमी जास्त होईल, दरपत्रका नुसार लागणा-या मालाचे दर आकारण्यात येतील. जी.एस.टी. कर जास्तीचा आकारण्यात येईल. तसेच करार केलेनंतर करारासोबत जोडलेले दर पत्रक हे पुढील सहा महिन्यासाठी कायम राहतील. सहा महिन्यानंतर दर कमी/जास्त झाल्यास त्याची पूर्व मंजूरी घेवून दरास मान्यता दिलेनंतर मालाचा पुरवठा व बील आकारणी नविन दराने आकारण्यात येईल.

१५) पुरवठादाराने रासायनिक प्रक्रिया (अॅसिड ट्रिटमेंट) संव उभारणीनंतर वर्षातून एक वेळेस व ३ वर्षातून तीन वेळा संपुर्णपणे मोफत करून द्यावयाची आहे. तीनपेक्षा जास्तवेळा रासायनिक प्रक्रिया सेवा हवी असल्यास त्यास आवश्यक अॅसिड व रु.२००/- प्रत्येक सेवेसाठी संवधारकास आगाऊ द्यावे लागतील.

१६) आपल्या कारखान्या मार्फत राबविण्यात येणा-या ऊस उत्पादन वाढीच्या ठिबक योजनेमध्ये पुरवठादार कंपनी खालील प्रमाणे सहभागी होईल.

१. ठिबक सिंचन संचासाठी १ वर्षाकरीता विमा मोफत देण्यात येईल.

ठिबक संव विमा संरक्षण - ठिबक संव बसविलेनंतर चोरी जाणे, पुर, भुकंप, अपघात, ठिबक संव जळीत होणे यामुळे होणा-या नुकसानीस विमा संरक्षण मिळणार आहे. (विमा स्वकम ठिबक संचाची टॅक्स इन्व्हाइस नुसार होणारी किंमत) (१ वर्षासाठी)

२. पुरवठादार कंपनीकडून लाभार्थी शेतकऱ्याचा रु.१.०० लाखाचा विमा (अपघाती मृत्यू / कायम अपंगत्व) मोफत काढण्यात येईल. (१ वर्षासाठी)

वैयव्यकीक शेतकरी विमा संरक्षण - ठिबक संव ज्या शेतकऱ्याचे नावावर आहे त्या शेतकऱ्याचा अपघाती मृत्यू झालेस किंवा कायम स्वरूपी अपंगत्व आलेस १ लाखाचा विमा पुरवठादार यांचेकडून देणेत येईल. (१ वर्षासाठी)

३. पुरवठादार कंपनीचे वितरकांकडून माल वाहतूक खर्च व जोडणी खर्च संबंधित शेतकऱ्याकडून वाहतूक व जोडणी खर्चापोटी प्रति एकरी रु.५००/- शेतकऱ्याकडून रोख स्वरूपात घेणेत यावे.

४. सबसक्रॅस नळ्या अंशरण्यासाठी पुरवठादार मोफत यंत्र उपलब्ध करून देतील.

५. लाभार्थी शेतकऱ्यांना स्वतःमात्रा, पाणी नियोजन मार्गदर्शन तसेच वर्षातून ३ वेळा कृषी तज्ञ भेट देतील. त्याचा रिपोर्ट / फिडबॅक शेतकरी व शेतकी विभाग यांचे सहीनिशी फायनल पेमेंट वेळी देणे आवश्यक आहे. सेवा व सुविधा न पुरविल्यास करार रद्द करण्याचा अधिकार कारखान्यास राहिल.

६. शेतकरीनिहाय स्वतः व पाणी व्यवस्थापन परिपत्रक / माहिती पुस्तिका (डाखरी) देऊन त्याच्या अंमलबजावणीसाठी मार्गदर्शन करण्यात येईल.

७. कारखाना सहकार्याने पुरवठा कंपनीचे तज्ञांकडून वर्षातून तीन वेळा गट/गाव पातळीवर छोटे शेतकरी मेळावे घेण्यात येतील.
८. कारखाना व पुरवठादार ठिबक कंपनी मार्फत राबविण्यात येणा-या सदर योजनेअंतर्गत ठिबक सिंचन संचावर जास्तीत जास्त उत्पादन घेणा-या प्रथम ३ शेतक-यांस कारखाना वार्षिक सर्वसाधारण सभेमध्ये प्रत्येकी रक्कम रु.१५००० देवून गौरविण्यात येईल.
९. ठिबक मालाचा दर्जा व गुणवत्ता तपासणी कारखान्यामार्फत केली जाईल.
१०. ठिबक योजनेतील करारांतर्गत कंपनीला प्रति महिना १५ हेक्टर (प्रति वार्षिक १८० हेक्टर) ऊस क्षेत्रावर ठिबक सिंचन संच बसविणेचे उद्दिष्ट पूर्तता करणे बंधकारक राहिल. उद्दिष्ट पूर्तता न केलेस सदर करार रद्द करणेचा अधिकार कारखान्यास राहिल. मासिक उद्दिष्ट पूर्तता अहवाल महिना अखेरीस कारखान्यास लेखी स्वरूपात देणे बंधनकारक राहिल.
- ११) पुरवठादारास खालीलप्रमाणे पेमेंट अदा करण्यात येईल.
 - अ) संचाची किंमत ऊस लागवडीची पध्दत / प्लॉटच्या डिझाईन प्रमाणे आवश्यक साहित्याच्या मागणीप्रमाणे कमी जास्त होते. त्यानुसार मान्य दरपत्रकानुसार एकूण बिलाची रक्कम आकारण्यात येईल.
 - ब) कारखाना बँकेकडून शेतकरीनिहाय कर्ज घेत असल्याने बँकेने शेतकरीनिहाय कर्ज मंजूर केलेनंतरच कारखाना पुरवठादारास शेतक-यांमार्फत सहभागी कंपनीच्या वितरकाची निवड झालेनंतर कारखान्याकडून संबंधित कंपनीस वर्क ऑर्डर देणेत येईल किंवा सोबत शेतकरीनिहाय बँकेचे मंजूर पत्र देईल.
 - क) कंपनीमार्फत शेताचा आराखडा / सर्व्हे तयार करणे व रितसर संच बसविलेनंतर संबंधित शेतक-यांचे संगतीपत्रासह व शेतकी विभागाचे तपासणी रिपोर्टसह बिल सादर झालेनंतर रु. ४९,०००/- अथवा बिल रक्कम रु.६०,०००/- पेक्षा कमी असल्यास बिलाचे रक्कमेपैकी रु.११,०००/- राखून ठेवून उर्वरीत रक्कम ठिबक कंपनीस ३० दिवसांचे आत अदा करणेत येईल. तसेच अनुदान प्रस्ताव सादर केलेनंतर रु.१,०००/- अदा करणेत येतील.
 - ड) उर्वरीत रक्कम रु.१०,०००/- ऊस गाळपास अथवा बेणेस आलेनंतर एक महिन्यात कारखान्याकडून कंपनीस अदा करणेत येईल.
- १८) ठिबक सिंचन संच साहित्याचे दरपत्रक सोबत जोडलेले आहे. सदरचे दर पत्रक करार तारखेपासून पुढील सहा महिन्यापर्यंत कायम राहिल. सहा महिन्यानंतर कराराच्या कालावधीत महाराष्ट्र शासनाने ठिबक साहित्याचे दर निश्चित केल्यास व पुरवठादाराने अशा निश्चित केलेल्या दरास लिहून घेणार यांचेकडून मान्यता दिलेनंतर (आउटवर्ड दिनांक नंतर) पुरवठा केलेल्या मालाची बील आकारणी नविन दराने आकारनेत येईल.
- १९) वरील करारामधील अटी व शर्ती प्रमाणे पुरवठादार वागणेश चुकल्यास प्रस्तुतचा करार रद्द करणेचा अधिकार कारखान्यास राहिल तसेच करार रद्द करणेबाबत ८ दिवस अगोदर नोटीस देणेत येईल, तसेच यदा कदाचित वरील करारातील अटी व शर्तीचा भंग होवून कुणाचे नुकसान झालेस त्याची नुकसान भरपाईची जबाबदारी लिहून देणार राहिल.

२०) या करारबाबत व योजनेच्या अंमलबजावणी काळात काही वाद, मतभेद अथवा गैरसमज निर्माण झाल्यास पुर्वठादार व कारखाना संयुक्तपणे न्यायासाठी न्यायालयीन प्रक्रिया करेल. पुर्वठादाराने कारखान्यामध्ये रु.१५०/- नाममात्र सभासद फी प्राप्त की रु.२८०० नुसार दि ११ / ०९ / २०२३ रोजी भरणा केलेला आहे. पुर्वठादार कारखान्याचे नाममात्र सभासद झाले असल्याने उपस्थित वाद महाराष्ट्र राज्य सहकारी संस्था अधिनियम १९६० अन्वये सहकार न्यायालय पुणे यांच्याकडे निर्णयासाठी सोपवण्यात येईल.




२१) सदर करारनामा दिनांक ११ / ०९ / २०२३ पासून ते दिनांक १० / ०९ / २०२४ पर्यंत रू.१५० वर्षासाठी लागू राहील.

वरील करारातील अटी व शर्ती कबुल असून आज दिनांक ११ / ०९ / २०२३ रोजी कारखाना कार्यालयात दोन साक्षीदारांसमक्ष सही करून करारनामा करून दिला.

करारनामा लिहून देणार

सोना पॉली प्लास्ट प्रा.लि. करिता

विभागीय विक्री व्यवस्थापक - श्री.अविनाश काशिनाथ आढाव



करारनामा लिहून घेणार

भीमाशंकर सहकारी साखर कारखाना लि. करिता
कार्यकारी संचालक - श्री.चंद्रकांत गंगाधर ढगे

११/०९/२०२३
भीमाशंकर सहकारी साखर कारखाना लि.
कार्यकारी संचालक, साखर तळ, बल्लारवाडी,
ता. अकोला, जि. अकोला-४५२१०६.



साक्षीदार


१. श्री. दिनेश चंद्रकांत गिरी

२. श्री. विकास चंद्रकांत गिरी

३. श्री. विकास चंद्रकांत गिरी

११/०९/२०२३


११/०९/२०२३



NOTED AND REGISTERED
AT SR. NO 976/2023.
11-9-2023

11 SEP 2023

BEFORE ME
[Signature]
[Signature]
[Signature]
[Signature]
[Signature]



NOTARIAL

NOTARIAL

NOTARIAL

NOTARIAL

NOTARIAL

62


करारनामा

भीमाशंकर सहकारी साखर कारखाना लि.
दत्तात्रयनगर, पारगांव तर्फे अवसरी बु.
ता. आंबेगाव, जि. पुणे

व

कोठारी अँग्रीटेक प्रा.लि.
तीसरा मजला, सन प्लाझा, ८५१६/११
सुभाष चौक, मुरारजी पेठ, सोलापुर ४१३००१

(सन - २०२३-२०२४)



महाराष्ट्र MAHARASHTRA

2023

71AA 666730

अनुक्रमांक 13831 दिनांक 21/10/2023 रुपये 100

मुद्रांक तापराचे कारण कर्जावर

मुंबई मुद्रांक अधिनियम, १९५८ चे अनुच्छेद क्र. ३

मुद्रांक वापरपाराचे संपूर्ण नांव कोठारी अँड क्रीएक प्रायव्हेट लि.


पत्ता :- पाबळ ता. शिर्डी जि. पुणे

हस्ते :- वसंत कल्याण जाधव ता. पाबळ

V. J. R. Tadhav.

वडी-मुद्रांक धारक/हस्ते व्यक्ती

श्री. रविंद्र बाजीराव सातकर
मुद्रांक विक्रेता परवाना क्र. २२११००१
पत्ता:- राजगुरुनगर, ता. खेड, जि. पुणे.
परवाना मुदत :-



करारनामा

करारनामा आज वार मंगळवार दि. २८ माहे नोव्हेंबर सन २०२३ रोजी

करारनामा लिहून घेणार:-

श्रीमाशंकर सहकारी साखर कारखाना लि.

दत्तात्रयनगर, पारगांव तर्फे अवसरी बु. ता. आंबेगाव, जि. पुणे करिता

कार्यकारी संचालक - श्रीचंद्रकांत गंगाधर ढगे

वय - ५८ वर्षे थंदा - नोकरी

करारनामा लिहून देणार:-

कोठारी ॲग्रीटेक प्रा.लि.

तिसरा मजला, सन प्लाझा, ८५१६/११

सुभाष चौक, मुरारजी पेठ, सोलापूर - ४१३००१

(पुख्तादार) करिता

व्यवस्थापक - श्री. अभिजीत शिवाजी कालेकर

वय - वर्ष धंदा - नोकरी

कारणे करारनामा लिहून देतो कि

श्रीमशंकर सहकारी साखर कारखाना लि. दत्तात्रयनगर, पारगांव तर्फे अवसरी बु. ता.आंबेगाव, जि.पुणे यांच्या संचालक मंडळाने कारखान्याच्या सभासद/ऊस उत्पादकांचे एकरी उत्पन्न वाढ होवून चांगल्या गुणवत्तेचा दर्जेदार ऊस मिळावा म्हणुन शेतकऱ्यांना ऊस पिकासाठी ठिबक सिंचन संच बसवून देण्याची योजना राबवण्याचा निर्णय घेतला आहे.

दि. ०८/०१/२०२३ रोजी कारखान्याच्या मा.संचालक मंडळ सभेमध्ये झालेल्या तर्जिमाप्रमाणे व सोबत जोडलेल्या दरपत्रकानुसार कोठारी ॲग्रीटेक प्रा.लि. यांना खालील अटी शर्तीप्रमाणे काम देण्यात आले आहे.

करारनामा लिहून देणार ही ठिबक सिंचन संचाचे साहित्य उत्पादन करणारी व त्यांची विक्री व पुख्ता करणारी कायदयान्वये (नोंदलेली) कंपनी आहे. सदर कंपनीचा नोंदविलेला पत्ता वर नमूद केल्याप्रमाणे आहे. (सदर कंपनीचा उल्लेख यापुढे पुख्तादार असा करण्यात आला आहे.) लिहून घेणार हा महाराष्ट्र राज्य सहकारी संस्था अधिनियम १९६० अंतर्गत नोंदणी केलेला सहकारी साखर कारखाना असुन, त्यांचा सभासद व बिगर सभासदांचे ऊसापासुन साखर व इतर पदार्थ तयार करण्याचा व्यवसाय आहे. (यापुढे लिहून घेणार हा सहकार कायदयान्वये नोंदलेला साखर कारखाना असुन त्यांचा उल्लेख कारखाना असा केला आहे.)

योजना यशस्वी करण्यासाठी कारखाना व पुख्तादार ठिबक कंपनी यांमधील अटी व शर्ती खालीलप्रमाणे असतील.

कारखाना ठिबक सिंचन संच बसविणाऱ्या इच्छुक सभासदांची नावे व संबंधीत आवश्यक असणारी कागदपत्रे पुख्तादारास देईल.

प्राप्त झालेल्या यादीनुसार पुख्तादार किंवा त्यांचे अधिकृत वितरक लाभार्थी शेतकऱ्यांच्या शेतावर प्रत्यक्ष जाऊन शेताचे मोजमाप (सर्व्हे) करतील.

३) मोजमापानुसार पुख्तादार किंवा त्यांचे अधिकृत वितरक अभियंत्याकडून तांत्रिक व आर्थिक दृष्ट्या योग्य असलेला आराखडा तयार करून त्यासाठी लागणाऱ्या साहित्याची यादी (कोटेशन) तयार करतील.

४) कारखाना पुख्तादारास शेतकरी, निहाय वर्क ऑर्डर देईल. कारखान्याकडून वर्क ऑर्डर मिळाल्यानंतर पुख्तादार लाभार्थी शेतकऱ्याला खोदाईचा लेआऊट तीन दिवसांचे आत देईल. शेतकऱ्यांना लेआऊटप्रमाणे पाच दिवसांच्या आत खोदाई पूर्ण करावी लागेल. वर खोदाई पुर्ण झाल्यानंतर दहा दिवसांच्या आत पुख्तादार शेतावर ठिबक सिंचन संचासाठी लागणारे साहित्याच्या पुख्ता करून संचाची उभारणी करून देण्यात येईल व त्यानंतर कारखान्याचे अधिकारी प्रत्यक्ष पाहणी करतील.

- ७) अ) शेतकरी निहाय ठिबक सिंचन संचाची बिले मान्य दरप्रकाशप्रमाणे पुरवठादार किंवा पुरवठादाराने कारखान्यासाठी अधिकृत केलेले वितरक देतील. (अधिकृत वितरकाची यादी सोबत जोडलेली आहे) त्यावर पुरवठादाराची किंवा अधिकृत वितरकाची स्वाक्षरी राहील.
- ब) ठिबक सिंचन संच कार्यान्वित झाल्यानंतर पुरवठादार / अधिकृत वितरक व लाभार्थी शेतकरी यांच्या सहीनिशी संच उभारणी अहवाल व बिल कारखान्याकडे सादर करतील.
- क) कारखान्याचे अधिकारी समक्षा पाहणी करतील.
- ८) पुरवठादार कृषि आयुक्तालय पुणे, यांच्याकडे मान्यता प्राप्त पुरवठादार असून त्यांनी स्वतः उत्पादीत केलेले ठिबक सिंचन संचातील सर्व मुख्य साहित्य बी. आय.एस. मान्यताप्राप्त व उत्तम दर्जाचे असतील.
- ९) संचाच्या आराखड्याप्रमाणे मेन सबमेनसाठी लागणारे व इतर खोदकाम, फिल्टर ओटा तसेच इतर सिव्हील वर्क शेतक-यांना स्वखर्चाने करावयाचे आहे. सबसर्फेस ठिबकासाठी लागणारा सर्व खोदाई खर्च शेतक-यांना करावयाचा आहे.
- ८) माती व पाणी परिक्षण लाभार्थी शेतकऱ्यांना स्वखर्चाने कारखान्याच्या प्रयोगशाळेतून करावयाचे आहे.
- ९) ठिबक सिंचन संचाची निमा संचधारकाने कशी घ्यावयाची हे समजून सांगण्याची जबाबदारी वितरकाची राहील.
- अ) फिल्टरची वेळोवेळी नियमित स्वच्छता करणे, त्याचप्रमाणे संपूर्ण संचाचे नियमितपणे फ्लशिंग करणे. (लॅटरल, सबमेन)
- ब) संच धारकाने पिकाचे जीवनचक्र संपेपर्यंत मूळांच्या कक्षेत वाफसा स्थिती कायम रहावी यासाठी नियमित संच चालवावा.
- क) ठिबक संचाची कार्यक्षमता उत्कृष्ट राहील तसेच संच सतत कार्यरत राहील याची दक्षता संचधारकाने घ्यावयाची आहे.
- ठिबक सिंचन संचाची मर्यादीत हमी (वॉरंटी) तीन वर्षांची राहील. मर्यादीत हमी अंतर्गत फक्त उत्पादन मुलक दोषांचा समावेश राहील. तीन वर्षांच्या कालावधीत ठिबक सिंचन संचाचा कोणताही भाग (कंड्युमेबल्स, इलेक्ट्रीक अॅटम्स, रबर पार्ट्स, फिल्टर जाळी/वाळु इत्यादी सोडून) उत्पादन मुलक दोषांमुळे नादुरुस्त किंवा न चालणारा (सदोष) निघाल्यास पुरवठादार गरजेनुसार फक्त ते सुटे भाग किंवा साहित्य गोफत दुरुस्त करून किंवा बदलून देईल.
- ११) ऊसतोडणी करताना संच खराब झाल्यास याची जबाबदारी संचधारकाची राहील. शेतकऱ्यांचे विहिरीचे, बोअरचे पाणी अचानक कमी/बंद झाल्यास त्यामुळे पिकाचे नुकसान होणे, संचाची निमा न राखल्यामुळे होणा-या नुकसानीस संच धारक जबाबदार राहील, त्याची कारखान्यास काही एक तोषीस लागू देणार नाही.
- १२) ठिबक सिंचन संच बसविण्याची योजना राबवितांना विलंब होण्याचे कारण उदा. एखादा दैवी/नैसर्गिक आपत्तीमुळे पुरवठादारांच्या मानवी अखत्यारीत बाहेरील घटनेमुळे किंवा सरकारी कायदेकानून व आयात नियमातील बदलांमुळे असेल तर त्यामुळे होणाऱ्या विलंबास पुरवठादार जबाबदार राहणार नाही.
- १३) शासनाने अनुदान योजना राबविण्याचे ठरविल्यास प्रत्येक लाभार्थी शेतकऱ्यांसाठी ठिबक सिंचन संचासाठी आवश्यक असणारी शासकीय अनुदान प्रकरणे तयार करून ती शासकीय नियमाप्रमाणे

दाखल करण्याची जबाबदारी वितरकाची / पुरवठादाराची राहिल. (शासनाच्या नियमाला अधिन राहून) अनुदानासाठी लागणारी कागदपत्रे उदा. ७/१२ उतारा, ८अ, रु.१००/- किंमतीचे तीन स्टॅप, संगतीपत्र (एकत्रित कुटूंबातील ७/१२ असल्यास इतर हिस्सेदार / वारसदारांचे संगतीपत्र) व माती-पाणी परिक्षण अहवाल इत्यादींची पूर्तता करण्याची जबाबदारी सभासद शेतकऱ्याची राहिल. तसेच साहित्याचे विल, शेताचा नकाशा व हमीपत्र पुरवठादार देईल.

१४) ठिबक संचाची किंमत प्लॉटच्या डिझाइन प्रमाणे साहित्याच्या मागणी प्रमाणे कमी जास्त होईल, दरपत्रका नुसार लागणा-या मालाचे दर आकारण्यात येतील. जी.एस.टी. कर जास्तीचा आकारण्यात येईल. तसेच करार केलेनंतर करारासोबत जोडलेले दर पत्रक हे पुढील सहा महिन्यासाठी कायम राहतील. सहा महिन्यानंतर दर कमी/जास्त झाल्यास त्याची पूर्व मंजूरी घेवून दरास मान्यता दिलेनंतर मालाचा पुरवठा व बील आकारणी नविन दराने आकारण्यात येईल.

१५) पुरवठादाराने रासायनिक प्रक्रिया (अॅसिड ट्रिटमेंट) संच उभारणीनंतर वर्षातून एक वेळेस व ३ वर्षातून तीन वेळा संपूर्णपणे मोफत करून द्यावयाची आहे. तीनपेक्षा जास्तवेळा रासायनिक प्रक्रिया सेवा हवी असल्यास त्यास आवश्यक अॅसिड व रु.२००/- प्रत्येक सेवेसाठी संवधारकास आगाऊ द्यावे लागतील.

१६) आपल्या कारखान्या मार्फत सबविण्यात येणा-या ऊस उत्पादन वाढीच्या ठिबक योजनेमध्ये पुरवठादार कंपनी खालील प्रमाणे सहभागी होईल.

१. ठिबक सिंचन संचासाठी १ वर्षाकरीता विमा मोफत देण्यात येईल.

ठिबक संच विमा संरक्षण - ठिबक संच बसविलेनंतर चोरी जाणे, पुर, भुकंप, अपघात, ठिबक संच जळीत होणे यामुळे होणा-या नुकसानीस विमा संरक्षण मिळणार आहे. (विमा स्वकम ठिबक संचाची टॅक्स इन्व्हाइस नुसार होणारी किंमत) (१ वर्षासाठी)

२. पुरवठादार कंपनीकडून लाभार्थी शेतकऱ्याचा रु.१.०० लाखाचा विमा (अपघाती मृत्यू / कायम अपंगत्व) मोफत काढण्यात येईल. (१ वर्षासाठी)

वैयक्तीक शेतकरी विमा संरक्षण - ठिबक संच ज्या शेतकऱ्याचे नावावर आहे त्या शेतकऱ्याचा अपघाती मृत्यू झालेस किंवा कायम स्वरूपी अपंगत्व आलेस १ लाखाचा विमा पुरवठादार यांचेकडून देणेत येईल. (१ वर्षासाठी)

३. पुरवठादार कंपनीचे वितरकांकडून माल वाहतूक खर्च व जोडणी खर्च संबंधित शेतकऱ्याकडून वाहतूक व जोडणी खर्चापोटी प्रति एकरी रु.५००/- शेतकऱ्याकडून रोख स्वरूपात घेणेत यावे.

४. सबसरफेस नळ्या अंथरण्यासाठी पुरवठादार मोफत यंत्र उपलब्ध करून देतील.

५. लाभार्थी शेतकऱ्यांना खतमात्रा, पाणी नियोजन मार्गदर्शन तसेच वर्षातून ३ वेळा कृषी तज्ञ भेट देतील. त्याचा रिपोर्ट / फिडबॅक शेतकरी व शेतकी विभाग यांचे सहीनिशी फायनल पेमेंट वेळी देणे आवश्यक आहे. सेवा व सुविधा न पुरविल्यास करार रद्द करण्याचा अधिकार कारखान्यास राहिल.

६. शेतकरीनिहाय खत व पाणी व्यवस्थापन परिपत्रक / माहिती पुस्तिका (डायरी) देऊन त्याच्या अंमलबजावणीसाठी मार्गदर्शन करण्यात येईल.

७. कारखाना सहकार्याने पुरवठा कंपनीचे तज्ज्ञांकडून वर्षातून १

। पातळीवर छोटे

शेतकरी मेळावे घेण्यात येतील.

८. कारखाना व पुरवठादार ठिबक कंपनी मार्फत राबविण्यात ये...

।नेअंतर्गत ठिबक

सिंचन संचावर जास्तीत जास्त उत्पादन घेणा-या प्रथम ३ शेतक-यास कारखाना वार्षिक सर्वसाधारण सभेमध्ये प्रत्येकी रक्कम रु.११००० देवून गौरविण्यात येईल.

९. ठिबक मालाचा दर्जा व गुणवत्ता तपासणी कारखान्यामार्फत केली जाईल.

१०. ठिबक योजनेतील कश्याअंतर्गत कंपनीला प्रति महिना १५ हेक्टर (प्रति वार्षिक १८० हेक्टर) ऊस क्षेत्रावर ठिबक सिंचन संच बसविणेचे उद्दिष्ट पूर्तता करणे बंधकारक राहिल. उद्दिष्ट पूर्तता न केलेस सदर करार रद्द करणेचा अधिकार कारखान्यास राहिल. मासिक उद्दिष्ट पूर्तता अहवाल महिना अखेरीस कारखान्यास लेखी स्वरूपात देणे बंधनकारक राहिल.

११) पुरवठादारास खालीलप्रमाणे पेमेंट अदा करण्यात येईल.

अ) संचाची किंमत ऊस लागवडीची पध्दत / प्लॉटच्या डिझाईन प्रमाणे आवश्यक साहित्याच्या मागणीप्रमाणे कमी जास्त होते. त्यानुसार मान्य दरपत्रकानुसार एकूण बिलाची रक्कम आकारण्यात येईल.

ब) कारखाना बँकेकडून शेतकरीनिहाय कर्ज घेत असल्याने बँकेने शेतकरीनिहाय कर्ज मंजूर केलेनंतरच कारखाना पुरवठादारास शेतक-यांमार्फत सहभागी कंपनीच्या वितरकाची निवड झालेनंतर कारखान्याकडून संबंधित कंपनीस वर्क ऑर्डर देणेत येईल किंवा सोबत शेतकरीनिहाय बँकेचे मंजूर पत्र देईल.

क) कंपनीमार्फत शेताचा आराखडा / सर्व्हे तयार करणे व रितसर संच बसविलेनंतर संबंधित शेतक-यांचे संगतीपत्रासह व शेतकी विभागाचे तपासणी रिपोर्टसह बिल सादर झालेनंतर रु. ४९,०००/- अथवा बिल रक्कम रु.६०,०००/- पेक्षा कमी असल्यास बिलाचे रक्कमेपैकी रु.११,०००/- राखून ठेवून उर्वरीत रक्कम ठिबक कंपनीस ३० दिवसाचे आत अदा करणेत येईल. तसेच अनुदान प्रस्ताव सादर केलेनंतर रु.१,०००/- अदा करणेत येतील.

ड) उर्वरीत रक्कम रु.१०,०००/- ऊस गाळपास अथवा बेणेस आलेनंतर एक महिन्यात कारखान्याकडून कंपनीस अदा करणेत येईल.

१८) ठिबक सिंचन संच साहित्याचे दरपत्रक सोबत जोडलेले आहे. सदरचे दर पत्रक करार तारखेपासून पुढील सहा महिन्यापर्यंत कायम राहिल. सहा महिन्यांनंतर कराराच्या कालावधीत महाराष्ट्र शासनाने ठिबक साहित्याचे दर निश्चित केल्यास व पुरवठादाराने अशा निश्चित केलेल्या दरास लिहून घेणार यांचेकडून मान्यता दिलेनंतर (आउटवर्ड दिनांक नंतर) पुरवठा केलेल्या मालाची बील आकारणी नविन दराने आकारनेत येईल.

१९) वरील कश्यामधील अटी व शर्ती प्रमाणे पुरवठादार वागणेस नुकल्यास प्रस्तुतचा करार रद्द करणेचा अधिकार कारखान्यास राहिल तसेच करार रद्द करणेबाबत ८ दिवस अगोदर नोटीस देणेत येईल, तसेच यदा कदाचित वरील कश्यातील अटी व शर्तीचा भंग होवून कुणाचे नुकसान झालेस त्याची नुकसान भरपाईची जबाबदारी लिहून देणार रांगी राहिल,

२०) या कराराबाबत व योजनेच्या अंमलबजावणी काळात काही वाद, मतभेद अथवा गैरसमज निर्माण झाल्यास पुरवठादार व कारखाना संयुक्तपणे न्यायासाठी न्यायालयीन प्रक्रिया करेल. पुरवठादाराने कारखान्यामध्ये रु.१५०/- नाममात्र सभासद फी पावती क्र.४३३८ नुसार दि २३ / ०१ / २०२३ रोजी भरणा केलेला आहे. पुरवठादार कारखान्याचे नाममात्र सभासद झाले असल्याने उपस्थित वाद महाराष्ट्र राज्य सहकारी संस्था अधिनियम १९६० अन्वये सहकार न्यायालय पुणे यांच्याकडे निर्णयासाठी सोपवण्यात येईल.


२१) सदर करारनामा दिनांक २८ / ११ / २०२३ पासून ते दिनांक २८ / ११ / २०२४ पर्यंत वर्षासाठी लागू राहील.

वरील करारातील अटी व शर्ती कबुल असून आज दिनांक २८ / ११ / २०२३ रोजी कारखाना कार्यालयात दोन साक्षीदारांसमक्ष सही करून करारनामा करून दिला.

करारनामा लिहून देणार

कोठारी अँग्रीटेक प्रा.लि. करिता
व्यवस्थापक - श्री. अभिजीत शिवाजी कालेकर

[Signature]




करारनामा लिहून घेणार

भीमाशंकर सहकारी साखर कारखाना लि. करिता
कार्यकारी संचालक - श्री.चंद्रकांत गंगाधर ढगे

[Signature]

[Signature]




साक्षीदार

१. *[Signature]*
[Signature]

[Signature]

२.

.....




NOTED AND REGISTERED
AT SR. NO. 1550/2023
REG. NO. 34



28 NOV 2023





70

BEFORE ME

[Signature]
SANJAY D. ARVIKAR
M.Com., U.P.
ADVOCATE & NOTARY
GOVT. OF INDIA
Ghodagrod, Tal. /
Dist. Pune







EnviroConnect Forbes Marshall Multi Station Report

From Date 01-04-2024 00:00
 To Date 30-04-2024 23:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer STACK1
 Parameter PM
 Unit mg/Nm3
 Limit 0.00 - 150.00

01-04-2024 00:00	66 < M
02-04-2024 00:00	66 < M
03-04-2024 00:00	66 < M
04-04-2024 00:00	66 < M
05-04-2024 00:00	66 < M
06-04-2024 00:00	66 < M
10-04-2024 00:00	66 < M
11-04-2024 00:00	66 < M
13-04-2024 00:00	66 < M
14-04-2024 00:00	66 < M
15-04-2024 00:00	66 < M
Average	66
Geom.Mean	66
Maximum	66
Median	66
Minimum	66
Mode	66
Std.Deviation	0
Total Active Duration	

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-03-2024 00:00
 To Date 31-03-2024 23:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer STACK1
 Parameter PM
 Unit mg/Nm3
 Limit 0.00 - 150.00

15-03-2024 00:00	23 < M
16-03-2024 00:00	21.63 <
17-03-2024 00:00	22.02 <
18-03-2024 00:00	22 <
19-03-2024 00:00	19.73 <
20-03-2024 00:00	22.86 <
21-03-2024 00:00	22.75 <
22-03-2024 00:00	22.34 <
26-03-2024 00:00	66 < M
27-03-2024 00:00	66 < M
28-03-2024 00:00	66 < M
29-03-2024 00:00	66 < M
30-03-2024 00:00	66 < M
31-03-2024 00:00	66 < M
Average	40.9
Geom.Mean	35.2
Maximum	66
Median	22.9
Minimum	19.7
Mode	66
Std.Deviation	22.6
Total Active Duration	

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-11-2023 00:00

To Date 30-11-2023 23:59

Interval Daily

Function Average

Plant BSSK

Analyzer STACK2

Parameter PM

Unit mg/Nm3

Limit 0.00 - 150.00

08-11-2023 00:00 66 < M

09-11-2023 00:00 66 < M

10-11-2023 00:00 66 < M

11-11-2023 00:00 66 < M

12-11-2023 00:00 66 < M

13-11-2023 00:00 66 < M

14-11-2023 00:00 66 < M

15-11-2023 00:00 66 M

16-11-2023 00:00 66 < M

17-11-2023 00:00 66 < M

18-11-2023 00:00 66 < M

19-11-2023 00:00 66 < M

20-11-2023 00:00 66 < M

21-11-2023 00:00 66 < M

22-11-2023 00:00 66 < M

23-11-2023 00:00 66 < M

24-11-2023 00:00 66 < M

25-11-2023 00:00 66 < M

26-11-2023 00:00 66 < M

27-11-2023 00:00 66 < M

28-11-2023 00:00 66 < M

29-11-2023 00:00 66 < M

Average 66

Geom.Mean 66

Maximum 66

Median 66

Minimum 66

Mode 66

Std.Deviation 0

Total Active Duration

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-12-2023 00:00

To Date 31-12-2023 23:59

Interval Daily

Function Average

Plant BSSK

Analyzer STACK2

Parameter PM

Unit mg/Nm3

Limit 0.00 - 150.00

01-12-2023 00:00 66 < M

02-12-2023 00:00 66 < M

03-12-2023 00:00 66 < M

04-12-2023 00:00 66 < M

05-12-2023 00:00 66 < M

06-12-2023 00:00 66 < M

07-12-2023 00:00 66 < M

08-12-2023 00:00 66 < M

09-12-2023 00:00 66 < M

10-12-2023 00:00 66 < M

11-12-2023 00:00 66 < M

12-12-2023 00:00 66 < M

13-12-2023 00:00 66 < M

14-12-2023 00:00 66 M

15-12-2023 00:00 66 < M

16-12-2023 00:00 66 < M

17-12-2023 00:00 66 < M

18-12-2023 00:00 66 < M

19-12-2023 00:00 66 < M

20-12-2023 00:00 66 < M

21-12-2023 00:00 66 < M

22-12-2023 00:00 66 < M

23-12-2023 00:00 66 < M

24-12-2023 00:00 66 < M

27-12-2023 00:00 66 < M

28-12-2023 00:00 66 < M

29-12-2023 00:00 66 < M

30-12-2023 00:00 66 < M

31-12-2023 00:00 66 < M

Average 66

Geom.Mean 66

Maximum 66

Median 66

Minimum 66

Mode 66

Std.Deviation 0

Total Active Duration

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-01-2024 00:00
 To Date 31-01-2024 23:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer STACK2
 Parameter PM
 Unit mg/Nm3
 Limit 0.00 - 150.00

01-01-2024 00:00	66 < M
02-01-2024 00:00	66 < M
03-01-2024 00:00	66 < M
04-01-2024 00:00	66 < M
05-01-2024 00:00	66 < M
06-01-2024 00:00	66 < M
07-01-2024 00:00	66 < M
08-01-2024 00:00	66 < M
09-01-2024 00:00	66 < M
10-01-2024 00:00	66 < M
11-01-2024 00:00	66 < M
12-01-2024 00:00	66 < M
13-01-2024 00:00	66 < M
14-01-2024 00:00	66 < M
15-01-2024 00:00	66 < M
16-01-2024 00:00	66 < M
17-01-2024 00:00	65.89 < M
18-01-2024 00:00	66 < M
19-01-2024 00:00	66 < M
20-01-2024 00:00	66 < M
21-01-2024 00:00	66 < M
22-01-2024 00:00	66 < M
23-01-2024 00:00	66 < M
24-01-2024 00:00	66 < M
25-01-2024 00:00	66 < M
26-01-2024 00:00	66 < M
27-01-2024 00:00	66 < M
28-01-2024 00:00	66 < M
29-01-2024 00:00	66 < M
30-01-2024 00:00	66 < M
31-01-2024 00:00	66 < M

Average	66
Geom.Mean	66
Maximum	66
Median	66
Minimum	65.9
Mode	66
Std.Deviation	0

EnviroConnect

Forbes Marshall

Multi Station Report

From Date 01-02-2024 00:00

To Date 29-02-2024 23:59

Interval Daily

Function Average

Plant BSSK

Analyzer STACK2

Parameter PM

Unit mg/Nm3

Limit 0.00 - 150.00

01-02-2024 00:00 66 < M

02-02-2024 00:00 66 < M

03-02-2024 00:00 66 < M

04-02-2024 00:00 66 < M

05-02-2024 00:00 66 < M

06-02-2024 00:00 66 < M

07-02-2024 00:00 66 < M

08-02-2024 00:00 66 < M

09-02-2024 00:00 66 < M

10-02-2024 00:00 66 M

11-02-2024 00:00 66 < M

12-02-2024 00:00 66 M

13-02-2024 00:00 66 < M

14-02-2024 00:00 66 < M

15-02-2024 00:00 66 < M

16-02-2024 00:00 66 < M

17-02-2024 00:00 66 < M

18-02-2024 00:00 66 < M

19-02-2024 00:00 66 < M

20-02-2024 00:00 66 < M

21-02-2024 00:00 66 < M

22-02-2024 00:00 66 < M

23-02-2024 00:00 66 < M

24-02-2024 00:00 66 < M

25-02-2024 00:00 66 < M

26-02-2024 00:00 66 < M

27-02-2024 00:00 66 < M

28-02-2024 00:00 66 < M

29-02-2024 00:00 66 < M

Average 66

Geom.Mean 66

Maximum 66

Median 66

Minimum 66

Mode 66

Std.Deviation 0

Total Active Duration

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-03-2024 00:00
 To Date 31-03-2024 23:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer STACK2
 Parameter PM
 Unit mg/Nm3
 Limit 0.00 - 150.00

01-03-2024 00:00	66 < M
02-03-2024 00:00	66 < M
03-03-2024 00:00	66 < M
04-03-2024 00:00	66 < M
05-03-2024 00:00	66 < M
06-03-2024 00:00	66 < M
07-03-2024 00:00	66 < M
08-03-2024 00:00	66 < M
09-03-2024 00:00	66 < M
10-03-2024 00:00	66 M
11-03-2024 00:00	66 M
12-03-2024 00:00	66 < M
13-03-2024 00:00	66 < M
14-03-2024 00:00	66 < M
15-03-2024 00:00	67.44 < M
16-03-2024 00:00	66 < M
17-03-2024 00:00	66 < M
18-03-2024 00:00	66 < M
19-03-2024 00:00	66 < M
20-03-2024 00:00	66 < M
21-03-2024 00:00	66 < M
22-03-2024 00:00	66 < M
26-03-2024 00:00	66 < M
27-03-2024 00:00	66 < M
28-03-2024 00:00	66 < M
29-03-2024 00:00	66 < M
30-03-2024 00:00	66 < M
31-03-2024 00:00	66 < M

Average	66.1
Geom.Mean	66.1
Maximum	67.4
Median	66
Minimum	66
Mode	66
Std.Deviation	0.3
Total Active Duration	

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-04-2024 00:00
 To Date 30-04-2024 23:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer STACK2
 Parameter PM
 Unit mg/Nm3
 Limit 0.00 - 150.00

01-04-2024 00:00	66 < M
02-04-2024 00:00	66 < M
03-04-2024 00:00	66 < M
04-04-2024 00:00	66 < M
05-04-2024 00:00	66 < M
06-04-2024 00:00	66 < M
10-04-2024 00:00	66 < M
11-04-2024 00:00	66 < M
13-04-2024 00:00	66 < M
14-04-2024 00:00	66 < M
15-04-2024 00:00	66 < M

Average	66
Geom.Mean	66
Maximum	66
Median	66
Minimum	66
Mode	66
Std.Deviation	0
Total Active Duration	



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING		Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. -Ambegaon, Dist- Pune-412 406	Report No	AL/TR/76-465/23-24
	Report Date	09/12/2023
	Inward No	AL/8-492/03/23-24
	Sampling Date	30/11/2023
Sample Location	East Side- Mr. Ramesh Gaikwad	Sampling Time 12:21 PM
Sample Collected By	AARL	Time duration 08 Hr

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	30.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	50	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	16.41	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	18.36	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	50.26	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	21.26	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.95	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	01.25	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401,(Indophenols method)Method Of Air Sampling, 3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified

[Signature]
Verified by
(Analyst)

[Signature]
Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING				Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/76-466/23-24	
		Report Date	09/12/2023	
		Inward No	AL/8-492/04/23-24	
		Sampling Date	30/11/2023	
Sample Location	West side- Shri. Nivruthi Dhobale House		Sampling Time	12:29 PM
Sample Collected By	AARL		Time duration	08 Hr

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	30.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	51	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	17.23	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	17.63	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	48.26	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	20.26	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.32	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	00.95	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401, (Indophenols method) Method Of Air Sampling, 3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified

[Signature]

Verified by
(Analyst)

[Signature]

Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

श्री भिमा शंकर साहकारी साखर कारखाना लि.
पत्रांक-22/92/23
दिनांक-22/12/23
B. Gal

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING			Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. -Ambegaon, Dist.- Pune-412 406		Report No	AL/TR/76-463/23-24
		Report Date	09/12/2023
		Inward No	AL/8-492/01/23-24
		Sampling Date	30/11/2023
Sample Location	South side - Shri Pandurang Walase House	Sampling Time	12:10 PM
Sample Collected By	AARL	Time duration	08 Hr

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	30.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	52	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	15.26	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	17.25	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	45.26	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	20.15	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.33	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	01.14	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401,(Indophenols method)Method Of Air Sampling,3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified

PM
Verified by
(Analyst)

PM
Asup
22/12/23

...End of test report...

Cipul
Authorized Signatory



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING		Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No AL/TR/76-464/23-24
		Report Date 09/12/2023
		Inward No AL/8-492/02/23-24
		Sampling Date 30/11/2023
Sample Location	North Side-Yogesh Pingale	Sampling Time 12:16 PM
Sample Collected By	AARL	Time duration 08 Hr

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	30.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	50	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	15.25	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	19.26	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	44.56	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	20.41	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.63	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	00.95	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401,(Indophenols method)Method Of Air Sampling, 3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified

Ekase
Verified by
(Analyst)

Cipuf
Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING			Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/76-467/23-24
		Report Date	09/12/2023
		Inward No	AL/8-492/05/23-24
		Sampling Date	30/11/2023
Sample Location	Main Gate (Company Premises)	Sampling Time	12:35 PM
Sample Collected By	AARL	Time duration	08 Hr

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	30.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	50	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	22.26	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	24.23	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	53.52	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	22.26	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.87	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	01.56	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401,(Indophenols method)Method Of Air Sampling,3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified

[Signature]
Verified by
(Analyst)

[Signature]
Authorized Signatory

...End of test report...

10



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization


ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING				Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/77-290/23-24	
		Report Date	05/01/2024	
		Inward No	AL/8-566/01/23-24	
		Sampling Date	27/12/2023	
Sample Location	South East-Shri. Raghunath Dhobale House		Sampling Time	01:57 PM
Sample Collected By	AARL		Time duration	08 Hr


SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	29.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	58	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	21.23	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	22.25	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	48.60	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	23.50	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.23	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	01.25	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401, (Indophenols method) Method Of Air Sampling, 3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified


Verified by
(Analyst)




Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization


ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING				Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. -Ambegaon, Dist.- Pune-412 406		Report No	AL/TR/77-291/23-24	
		Report Date	05/01/2024	
		Inward No	AL/8-566/02/23-24	
		Sampling Date	27/12/2023	
Sample Location	South west - Taniskha Mangal Karyalaya	Samplng Time	02:51 PM	
Sample Collected By	AARL	Time duration	08 Hr	


SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	29.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	58	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	23.26	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	22.25	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	48.60	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	23.25	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.45	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	01.23	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401,(Indophenols method)Method Of Air Sampling,3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK,OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified


Verified by
(Analyst)




Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization


ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING				Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/77-292/23-24	
		Report Date	05/01/2024	
		Inward No	AL/8-566/03/23-24	
		Sampling Date	27/12/2023	
Sample Location	North East -Shri. Pravin Sable House	Sampling Time	01:05 PM	
Sample Collected By	AARL	Time duration	08 Hr	

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	29.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	58	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	23.25	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	22.56	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	46.20	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	22.90	≤ 60	IS:5182(Part-23):2006
7.	Ozone (O ₃)	µg/m ³	16.23	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	01.15	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401, (Indophenols method) Method Of Air Sampling, 3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified


Verified by
(Analyst)


Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING			Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. -Ambegaon, Dist.- Pune-412 406		Report No	AL/TR/77-293/23-24
		Report Date	05/01/2024
		Inward No	AL/8-566/04/23-24
		Sampling Date	27/12/2023
Sample Location	North west - Shri. Suresh Giri House	Sampling Time	02:20 PM
Sample Collected By	AARL	Time duration	08 Hr

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	29.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	58	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	24.23	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	23.26	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	45.50	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	23.20	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.26	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	00.98	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401,(Indophenols method)Method Of Air Sampling,3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified


Verified by
(Analyst)


Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB


- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING			Page 1 of 1
NAME OF COMPANY:- M/s. Bhlma Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/77-294/23-24
		Report Date	05/01/2024
		Inward No	AL/8-566/05/23-24
		Sampling Date	27/12/2023
Sample Location	Karkhana Premises- Senior College	Sampling Time	01:25 PM
Sample Collected By	AARL	Time duration	08 Hr


SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	29.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	58	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	24.26	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	23.25	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	45.60	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	22.50	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.23	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	01.45	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401,(Indophenols method)Method Of Air Sampling,3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	< 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified


Verified by
(Analyst)

...End of test report


Authorized Signatory

8



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

3E38
28.02.26
Bhagat

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING				Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AI/TR/78-003/23-24	
		Report Date	05/02/2024	
		Inward No	AL/8-641/01/23-24	
		Sampling Date	27/01/2024	
Sample Location	East Side- Mr. Ramesh Gaikwad House		Sampling Time	11:40 AM
Sample Collected By	AARL		Time duration	08 Hr

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	30.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	58	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	24.78	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	20.36	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	48.10	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	22.60	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.41	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	01.36	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401, (Indophenols method) Method Of Air Sampling, 3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified

Verified by
(Analyst)

Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization


ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING				Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. -Ambegaon, Dist.- Pune-412 406		Report No	AI/TR/78-004/23-24	
		Report Date	05/02/2024	
		Inward No	AL/8-641/02/23-24	
		Sampling Date	27/01/2024	
Sample Location	West side- Shri. Nivruthi Dhobale House		Sampling Time	10:40 AM
Sample Collected By	AARL		Time duration	08 Hr

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	30.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	58	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	22.45	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	21.78	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	48.70	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	23.10	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.47	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	01.12	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401,(Indophenols method)Method Of Air Sampling,3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified


Verified by
(Analyst)


Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING				Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AI/TR/78-005/23-24	
		Report Date	05/02/2024	
		Inward No	AL/8-641/03/23-24	
		Sampling Date	27/01/2024	
Sample Location	South side - Shri Pandurang Walase House	Sampling Time	11:20 AM	
Sample Collected By	AARL	Time duration	08 Hr	

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	30.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	58	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	22.45	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	20.89	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	49.50	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	21.40	≤ 60	IS:5182(Part-23):2006
7.	Ozone (O ₃)	µg/m ³	16.23	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	01.63	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401, (Indophenols method) Method Of Air Sampling, 3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified

Verified by
(Analyst)

Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001:2015 Certified Organization
- ISO 45001:2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING		Page 1 of 1
NAME OF COMPANY:- M/s. Dhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. -Ambegaon, Dist.- Pune-412 406		Report No AL/TR/78-006/23-24
		Report Date 05/02/2024
		Inward No AL/8-641/04/23-24
		Sampling Date 27/01/2024
Sample Location	North Side-Yogesh Pingale House	Sampling Time 11:00 AM
Sample Collected By	AARL	Time duration 08 Hr

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	30.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	58	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	20.69	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	21.98	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	47.60	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	21.60	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.15	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	01.20	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401,(Indophenols method)Method Of Air Sampling,3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified

Verified by
(Analyst)

Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization


ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING			Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/78-007/23-24
		Report Date	05/02/2024
		Inward No	AL/8-641/05/23-24
		Sampling Date	27/01/2024
Sample Location	Kata Gate (Company Premises)	Sampling Time	10:30 AM
Sample Collected By	AARL	Time duration	08 Hr

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	29.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	57	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	21.78	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	20.63	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	49.80	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	21.70	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.45	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	01.40	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401,(Indophenols method)Method Of Air Sampling, 3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified


Verified by
(Analyst)


Authorized Signatory

...End of test report

101



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING			Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village: Awasari Blk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/78-545/23-24
		Report Date	28/02/2024
		Inward No	AL/8-698/01/23-24
		Sampling Date	22/02/2024
Sample Location	South East-Shri. Vishvnath Nahre House	Sampling Time	11:20 AM
Sample Collected By	AARL	Time duration	08 Hr

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	30.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	57	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	21.32	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	23.45	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	52.20	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	24.10	≤ 60	IS:5182(Part-23):2006
7.	Ozone (O ₃)	µg/m ³	16.32	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	01.35	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401,(Indophenols method)Method Of Air Sampling,3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified

C. S. Patel

Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING				Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Blk, Tal. -Ambegaon, Dist.- Pune-412 406		Report No	AL/TR/78-546/23-24	
		Report Date	28/02/2024	
		Inward No	AI./R-699/02/23-24	
		Sampling Date	22/02/2024	
Sample Location	South West- Shri. Vitthal Dhobale House	Sampling Time	11:26 AM	
Sample Collected By	AARL	Time duration	08 Hr	

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	30.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	57	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	24.52	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	23.89	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	51.20	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	23.65	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.52	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	01.38	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401,(Indophenols method)Method Of Air Sampling, 3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified

Capital

Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING				Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist.- Pune-412 406		Report No	AL/TR/78-547/23-24	
		Report Date	28/02/2024	
		Inward No	AL/8-698/03/23-24	
		Sampling Date	22/02/2024	
Sample Location	North Side- Shri Balasaheb Dhobale House		Sampling Time	11:32 AM
Sample Collected By	AARL		Time duration	08 Hr

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	30.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	56	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	23.15	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	22.41	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	51.40	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	24.20	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.45	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	00.98	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401,(Indophenols method)Method Of Air Sampling,3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified

Caipul

Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING			Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk, Tal. -Ambegaon, Dist.- Pune-412 406		Report No	AL/TR/78-548/23-24
		Report Date	28/02/2024
		Inward No	AL/8-698/04/23-24
		Sampling Date	22/02/2024
Sample Location	South Side-Shri. Popat Lole House	Sampling Time	11:42 AM
Sample Collected By	AARL	Time duration	08 Hr

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	30.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	57	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	20.21	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	19.45	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	49.50	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	20.30	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.80	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	01.54	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401,(Indophenols method)Method Of Air Sampling,3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified

C. S. Patil

Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001:2015 Certified Organization
- ISO 15001:2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING		Page 1 of 1	
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karikhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk, Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/78-549/23-24
		Report Date	28/02/2024
		Inward No	AL/8-698/05/23-24
		Sampling Date	22/02/2024
Sample Location	Kata Gate (Company Premises)	Sampling Time	11:56 AM
Sample Collected By	AARL	Time duration	08 Hr

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	30.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	56	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	23.45	≤ 80	IS:5182(Part-2):2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	22.14	≤ 80	IS:5182(Part-6):2006
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	52.20	≤ 100	IS:5182(Part-23):2006
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	24.10	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.56	≤ 180	IS:5182(Part-9):1974
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22):2004
9.	Carbon Monoxide (CO)	mg/m ³	01.47	≤ 04	IS:5182(Part-10):1999
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401,(Indophenols method)Method Of Air Sampling, 3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11):2006
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12):2004
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	IS:3025 (PART-37)
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	IS:3025 (PART-54) 2003

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified

Caipul

Authorized Signatory

...End of test report...





AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

भीमाशंकर सहकारी साखर कारखाना लि.
पत्र आवक सं. १४९
दिनांक - २०/०४/२०२४
सही

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING				Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/79-646/2024-25	
		Report Date	06/04/2024	
		Inward No	AL/8-787/01/2024-25	
		Samplin Date	30/03/2024	
Sample Location	South East - Shri Bharat Dhobale House	Sampling Time	10:50 AM	
Sample Collected By	AARL	Time duration	08 Hr	

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	32.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	36	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	23.45	≤ 80	IS:5182(Part-2/Sec-1)RA2023
4.	Oxides of Nitrogen (NO _x)	µg/m ³	18.20	≤ 80	IS:5182(Part-6)RA 2022
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	50.30	≤ 100	IS:5182(Part-23)RA 2022
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	24.20	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.45	≤ 180	IS:5182(Part-9)RA 2019
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22)RA 2019
9.	Carbon Monoxide (CO)	mg/m ³	01.52	≤ 04	IS:5182(Part-10)RA 2019
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401, (Indophenols method) Method Of Air Sampling, 3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11)RA 2022
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12)RA 2019
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	Lab Method/SOP/013/AAS EPM 2000 Equivalent filter paper
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	Lab Method/SOP/014/AAS EPM 2000 Equivalent filter paper


Details of equipment used and its Calibration Certificate

Name of Equipment	Lab ID No.	Calibration Certificate No.	Validity
Ambient Air Quality Machine	AK-AAQ-03	2250148	30/07/2024
Digital Weighing Balance	AL-DWB-01	2023/60146/01	27/06/2024
Spectrophotometer	AARL/SPM/02	2250120	01/08/2024
Atomic Absorption Spectrometer	AARL/AA/01	2250106	01/08/2024

REMARK, OPINION & INTERPRITATION-

- All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- BDL-Below Detectable Limit.
- N.S. -Not Specified

Verified by
(Analyst)



Authorized Signatory



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING		Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. -Ambegaon, Dist.- Pune-412 406		Report No
		Report Date
		Inward No
		Sampling Date
Sample Location	South West- Shri. Mayur Dhobale House	Sampling Time
Sample Collected By	AARL	Time duration

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	30.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	37	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	23.69	≤ 80	IS:5182(Part-2/Sec-1)RA2023
4.	Oxides of Nitrogen (NO _x)	µg/m ³	24.58	≤ 80	IS:5182(Part-6)RA 2022
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	52.30	≤ 100	IS:5182(Part-23)RA 2022
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	24.80	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.78	≤ 180	IS:5182(Part-9)RA 2019
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22)RA 2019
9.	Carbon Monoxide (CO)	mg/m ³	01.65	≤ 04	IS:5182(Part-10)RA 2019
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401, (Indophenols method) Method Of Air Sampling, 3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11)RA 2022
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12)RA 2019
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	Lab Method/SOP/013/AAS EPM 2000 Equivalent filter paper
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	Lab Method/SOP/014/AAS EPM 2000 Equivalent filter paper

Details of equipment used and its Calibration Certificate

Name of Equipment	Lab ID No.	Calibration Certificate No.	Validity
Ambient Air Quality Machine	AK-AAQ-04	2250149	30/07/2024
Digital Weighing Balance	AL-DWB-01	2023/60146/01	27/06/2024
Spectrophotometer	AARL/SPM/02	2250120	01/08/2024
Atomic Absorption Spectrometer	AARL/AA/01	2250106	01/08/2024


REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified


Verified by
(Analyst)



...End of test report


Authorized Signatory



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING			Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. -Ambegaon, Dist.- Pune-412 406		Report No	AL/TR/79-648/2024-25
		Report Date	06/04/2024
		Inward No	AL/8-787/03/2024-25
		Sampling Date	30/03/2024
Sample Location	North East- Shri Pandurang Karande House	Sampling Time	11:45 AM
Sample Collected By	AARL	Time duration	08 Hr


SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	32.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	35	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	24.65	≤ 80	IS:5182(Part-2/Sec-1)RA2023
4.	Oxides of Nitrogen (NO _x)	µg/m ³	23.78	≤ 80	IS:5182(Part-6)RA 2022
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	53.60	≤ 100	IS:5182(Part-23)RA 2022
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	23.20	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.47	≤ 180	IS:5182(Part-9)RA 2019
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22)RA 2019
9.	Carbon Monoxide (CO)	mg/m ³	01.75	≤ 04	IS:5182(Part-10)RA 2019
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401, (Indophenols method) Method Of Air Sampling, 3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11)RA 2022
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12)RA 2019
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	Lab Method/SOP/013/AAS EPM 2000 Equivalent filter paper
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	Lab Method/SOP/014/AAS EPM 2000 Equivalent filter paper

Details of equipment used and its Calibration Certificate

Name of Equipment	Lab ID No.	Calibration Certificate No.	Validity
Ambient Air Quality Machine	AK-AAQ-05	2250150	30/07/2024
Digital Weighing Balance	AL-DWB-01	2023/60146/01	27/06/2024
Spectrophotometer	AARL/SPM/02	2250120	01/08/2024
Atomic Absorption Spectrometer	AARL/AA/01	2250106	01/08/2024


REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified


Verified by
(Analyst)



...End of test report...


Authorized Signatory



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING				Page 1 of 1
NAME OF COMPANY:-		Report No		AL/TR/79-649/2024-25
M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd.		Report Date		06/04/2024
Dattatraynagar, Pargaon,		Inward No		AL/8-787/04/2024-25
Village-Awasari Bk., Tal. -Ambegaon, Dist. - Pune-412 406		Smpling Date		30/03/2024
Sample Location	North West- Mr. Prashant Asware	Sampling Time		12:10 PM
Sample Collected By	AARL	Time duration		08 Hr

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	32.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	35	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	24.30	≤ 80	IS:5182(Part-2/Sec-1)RA2023
4.	Oxides of Nitrogen (NO _x)	µg/m ³	23.21	≤ 80	IS:5182(Part-6)RA 2022
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	50.40	≤ 100	IS:5182(Part-23)RA 2022
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	23.10	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.54	≤ 180	IS:5182(Part-9)RA 2019
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22)RA 2019
9.	Carbon Monoxide (CO)	mg/m ³	01.78	≤ 04	IS:5182(Part-10)RA 2019
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401, (Indophenols method) Method Of Air Sampling, 3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11)RA 2022
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12)RA 2019
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	Lab Method/SOP/013/AAS EPM 2000 Equivalent filter paper
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	Lab Method/SOP/014/AAS EPM 2000 Equivalent filter paper

Details of equipment used and its Calibration Certificate			
Name of Equipment	Lab ID No.	Calibration Certificate No.	Validity
Ambient Air Quality Machine	AK-AAQ-06	2250151	30/07/2024
Digital Weighing Balance	AL-DWB-01	2023/60146/01	27/06/2024
Spectrophotometer	AARL/SPM/02	2250120	01/08/2024
Atomic Absorption Spectrometer	AARL/AA/01	2250106	01/08/2024

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified

[Signature]
Verified by
(Analyst)



[Signature]
Authorized Signatory



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

ANALYSIS REPORT FOR AMBIENT AIR QUALITY MONITORING		Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No AL/TR/79-650/2024-25
		Report Date 06/04/2024
		Inward No AL/8-787/05/2024-25
		Sampling Date 30/03/2024
Sample Location Main Gate (Company Premises)		Sampling Time 10:30 AM
Sample Collected By AARL		Time duration 08 Hr

SR.NO.	PARAMETER	UNIT	RESULT	LIMITS	METHOD
1.	Ambient Temperature	°C	32.0	N.S.	EPA -454/R-99-005
2.	Relative Humidity	% rh	35	N.S.	EPA -454/R-99-005
3.	Sulphur Dioxide (SO ₂)	µg/m ³	24.69	≤ 80	IS:5182(Part-2/Sec-1)RA2023
4.	Oxides of Nitrogen (NO _x)	µg/m ³	25.62	≤ 80	IS:5182(Part-6)RA 2022
5.	Particulate matter-PM ₁₀ (less than 10 micron)	µg/m ³	54.20	≤ 100	IS:5182(Part-23)RA 2022
6.	Particulate matter-PM _{2.5} (less than 2.5 micron)	µg/m ³	25.80	≤ 60	IS:5182(Part-24):2019
7.	Ozone (O ₃)	µg/m ³	16.74	≤ 180	IS:5182(Part-9)RA 2019
8.	Lead (Pb)	µg/m ³	BDL	≤ 1.0	IS:5182(Part-22)RA 2019
9.	Carbon Monoxide (CO)	mg/m ³	01.86	≤ 04	IS:5182(Part-10)RA 2019
10.	Ammonia as (NH ₃)	µg/m ³	BDL	≤ 400	Method No.401, (Indophenols method) Method Of Air Sampling, 3 rd Edition
11.	Benzene (C ₆ H ₆)	µg/m ³	BDL	≤ 05	IS:5182 (Part 11)RA 2022
12.	Benzo(a)Pyrene (BaP)	ng/m ³	BDL	≤ 01	IS:5182 (Part 12)RA 2019
13.	Arsenic (As)	ng/m ³	BDL	≤ 06	Lab Method/SOP/013/AAS EPM 2000 Equivalent filter paper
14.	Nickel (Ni)	ng/m ³	BDL	≤ 20	Lab Method/SOP/014/AAS EPM 2000 Equivalent filter paper

Details of equipment used and its Calibration Certificate

Name of Equipment	Lab ID No.	Calibration Certificate No.	Validity
Ambient Air Quality Machine	AK-AAQ-01	2250146	30/07/2024
Digital Weighing Balance	AL-DWB-01	2023/60146/01	27/06/2024
Spectrophotometer	AARL/SPM/02	2250120	01/08/2024
Atomic Absorption Spectrometer	AARL/AA/01	2250106	01/08/2024


REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per (NAAQS) National Ambient Air Quality Standards 2009.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. -Not Specified


Verified by
(Analyst)



...End of test report...


Authorized Signatory



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization


SOURCE EMISSION MONITORING REPORT				Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/76-469/23-24	
		Report Date	09/12/2023	
		Inward No	AL/8-492/07/23-24	
		Sampling Date	30/11/2023	
Sample Location	Old Boiler (45 T/hr)-2	Sampling Time	12:10 PM	
Sample Collected By	AARL	Time duration	30 Min	

SR. NO	DESCRIPTION	UNIT	RESULT	LIMITS	METHOD
A. Stack Details					
1.	Material of stack	--	RCC	N.S.	--
2.	Type of fuel	--	Bagasse	N.S.	--
3.	Stack Height from G.L.	m	60.00	N.S.	--
4.	Type of Stack	--	Round	N.S.	--
5.	Dimensions of Stack	m	04.00	N.S.	--
6.	Stack area	m ²	12.56	N.S.	--
B. Parameters					
7.	Flue Gas Temperature	° C	120.0	N.S.	IS 11255 (PART 3):2008
8.	Differential Pressure	mmwg	04.30	N.S.	IS 11255 (PART 3):2008
9.	Velocity	m/s	07.80	N.S.	IS 11255 (PART 3):2008
10.	Gas volume	Nm ³ /hr.	267624.23	N.S.	IS 11255 (PART 3):2008
11.	Particulate Matter	mg/Nm ³	102.50	≤ 150	IS 11255 (PART 1):1985
12.	Sulphur Dioxide	kg/day	120.53	≤ 3920	IS 11255 (PART 2):1985
13.	Oxide of Nitrogen	mg/Nm ³	148.80	N.S.	IS 11255 (PART 7):2005
14.	Carbon Monoxide	ppm	2425.14	N.S.	IS 13270 :1992

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per MPCB Consent.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. - Not Specified


Verified by
(Analyst)


Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB


- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New-Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization


SOURCE EMISSION MONITORING REPORT			Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/76-470/23-24
		Report Date	09/12/2023
		Inward No	AL/8-492/08/23-24
		Sampling Date	30/11/2023
Sample Location	New Boiler (80 T/hr)-1	Sampling Time	12:40 PM
Sample Collected By	AARL	Time duration	30 Min

SR. NO	DESCRIPTION	UNIT	RESULT	LIMITS	METHOD
A. Stack Details					
1.	Material of stack	--	RCC	N.S.	--
2.	Type of fuel	--	Bagasse	N.S.	--
3.	Stack Height from G.L.	m	72.00	N.S.	--
4.	Type of Stack	--	Round	N.S.	--
5.	Dimensions of Stack	m	03.54	N.S.	--
6.	Stack area	m ²	09.83	N.S.	--
B. Parameters					
7.	Flue Gas Temperature	° C	133.0	N.S.	IS 11255 (PART 3):2008
8.	Differential Pressure	mmwg	03.67	N.S.	IS 11255 (PART 3):2008
9.	Velocity	m/s	07.32	N.S.	IS 11255 (PART 3):2008
10.	Gas volume	Nm ³ /hr.	190521.58	N.S.	IS 11255 (PART 3):2008
11.	Particulate Matter	mg/Nm ³	111.40	≤ 150	IS 11255 (PART 1):1985
12.	Sulphur Dioxide	kg/day	1376.20	≤ 3120	IS 11255 (PART 2): 1985
13.	Oxide of Nitrogen	mg/Nm ³	228.60	N.S.	IS 11255 (PART 7):2005
14.	Carbon Monoxide	ppm	2545.2	N.S.	IS 13270 :1992

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per MPCB Consent.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. - Not Specified


Verified by
(Analyst)


Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

SOURCE EMISSION MONITORING REPORT		Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406	Report No	AL/TR/77-296/23-24
	Report Date	05/01/2024
	Inward No	AL/8-566/07/23-24
	Sampling Date	27/12/2023
Sample Location	Old Boiler (45 T/hr)-2	Sampling Time 03:00 PM
Sample Collected By	AARL	Time duration 30 Min


SR. NO	DESCRIPTION	UNIT	RESULT	LIMITS	METHOD
A. Stack Details					
1.	Material of stack	--	RCC	N.S.	--
2.	Type of fuel	--	Bagasse	N.S.	--
3.	Stack Height from G.L.	m	60.00	N.S.	--
4.	Type of Stack	--	Round	N.S.	--
5.	Dimensions of Stack	m	04.00	N.S.	--
6.	Stack area	m ²	12.56	N.S.	--
B. Parameters					
7.	Flue Gas Temperature	° C	121.0	N.S.	IS 11255 (PART 3):2008
8.	Differential Pressure	mmwg	04.31	N.S.	IS 11255 (PART 3):2008
9.	Velocity	m/s	07.82	N.S.	IS 11255 (PART 3):2008
10.	Gas volume	Nm ³ /hr.	267595.09	N.S.	IS 11255 (PART 3):2008
11.	Particulate Matter	mg/Nm ³	98.26	≤ 150	IS 11255 (PART 1):1985
12.	Sulphur Dioxide	kg/day	122.26	≤ 3920	IS 11255 (PART 2):1985
13.	Oxide of Nitrogen	mg/Nm ³	147.26	N.S.	IS 11255 (PART 7):2005
14.	Carbon Monoxide	ppm	2413.25	N.S.	IS 13270 :1992

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per MPCB Consent.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. - Not Specified


Verified by
(Analyst)

...End of test report...


Authorized Signatory



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization


SOURCE EMISSION MONITORING REPORT				Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/77-297/23-24	
		Report Date	05/01/2024	
		Inward No	AL/8-566/08/23-24	
		Sampling Date	27/12/2023	
Sample Location	New Boiler (80 T/hr)-1	Sampling Time	03:30 PM	
Sample Collected By	AARI,	Time duration	30 Min	

SR. NO	DESCRIPTION	UNIT	RESULT	LIMITS	METHOD
A. Stack Details					
1.	Material of stack	--	RCC	N.S.	--
2.	Type of fuel	--	Bagasse	N.S.	--
3.	Stack Height from G.L.	m	72.00	N.S.	--
4.	Type of Stack	--	Round	N.S.	--
5.	Dimensions of Stack	m	03.54	N.S.	--
6.	Stack area	m ²	09.83	N.S.	--
B. Parameters					
7.	Flue Gas Temperature	°C	134.0	N.S.	IS 11255 (PART 3):2008
8.	Differential Pressure	mmwg	03.68	N.S.	IS 11255 (PART 3):2008
9.	Velocity	m/s	07.34	N.S.	IS 11255 (PART 3):2008
10.	Gas volume	Nm ³ /hr.	190546.45	N.S.	IS 11255 (PART 3):2008
11.	Particulate Matter	mg/Nm ³	99.23	≤ 150	IS 11255 (PART 1):1985
12.	Sulphur Dioxide	kg/day	1352.36	≤ 3120	IS 11255 (PART 2): 1985
13.	Oxide of Nitrogen	mg/Nm ³	242.25	N.S.	IS 11255 (PART 7):2005
14.	Carbon Monoxide	ppm	2548.60	N.S.	IS 13270 :1992

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per MPCB Consent.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. - Not Specified


Verified by
(Analyst)


Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization


SOURCE EMISSION MONITORING REPORT		Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406	Report No	AL/TR/78-009/23-24
	Report Date	05/02/2024
	Inward No	AL/8-641/07/23-24
	Sampling Date	27/01/2024
Sample Location	Old Boiler (45 T/hr)-2 No.	Sampling Time 12:40 PM
Sample Collected By	AARL	Time duration 30 Min

SR. NO	DESCRIPTION	UNIT	RESULT	LIMITS	METHOD
A. Stack Details					
1.	Material of stack	--	RCC	N.S.	--
2.	Type of fuel	--	Bagasse	N.S.	--
3.	Stack Height from G.L.	m	60.00	N.S.	--
4.	Type of Stack	--	Round	N.S.	--
5.	Dimensions of Stack	m	04.00	N.S.	--
6.	Stack area	m ²	12.56	N.S.	--
B. Parameters					
7.	Flue Gas Temperature	°C	122.0	N.S.	IS 11255 (PART 3):2008
8.	Differential Pressure	mmwg	04.32	N.S.	IS 11255 (PART 3):2008
9.	Velocity	m/s	07.84	N.S.	IS 11255 (PART 3):2008
10.	Gas volume	Nm ³ /hr.	267566.01	N.S.	IS 11255 (PART 3):2008
11.	Particulate Matter	mg/Nm ³	90.40	≤ 150	IS 11255 (PART 1):1985
12.	Sulphur Dioxide	kg/day	128.50	≤ 3920	IS 11255 (PART 2):1905
13.	Oxide of Nitrogen	mg/Nm ³	150.63	N.S.	IS 11255 (PART 7):2005
14.	Carbon Monoxide	ppm	2425.36	N.S.	IS 13270 :1992

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per MPCB Consent.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. - Not Specified


Verified by
(Analyst)


Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization


SOURCE EMISSION MONITORING REPORT		Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No
		Report Date
		Inward No
		Sampling Date
Sample Location	New Boiler (80 T/hr)-1 No.	Sampling Time
Sample Collected By	AARL	Time duration

SR. NO	DESCRIPTION	UNIT	RESULT	LIMITS	METHOD
A. Stack Details					
1.	Material of stack	--	RCC	N.S.	--
2.	Type of fuel	--	Bagasse	N.S.	--
3.	Stack Height from G.L.	m	72.00	N.S.	--
4.	Type of Stack	--	Round	N.S.	--
5.	Dimensions of Stack	m	03.54	N.S.	--
6.	Stack area	m ²	09.83	N.S.	--
B. Parameters					
7.	Flue Gas Temperature	° C	135.0	N.S.	IS 11255 (PART 3):2008
8.	Differential Pressure	mmwg	03.69	N.S.	IS 11255 (PART 3):2008
9.	Velocity	m/s	07.36	N.S.	IS 11255 (PART 3):2008
10.	Gas volume	Nm ³ /hr.	190571.20	N.S.	IS 11255 (PART 3):2008
11.	Particulate Matter	mg/Nm ³	96.20	≤ 150	IS 11255 (PART 1):1985
12.	Sulphur Dioxide	kg/day	1355.63	≤ 3120	IS 11255 (PART 2): 1985
13.	Oxide of Nitrogen	mg/Nm ³	244.45	N.S.	IS 11255 (PART 7):2005
14.	Carbon Monoxide	ppm	2550.25	N.S.	IS 13270 :1992

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per MPCB Consent.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. - Not Specified


Verified by
(Analyst)


Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, Mo Environment, Forest & Climate Change, Govt. of India.
- ISO 9001:2015 Certified Organization
- ISO 45001:2018 Certified Organization

SOURCE EMISSION MONITORING REPORT			Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/78-551/23-24
		Report Date	28/02/2024
		Inward No	AL/8-698/07/23-24
		Sampling Date	22/02/2024
Sample Location	Old Boiler (45 T/hr)-2 No.	Sampling Time	01:30 PM
Sample Collected By	AARL	Time duration	30 Min

SR. NO	DESCRIPTION	UNIT	RESULT	LIMITS	METHOD
A. Stack Details					
1.	Material of stack	--	RCC	N.S.	--
2.	Type of fuel	--	Bagasse	N.S.	--
3.	Stack Height from G.L.	m	60.00	N.S.	--
4.	Type of Stack	--	Round	N.S.	--
5.	Dimensions of Stack	m	04.00	N.S.	--
6.	Stack area	m ²	12.56	N.S.	--
B. Parameters					
7.	Flue Gas Temperature	°C	123.0	N.S.	IS 11255 (PART 3):2008
8.	Differential Pressure	mmwg	04.33	N.S.	IS 11255 (PART 3):2008
9.	Velocity	m/s	07.86	N.S.	IS 11255 (PART 3):2008
10.	Gas volume	Nm ³ /hr.	267537.07	N.S.	IS 11255 (PART 3):2008
11.	Particulate Matter	mg/Nm ³	92.10	≤ 150	IS 11255 (PART 1):1985
12.	Sulphur Dioxide	kg/day	130.52	≤ 3920	IS 11255 (PART 2):1985
13.	Oxide of Nitrogen	mg/Nm ³	153.41	N.S.	IS 11255 (PART 7):2005
14.	Carbon Monoxide	ppm	2430.56	N.S.	IS 13270:1992

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per MPCB Consent.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. - Not Specified

Capul

Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

SOURCE EMISSION MONITORING REPORT				Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk, Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/78-552/23-24	
		Report Date	28/02/2024	
		Inward No	AL/8-698/08/23-24	
		Sampling Date	22/02/2024	
Sample Location	New Boiler (80 T/hr)-1 No.		Sampling Time	02:00 PM
Sample Collected By	AARL		Time duration	30 Min

SR. NO	DESCRIPTION	UNIT	RESULT	LIMITS	METHOD
A. Stack Details					
1.	Material of stack	--	RCC	N.S.	--
2.	Type of fuel	--	Bagasse	N.S.	--
3.	Stack Height from G.L.	m	72.00	N.S.	--
4.	Type of Stack	--	Round	N.S.	--
5.	Dimensions of Stack	m	03.54	N.S.	--
6.	Stack area	m ²	09.83	N.S.	--
B. Parameters					
7.	Flue Gas Temperature	°C	136.0	N.S.	IS 11255 (PART 3):2008
8.	Differential Pressure	mmwg	03.70	N.S.	IS 11255 (PART 3):2008
9.	Velocity	m/s	07.38	N.S.	IS 11255 (PART 3):2008
10.	Gas volume	Nm ³ /hr.	190595.82	N.S.	IS 11255 (PART 3):2008
11.	Particulate Matter	mg/Nm ³	94.30	≤ 150	IS 11255 (PART 1):1985
12.	Sulphur Dioxide	kg/day	1345.31	≤ 3120	IS 11255 (PART 2): 1985
13.	Oxide of Nitrogen	mg/Nm ³	250.45	N.S.	IS 11255 (PART 7):2005
14.	Carbon Monoxide	ppm	2558.14	N.S.	IS 13270 :1992

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per MPCB Consent.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. - Not Specified

Caipul

Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

SOURCE EMISSION MONITORING REPORT				Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/79-652/2024-25	
		Report Date	06/04/2024	
		Inward No	AL/8-787/07/2024-25	
		Sampling Date	30/03/2024	
Sample Location	Old Boiler (45 T/hr)-2 No.	Sampling Time	12:40 PM	
Sample Collected By	AARL	Time duration	30 Min	


SR. NO	DESCRIPTION	UNIT	RESULT	LIMITS	METHOD
A. Stack Details					
1.	Material of stack	--	RCC	N.S.	--
2.	Type of fuel	--	Bagasse	N.S.	--
3.	Stack Height from G.L.	m	60.00	N.S.	--
4.	Type of Stack	--	Round	N.S.	--
5.	Dimensions of Stack	m	04.00	N.S.	--
6.	Stack area	m ²	12.56	N.S.	--
B. Parameters					
7.	Flue Gas Temperature	°C	124.0	N.S.	IS 11255 (PART 3) RA 2013
8.	Differential Pressure	mmwg	04.34	N.S.	IS 11255 (PART 3) RA 2013
9.	Velocity	m/s	07.88	N.S.	IS 11255 (PART 3) RA 2013
10.	Gas volume	Nm ³ /hr.	267508.28	N.S.	IS 11255 (PART 3) RA 2013
11.	Particulate Matter	mg/Nm ³	96.40	≤ 150	IS 11255 (PART 1) RA 2019
12.	Sulphur Dioxide	kg/day	122.69	<3920	IS 11255 (PART 2) RA 2019
13.	Oxide of Nitrogen	mg/Nm ³	144.85	N.S.	IS 11255 (PART 7) RA2022
14.	Carbon Monoxide	ppm	2442.65	N.S.	IS:13270(Part-3):2008
Details of equipment used and its Calibration Certificate					
Name of Equipment		Lab ID No.	Calibration Certificate No.	Validity	
Flue Gas Analyzer		AK-VAYU-03	VAYU-098	03/05/2024	
Stack Monitoring Kit Manual		AK-SMK-01	2250144	30/07/2024	

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per MPCB Consent.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. - Not Specified


Verified by
(Analyst)




Authorized Signatory



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

SOURCE EMISSION MONITORING REPORT		Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No AL/TR/79-653/2024-25
		Report Date 06/04/2024
		Inward No AL/8-787/08/2024-25
		Sampling Date 30/03/2024
Sample Location New Boiler (80 T/hr)-1 No.		Sampling Time 01:20 PM
Sample Collected By AARI.		Time duration 30 Min

SR. NO	DESCRIPTION	UNIT	RESULT	LIMITS	METHOD
A. Stack Details					
1.	Material of stack	--	RCC	N.S.	--
2.	Type of fuel	--	Bagasse	N.S.	--
3.	Stack Height from G.L.	m	72.00	N.S.	--
4.	Type of Stack	--	Round	N.S.	--
5.	Dimensions of Stack	m	03.54	N.S.	--
6.	Stack area	m ²	09.83	N.S.	--
B. Parameters					
7.	Flue Gas Temperature	°C	137.0	N.S.	IS 11255 (PART 3) RA 2013
8.	Differential Pressure	mmwg	03.71	N.S.	IS 11255 (PART 3) RA 2013
9.	Velocity	m/s	07.40	N.S.	IS 11255 (PART 3) RA 2013
10.	Gas volume	Nm ³ /hr.	190620.32	N.S.	IS 11255 (PART 3) RA 2013
11.	Particulate Matter	mg/Nm ³	96.20	≤ 150	IS 11255 (PART 1) RA 2019
12.	Sulphur Dioxide	kg/day	1312.45	≤ 3120	IS 11255 (PART 2) RA 2019
13.	Oxide of Nitrogen	mg/Nm ³	263.32	N.S.	IS 11255 (PART 7) RA2022
14.	Carbon Monoxide	ppm	2565.26	N.S.	IS:13270(Part-3):2008


Details of equipment used and its Calibration Certificate			
Name of Equipment	Lab ID No.	Calibration Certificate No.	Validity
Flue Gas Analyzer	AK-VAYU-03	VAYU-098	03/05/2024
Stack Monitoring Kit Manual	AK-SMK-01	2250144	30/07/2024

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per MPCB Consent.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. - Not Specified


Verified by
(Analyst)




Authorized Signatory



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization


AMBIENT & WORK ZONE NOISE LEVEL MONITORING REPORT				Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/76-471/23-24	
		Report Date	09/12/2023	
		Inward No	AL/8-492/09/23-24	
		Sampling Date	30/11/2023	
Sample Location	Company Premises	Sampling Time	02:00 PM To 02:30 PM	
Sample Collected By	AARL	Time duration	30 Min	

SR. NO	LOCATIONS	UNIT	RESULT	LIMITS	METHOD
A. Outside of Shop					
1.	Near Guest House	dB(A)	62.3	≤ 75 dB(A)	IS 4758-1968 (PART 10) RA 2002
2.	Near Kandoba Temple	dB(A)	60.2		
3.	Near switch yard	dB(A)	61.2		
B. Inside of Shop					
4.	Mill House	dB(A)	71.2	≤ 90 dB(A)	IS 9989-1981 (RA 2001)
5.	Boiling House	dB(A)	73.5		
6.	Near 80 TPH Boiler	dB(A)	74.2		

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per MPCB Consent The Factories Act 1948, standards.


Verified by
(Analyst)


Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

AMBIENT & WORK ZONE NOISE LEVEL MONITORING REPORT				Page 1 of 1
NAME OF COMPANY:-		Report No	AL/TR/77-298/23-24	
M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd.		Report Date	05/01/2024	
Dattatraynagar, Pargaon,		Inward No	AL/8-566/09/23-24	
Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Sampling Date	27/12/2023	
Sample Location	Company Premises	Sampling Time	01:00 PM To 01:30 PM	
Sample Collected By	AARL	Time duration	30 Min	

SR. NO	LOCATIONS	UNIT	RESULT	LIMITS	METHOD
A. Outside of Shop					
1.	Near Sakhar Shala	dB(A)	61.2	≤ 75 dB(A)	IS 4758-1968 (PART 10) RA 2002
2.	Near Senior College	dB(A)	62.5		
3.	Near Copy Yard	dB(A)	63.6		
B. Inside of Shop					
4.	Near Workshop	dB(A)	72.2	≤ 90 dB(A)	IS 9989-1981 (RA 2001)
5.	Near 13 MW Turbine	dB(A)	74.6		
6.	Near Sugar House	dB(A)	73.2		

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per MPCB Consent The Factories Act 1948, standards.

[Signature]
Verified by
(Analyst)

[Signature]
Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization


AMBIENT & WORK ZONE NOISE LEVEL MONITORING REPORT		Page 1 of 1	
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/78-011/23-24
		Report Date	05/02/2024
		Inward No	AL/8-641/09/23-24
		Sampling Date	27/01/2024
Sample Location	Company Premises	Sampling Time	12:30 PM To 01:00 PM
Sample Collected By	AARL	Time duration	30 Min

SR. NO	LOCATIONS	UNIT	RESULT	LIMITS	METHOD
A. Outside of Shop					
1.	Near Switch Yard	dB(A)	68.1	≤ 75 dB(A)	IS 4758-1968 (PART 10) RA 2002
2.	Near Petrol Pump	dB(A)	69.2		
3.	Near Colony	dB(A)	64.6		
B. Inside of Shop					
4.	Near Mill House	dB(A)	74.3	≤ 90 dB(A)	IS 9989-1981 (RA 2001)
5.	Near Boiling House	dB(A)	76.2		
6.	Near 45 TPH Boiler	dB(A)	77.3		


REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per MPCB Consent The Factories Act 1948, standards.


Verified by
(Analyst)


Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

AMBIENT & WORK ZONE NOISE LEVEL MONITORING REPORT		Page 1 of 1	
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No	AL/TR/78-553/23-24
		Report Date	28/02/2024
		Inward No	AL/8-698/09/23-24
		Sampling Date	22/02/2024
Sample Location	Company Premises	Sampling Time	01:30 PM To 02:00 PM
Sample Collected By	AARL	Time duration	30 Min

SR. NO	LOCATIONS	UNIT	RESULT	LIMITS	METHOD
A. Outside of Shop					
1.	Near chichgai road	dB(A)	66.5	≤ 75 dB(A)	IS 4758-1968 (PART 10) RA 2002
2.	Near Petrol Pump	dB(A)	70.8		
3.	Near sakhar shala	dB(A)	71.7		
B. Inside of Shop					
4.	Near Sugar House	dB(A)	76.3	≤ 90 dB(A)	IS 9989-1981 (RA 2001)
5.	Near work shop	dB(A)	74.5		
6.	Near 80 TPH Boiler	dB(A)	78.4		

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per MPCB Consent The Factories Act 1948, standards.

Capred

Authorized Signatory

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization


AMBIENT & WORK ZONE NOISE LEVEL MONITORING REPORT		Page 1 of 1
NAME OF COMPANY:- M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon, Village-Awasari Bk., Tal. - Ambegaon, Dist. - Pune-412 406		Report No AL/TR/79-655/2024-25
		Report Date 06/04/2024
		Inward No AL/8-787/10/2024-25
		Sampling Date 30/03/2024
Sample Location	Company Premises	Sampling Time 12:00 PM To 12:30 PM
Sample Collected By	AARL	Time duration 30 Min


SR. NO	LOCATIONS	UNIT	RESULT	LIMITS	METHOD
A. Outside of Shop					
1.	Near khandoba mandir	dB(A)	68.6	≤ 75 dB(A)	IS 4758-1968 (PART 10) RA 2017
2.	Near college	dB(A)	72.5		
3.	Near petrol pump	dB(A)	70.4		
B. Inside of Shop					
4.	Near mill house	dB(A)	77.5	≤ 90 dB(A)	IS 9989-1981 (RA 2020)
5.	Near boiling house	dB(A)	72.3		
6.	Near workshop	dB(A)	71.4		
Details of equipment used and its Calibration Certificate					
Name of Equipment		Lab ID No.	Calibration Certificate No.		Validity
Sound Level Meter		AK-SLM-05	2250141		30/07/2024

REMARK, OPINION & INTERPRITATION-

- ❖ All above results are within limits as per MPCB Consent The Factories Rule 1963, standards.


Verified by
(Analyst)




Authorized Signatory



सन २०२३-२४ मध्ये झालेले एक दिवसीय वर्गासत्र तपसिल (व्ही.एस.आय.,पुणे डेपॉट)

दिनांक	प्रतीनिधी नाव	विषय	संख्या
२८.७/०२३	श्री.कुरकुटेडी.जे.,टेंगले व्ही.एस.,आदक डी.आर.,दिक्षित एस.व्ही.,कोतवाल ए.बी.	शाश्वत कृषी उत्पादनासाठी नैवसंजीवनीचा वापर	५
२६/०८/२०२३	श्री.कुरकुटेडी.जे.,टेंगले व्ही.एस.,आदक डी.आर.,कोतवाल ए.बी., विधाटे आर.एस.	उपयुक्त जिवानूची शाश्वत ऊस उत्पादनासाठी गरज	५
०४/१०/२०२३	कुरकुटेडी.जे.,टेंगले व्ही.एस.,आदक डी.आर.,कोतवाल ए.बी.,दिक्षित एस.व्ही.,आगळे एबी.	ऊस वेणे गुणन व उत्पादन तंत्रज्ञान	६
१६/१०/२०२३	करंदी (हनुमान मंदिर) गाववार मेळावा	श्री.राजीव माने	३२५
४ ते ७ जुलै २०२३		ज्ञानयाग प्रशिक्षण कार्यक्रम	२९
१८ ते २१ जुलै २०२३		ज्ञानलक्ष्मी प्रशिक्षण कार्यक्रम	१५
१२ ते १५ डिसेंबर २०२३		ज्ञानयाग प्रशिक्षण कार्यक्रम	२७

१६/१२/२०२३	टेंगले व्ही.एस.	डी.एस.टी.२. आयोजित एकदिवसीय वर्गासत्र (खोडवा,निडवा ऊस व्यवस्थापन)	१
२४/०२/२०२४	श्री.कुरकुटेडी.जे.,टेंगले व्ही.एस.,आदक डी.आर.,कोतवाल ए.बी., देवडे व्ही.एन.	आधुनिक पद्धतीने ऊस व्यवस्थापन	५
२३/०३/२०२४	श्री.कुरकुटे डी.जे.,टेंगले व्ही.एस.,आदक डी.आर., देवडे व्ही.एन.,विधाटे आर.एस.	रासायनिक,जैविक व यांत्रिकीकरण या आधुनिक पद्धतीने ऊस व्यवस्थापन	५
०५/०४/२०२४	कुरकुटेडी.जे.,टेंगले व्ही.एस.,आदक डी.आर., आगळे ए.बी.	कृत्रिम बुद्धिमत्ता (AI) वर्गासत्र	४

भीमाशंकर सहकारी साखर कारखाना लि,
रत्नात्रयगार, पारगाव तर्फे अवसरी बु. ता. आंबेगाव, जि.पुणे.

सन २०२३-२४ मध्ये भाग विकास निधीमधून केलेल्या कामांचा तपशिल

अ.क्र.	दिनांक	नाव	तपशिल	रक्कम रु.
१	१२/०४/२०२३	पारगाव ग्रामस्थ	बैलगाडा घाटासाठी आर्थिक सहाय्य	१००००००.००
२	३०/०४/२०२३	खडकी ग्रामस्थ	आर.ओ.वॉटर फिल्टर प्लॅट मिळणेबाबत	४५००००.००
३	१५/०५/२०२३	साई वॉटर सप्लायर	मौजे मिडगुलवाडी येथे टँकरने पिण्याचे पाणी पुरवठा	१६१००.००
४	१८/०५/२०२३	नाम फौंडेशन, पुणे	मौजे कान्हूर मेसाई येथील पाझर तलाव व शेततळे, ओढा खोलीकरण कामासाठी आर्थिक सहाय्य.	२०००००.००
५	२९/०५/२०२३	वर्धमान जैन स्थानक, पारगाव	जैन स्थानक मंदिराचे बांधकामासाठी निधी	१००००००.००
६	३१/०५/२०२३	खडकी ग्रामस्थ	आर.ओ.वॉटर फिल्टर प्लॅट साठी पाण्याच्या टाक्या	२९७३५.००
७	१७/०७/२०२३	पारगाव पोलिस स्टेशन	पारगाव पोलिस स्टेशन आवारात रोड व इतर काम - प्रमोद वाघ	४५४८५४.००
८	३१/०८/२०२३	संत ज्ञानेश्वर जेष्ठ नागरिक संघ, चास	एल.ई.डी. टीव्ही	२२२६५.००
९	०८/०९/२०२३	मित्रप्रेम ट्रान्सपोर्ट- सुनिल एकनाथ डोमाळे	मौजे लोणी व धामारी येथे दुष्काळी परिस्थितीमुळे टँकरने पिण्याचे पाणी पुरवठा	८००००.००
१०	१५/०९/२०२३	मित्रप्रेम ट्रान्सपोर्ट- सुनिल एकनाथ डोमाळे	मौजे केंदूर येथे दुष्काळी परिस्थितीमुळे टँकरने पिण्याचे पाणी पुरवठा	१९६८००.००
११	१८/१०/२०२३	मित्रप्रेम ट्रान्सपोर्ट- सुनिल एकनाथ डोमाळे	दुष्काळी परिस्थितीमुळे टँकरने पिण्याचे पाणी पुरवठा	४८०००.००
१२	०७/११/२०२३	एस.पी.इंजि. आणि डिझाईन स्टुडीओ	कान्हूर मेसाई विद्यालय स्वागत कमान व डी.जे.वॉसे पा.महाविद्यालय पार्किंग रोड आर्किटेक्ट फि	२५००.००
१३	१३/११/२०२३	श्री. रंगनाथ शांताराम चौधरी	दि.१३/०७ ते २९/०९/२३ कालावधीतील दुष्काळी गावांना पिण्याचे पाणी टँकरने पुरवठा करणेचे बिल (पाबळ, खैरेवाडी.)	३१२०००.००
१४	१३/११/२०२३	श्री. काळूराम बबन चौधरी	दि.१३/०७ ते २९/०९/२३ कालावधीतील दुष्काळी गावांना पिण्याचे पाणी टँकरने पुरवठा करणेचे बिल (पाबळ, खैरेवाडी.)	२४६२००.००
१५	१२/१२/२०२३	मे. नंदादिप कन्स्ट्रक्शन, राजुरी	पारगाव कारखाना गेस्ट हाउस मागील बैलगाडा घाट दुरुस्ती	१५६५३८.००
१६	२७/१२/२०२३	वाकेश्वर शिक्षण प्रसारक मंडळ, पेठ	विज्ञान प्रदर्शन आर्थिक सहाय्य	२१०००.००
१७	३१/१२/२०२३	ग्रामपंचायत फाकटे	फाकटे गावातील रस्ता दुरुस्ती कामासाठी	७०२००.००
१८	१२/०१/२०२३	ओम हॉस्पिटल, पारगाव	महा. पडवळ येथील महिलांचा अपघात झाल्याने दवाखाना खर्च	१०३००.००
१९	१२/०१/२०२३	शिवसाई मेडिको, पारगाव	महा. पडवळ येथील महिलांचा अपघात झाल्याने मेडिकल खर्च	६२९०.००

२०	३१/०१/२०२४	मे. नंदादिप कन्स्ट्रक्शन, राजुरी	पारागाव येथील बैलगाड धाट, तले, प्रेसमड गोळा करणे, डीस्ट्रीलरी पाईप लाईन खोदाई इ. कामासाठी पोकनेल झुरवठा बिलाची रक्कम	१३१५३३.००
२१	११/०२/२०२४	हुतात्मा बाबू गेनू प्रतिष्ठान, मुंबई	महा. पडवळ येथील बाबु गेनू सैद निवासस्थान देखभाल व स्वच्छता खर्च	२०००००.००
२२	२६/०२/२०२४	भीमाशंकर करंडक युवक महोत्सव, मंचर	बी.डी. काळे विद्यालय, घोडेगाव विजेते पद बक्षीस	५१०००.००
२३	२८/०२/२०२४	दत्तात्रय देवराम जाधव	भीमाशंकर करंडक युवक महोत्सव, मंचर येथील कार्यक्रमासाठी सुरक्षा गार्ड पुरवठा बिलाची रक्कम	१४७००.००
२४	२९/०२/२०२४	भागडी जिल्हा परिषद प्राथमिक शाळा	भागडी येथील शाळेसाठी आर.सो. प्लॉट	३८६४३.००
२५	१०/०३/२०२४	रयत शिक्षण संस्था, सातारा	सन २०२३ चे पारितोषिकाची रक्कम	५१०००.००
२६	१४/०३/२०२४	योगी व्हाईस, खेड	भीमाशंकर करंडक युवक महोत्सव, मंचर येथील कार्यक्रमासाठी साउंड सिस्टीम पुरवठा बिलाची रक्कम	८५०००.००
२७	१५/०३/२०२४	दत्तात्रय तुकाराम शिंदे	मौजे शिंगवे येथील मीना नदी कालवा वितरिका क्र.२ चे खोलीकरण व ब्लास्टिंग होल घेणेसाठी पोकनेल बकेटचा पुरवठा	५०६३८६.००
२८	१५/०३/२०२४	श्री. प्रमोद भगवान वाघ	मौजे. कान्हूर मेसाई येथील विद्यालयासाठी स्वागत कमान बांधकामाचे फायनल बिलाची रक्कम	४१४०५५.००
२९	२९/०३/२०२४	शासकीय अभियांत्रिकी महाविद्यालय, अवसरी खुर्द	भीमाशंकर करंडक युवक महोत्सव, कार्यक्रमासाठी ३ दिवसांचे हॉल वापराचे भाडे बिलाची रक्कम	१२९०००.००
३०	३०/०३/२०२४	मे. वैभव मांडववाले, मंचर	भीमाशंकर करंडक युवक महोत्सव, कार्यक्रमासाठी स्टेज. लाईट व इतर मटेरीअल पुरवठा बिल	२६५५००.००
३१	३१/०३/२०२४	भाग्यश्री मोटे	भीमाशंकर करंडक युवक महोत्सव, कार्यक्रमासाठी सेलीब्रिटी यांना मानधन अदा	४५०००.००
			एकूण	६२५३९९९.००

Cane Development Activities

1) Supply of Foundation & Certified Seed:-

a) We supply foundation and certified cane seed of improved varieties like CO.86032, CO.M.0265, MS 10001, CO.VSI 08005 etc. as foundation seed brought from research institutes to selected progressive farmers on credit basis without any rate of interest. For foundation seed transportation cost of seed is beared by factory from research institutes up to factory site. For commercial plantation the whole seed supplied by factory is with seed cutting and transport facility.

b) Sugarcane seedlings – The factory supply healthy & good quality sugarcane seedlings to farmers. For this scheme we have made an agreement with private nurseries.

2) Training to Farmers: - We send farmers for Dnyanyag training programme to get latest techniques in sugarcane cultivation on 90% subsidy & Ladies farmers send to Dnyanlaxmi training programme on 100% subsidy at V.S.I. Pune.

3) Soil Testing Laboratory: - Due to imbalance use of chemical fertilizer and excess use of irrigation water soil is going to become compact and saline, which results in low sugarcane production and low recovery. To overcome this problem our factory has established well equipped Soil and Water testing laboratory.

We had decided to check all soil and water samples of cane growers to maintain soil fertility and productivity to achieve maximum yield per acre. Recommendation of chemical fertilizer including micronutrient dose is given to farmer by cane development staff & suggest to apply chemical fertilizers as per recommendations.

Season	Number of samples analyzed			
	Soil samples	Expenditure (Rs.)	Water samples	Expenditure (Rs.)
2010-11	955	3820000.00	0	0
2011-12	1120	336000.00	0	0
2012-13	0	0	0	0
2013-14	0	0	0	0
2014-15	985	147750.00	67	3350.00
2015-16	3415	512250.00	206	10300.00
2016-17	2608	391200.00	75	3750.00
2017-18	2400	360000.00	22	1100.00
2018-19	2600	390000.00	18	900.00
2019-20	1662	330000.00	15	750.00
2020-21	1607	241050.00	5	250.00
2021-22	2293	343950.00	10	1000.00
2022-23	2180	327000.00	9	450.00
2023-24	2590	388500.00	16	800.00

4) Supply of green mauring seed: - To maintain productivity and fertility of soil factory is providing green manuring seed like sunhemp on credit basis.

Planting Season	Sunhemp supply (M.T.)	Expenditure (Rs.)	No. of beneficiaries
2009-10	25,534	568557.00	299
2010-11	20,348	669887.00	240
2011-12	27,250	1014619.00	320
2012-13	26,645	1191000.00	324
2013-14	27,133	1061172.00	332
2014-15	24,817	893412.00	280
2015-16	23,900	1017200.00	263
2016-17	24,686	1227440.00	290

2017-18	27,169	1596420.00	314
2018-19	39,386	2481318.00	315
2019-20	39,710	2779700.00	371
2020-21	20.000	1200000.00	205
2021-22	30.00	1950000.00	383
2022-23	20.250	1620000.00	199
2023-24	12.440	995200.00	101

5. Drip irrigation scheme: - Since planting season 2017-18 factory is implementing drip irrigation scheme to bring maximum area under drip irrigation in sugarcane crop. Under this scheme Karkhana has made agreement with 5 drip irrigation companies.

Factory is implementing following drip irrigation scheme to bring area under drip irrigation to sugarcane crop. Factory has made contract with 5 ISI mark drip companies and drip loan proposal made through Union Bank of India-Manchar Branch

1. Farmers request to install drip irrigation is taken & agreement made between farmer and factory on stamp paper of Rs.100/-
2. As per quotation the work order of drip installation is given to company.
3. By opening bank account of respective farmers and after completion of loan documents in the bank by considering Rs.60,000/- per acre drip cost, Rs.49000/- or if cost is below Rs.50,000/- the amount Rs.11,000/- keeping behind the above amount Rs.49000/- is paid to respective company within 30 days after arrival of completion report by inspection.
4. Rs.1,000/- is delivered to company after completion of subsidy proposal.
5. Drip set and cane grower insurance – Beneficiary farmer get insurance policy of Rs.1 Lac for one year and drip set is also insured for one year from installation date by respective drip company.
6. Remaining amount Rs.10,000/- per acre is delivered to company after one year of first payment.
7. Free acid treatment to drip set for three times.
8. No installation & transport charges.
9. Free agronomical advice & training etc.

**Seasonwise area under drip irrigation in sugarcane crop and
Cost incurred by sugar factory**

Planting Season	Area (ha.)	Expenditure (Rs.)
2009-10	26.80	368500.00
2010-11	9.28	127600.00
2011-12	133.15	3328750.00
2012-13	516.46	23016750.00
2013-14	359.59	17979500.00
2014-15	134.42	8401250.00
2015-16	92.68	5792500.00
2016-17	104.16	9114000.00
2017-18	259.40	31662534.00
2018-19	298.74	37006679.00
2019-20	545.50	74818937.00
2020-21	158.10	19762500.00
2021-22	33.58	5037000.00
2022-23	29.27	4390500.00
2023-24	69.39	10408500.00

6) Supply of Bio-fertilizer: - Factory have erected full-fledged bio-fertilizer laboratory in sept. 2017 improve soil biological status and to reduce dose of chemical fertilizer. Acetobactor, Azo-Phospho and Decomposing culture etc. bio fertilizer are produced and supplied to cane growers on credit basis to improve biological property of soil & to increase cane yield by reducing dose of chemical fertilizer.

Season	Acetobact or (Lit.)	Expenditure (Rs.)	Azo Phospho (Lit.)	Expenditure (Rs.)	Decomposing culture (Lit.)	Expenditure (Rs.)	No. of beneficiaries
2017-18	2472	370800	4978	536700	504	75600	2987
2018-19	7880	1654800	13039	2738190	820	172200	7542
2019-20	8006	1681260	12265	2575650	880	184800	6328
2020-21	5247	1101870	8850	1858500	768	161280	4490
2021-22	2679	562590	4799	1007790	690	144900	2454
2022-23	3732	1619730	7713	669900	653	87885	3605
2023-24	3793	796530	7717	1620570	559	117390	1971

7) Supply of Bio-compost: - Well decomposed bio-compost is prepared by adding decomposing culture in press mud, mixture is rotated by aero trailer machine. After completion of cycle of 45 days bio-compost is ready to deliver to farmers. To increase the soil organic carbon & to improve soil fertility we supply Bio-compost to cane growers at concessional rate on credit basis.

Season	Bio-Compost Supply (M.T.)	Expenditure (Rs.)	No. of beneficiaries
2017-18	8198.98	5321529.00	498
2018-19	14510.310	9376763.00	362
2019-20	10549.500	7433150.00	470
2020-21	9894.900	6702394.00	409
2021-22	10195.710	7109547.00	414
2022-23	2888.720	2022104	96
2023-24	0	0	0

8) Ratoon Management (Service providing scheme):-

- a) Trash cutting facility - Factory has made available the facility of trash cutting to cane growers by making agreement with owners of trash cutting machine by fixing the rate RS.2300/- per acre. Due to this service area under trash mulching is increased and it will help to reduce the use of water by lowering the rotations and the organic manure produced from trash decomposition will improve the organic carbon and physical properties of soil.
- b) Stubble shaving & Off barring facility – Factory has made contract with machinery owners off stubble shaving & off barring facility and they are proving service to farmers. This is helpful to germinate shoots from the ground to apply dose of chemical fertilizer.

Perticulars	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	2023-24
Trash cutting area through factory scheme	54.15	149.32	-	-	-	-	-
Expenditure (Rs.)	203063	858590	-	-	-	-	-
Stubble shaving area through factory scheme	83.53	-	115.59	30.75	-	202.41	219.55

Expenditure (Rs.)	417650	-	664643	184500	-	1391569	1509406
Trash cutting area by farmers personally through factory scheme	214.20	275.93	300.98	169.55	-	-	-

9) Supply of chemical fertilizer :- Factory is supplying chemical fertilizer like 10:26:26, 18:46, muriate of potash etc. to cane growers on credit basis for plant and ratoon cane to apply first dose of chemical fertilizer through Ambegaon taluka sahakari kharedi vikri sangh and factory Krishi seva Kendra to increase cane yield per ha.

Chemical fertilizer	2017-18		2018-19	
	No. of bags supplied	Expenditure (Rs.)	No. of bags supplied	Expenditure (Rs.)
10:26:26	4658	4944190.00	9220	12263065.00
18:46:0	56	60228.00	268	352540.00
Murrate of potash	34	27728.00	675	641250.00
Urea	-	0.00	1238	433300.00
Single Super phosphate	-	0.00	509	178150.00

Chemical fertilizer	2019-20		2020-21	
	No. of bags supplied	Expenditure (Rs.)	No. of bags supplied	Expenditure (Rs.)
10:26:26	18793	22162675.00	23078	27116650
18:46:0	344	417700.00	646	775200
Murrate of potash	559	538400.00	468	407900
Urea	1165	309890.00	852	226632
Single Super phosphate	1046	366820.00	828	305960

Chemical fertilizer	2021-22	
	No. of bags supplied	Expenditure (Rs.)
10:26:26	10833	13272820.00
18:46:0	859	912000.00
Murrate of potash	345	313010.00
Urea	1191	316806.00
Single Super phosphate	1192	433675.00

Chemical fertilizer	2022-23	
	No. of bags supplied	Expenditure (Rs.)
10:26:26	8309	12214230
18:46:0	459	619650
Murrate of potash	152	241900
Urea	790	217854
Single Super phosphate	790	461580
Chemical fertilizer	2023-24	
	No. of bags supplied	Expenditure (Rs.)

10:26:26	11483	16880010
18:46:0	578	780300
Murrate of potash	448	660500
Urea	1133	301378
Single Super phosphate	1139	616445

10) Supply of multi micronutrient & multi macronutrient, Vasant urja & BVM : - Factory is supplying multimicronutrient & multimacronutrient liquid fertilizer, Vasant urja – biostimulator & BVM – Bio pesticide & product of VSI to cane growers on credit basis for plant and ratoon cane to overcome yellowing of cane & to increase cane yield per hectare.

Season	Supply of Multimicroneutrient		Supply of Multimacroneutrient		Vasant urja		B.V.M.		Humicacid	
	Litre s	Expendit ure (Rs.)	Litres	Expendit ure (Rs.)	Litre s	Expendit ure (Rs.)	Litre s	Expendit ure (Rs.)	Litre s	Expendit ure (Rs.)
2017-18	3690	523058.00	3690	523058.00	-	-	-	-	-	-
2018-19	3775	536050.00	3775	536050.00	833	174930.00	-	-	-	-
2019-20	4055	575810.00	4055	575810.00	3637	763770.00	3845	807450.00	2580	487620.00
2020-21	3865	909124.00	3865	909124.00	3274	687540.00	4875	1023750.00	3937	744093
2021-22	2770	494722	2770	494722	2298	604374	4500	1183500	2852	750076
2022-23	1635	292011.00	1430	255.98.00	2240	589120.00	1896	498648.00	1677	441051.00
2023-24	2165	3786669	1330	237538	2397	630411	3253	855539	2100	552300

11) Supply of pesticide for seed treatment: - To prevent disease infection and pest infestation factory is supplying imidacloprid and carbendazim for seed treatment on credit basis through Ambegaon taluka sahakari kharedi vikri sangh. Lescenta is supplied to cane growers to control white grub pest.

Season	Supply of Carbendazim		Supply of Imidacloprid		Supply of Lesenta	
	100 Gram Packet	Expenditure (Rs.)	30 Gram Packet	Expenditure (Rs.)	K.g.	Expenditure (Rs.)
2017-18	1057	74470.00	977	246150.00	-	-
2018-19	201	14070.00	105	28290.00	94	1034000.00
2019-2024	-	-	-	-	-	-

12) Special Training to Staff: - All staff has given special training on "Development and Management of Sugarcane" at factory site by VSI scientists. At the end of training special examination were conducted. All staff achieved good score.


All the cane development staff has specific qualification as CDO M.Sc. (Agri) – Entomology, Asst.CDO- B.Sc. (Agri), Agri Overseers -B.Sc. (Agri), Agri Asst.- Diploma (Agri).


All cane development staff works separately. Each GUT CENTRE has one or two assistants on the basis of registered sugarcane area. All the staff gives latest information to sugarcane growers at field level to increase per acre yield.


13) Prizes to Progressive Farmers: - We give annual awards to cane growers in the area of operation and nearest area for highest cane production in adsali, preseason, suru, ratoon seasons and highest cane supply for season to create healthy competition among the farmers to achieve highest cane production.

14) Extension Programmes:-



We distribute latest information of cane cultivation through leaflet, pamphlet to farmers at field level. We conduct farmer mela's at village to village to give latest information on plant cane & ratoon cane.









Plantation & Drip Irrigation Photographs







AKANKSHA ANALYTICAL & RESEARCH LAB


- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

TEST REPORT				Page 1 of 1
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk. Tal. - Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-183/2023-24	
		Report Date	07/12/2023	
		Inward No	12-006	
		Inward Date	02/12/2023	
Sample Testing Location	Laboratory	Analysis Start date	02/12/2023	
Sample Detail	ETP Outlet			
Sample Collected By	Party	Analysis End date	06/12/2023	
Sample Volume	3000 ml	Sample Condition	Fit For Analysis	


Sr. No.	Parameter	Unit	Result	Limits as Per MPCB Consent	Method
1.	pH@25° C	-----	7.26	5.5-9.0	IS 3025 (Part 11) RA 2012 Electrometric method
2.	BOD @27° C For 3 Days	mg/lit.	77.0	≤100	IS 3025 (Part 44) RA 2014 Azide Modification Method
3.	Chemical Oxygen Demand	mg/lit.	224	≤250	IS 3025 (Part 58) RA 2012 Open Reflux Method
4.	Total Suspended Solids	mg/lit.	11.0	≤100	IS 3025 (Part 17) RA 2012 Gravimetric method
5.	Oil & Grease	mg/lit.	1.10	≤10.0	APHA 23 rd Edition 2017 5520 B
6.	Total Dissolved Solids	mg/lit.	1292	≤2100	IS 3025 (Part 16) RA 2012 Gravimetric method
7.	Chlorides as Cl	mg/lit.	176	≤600	IS 3025 (Part 32) RA 2009 Argentometric method
8.	Sulphate as SO ₄	mg/lit.	107	≤1000	APHA-23 rd Edition 2017 4500-E-SO ₄ ²⁻

REMARK-

- ❖ The above analysis water sample is within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable


Prepared by
(Mrs.Vrushali kadam-Londhe)


Reviewed by
(Mrs.Dhanashri Kadam-Thorat)


Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- * Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- * ISO 9001 : 2015 Certified Organization
- * ISO 45001 : 2018 Certified Organization

TEST REPORT		Page 1 of 1	
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk. Tal. - Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-182/2023-24
		Report Date	07/12/2023
		Inward No	12-005
		Inward Date	02/12/2023
Sample Testing Location	Laboratory	Analysis Start date	02/12/2023
Sample Detail	ETP Inlet	Analysis End date	06/12/2023
Sample Collected By	Party	Sample Condition	Fit For Analysis
Sample Volume	3000 ml		

Sr. No.	Parameter	Unit	Result	Method
1.	pH@25° C	-----	4.40	IS 3025 (Part 11) RA 2012 Electrometric method
2.	BOD @27° C For 3 Days	mg/lit.	1400	IS 3025 (Part 44) RA 2014 Azide Modification Method
3.	Chemical Oxygen Demand	mg/lit.	4176	IS 3025 (Part 58) RA 2012 Open Reflux Method
4.	Total Suspended Solids	mg/lit.	18.0	IS 3025 (Part 17) RA 2012 Gravimetric method
5.	Oil & Grease	mg/lit.	1.60	APHA 23 rd Edition 2017 5520 B
6.	Total Dissolved Solids	mg/lit.	2440	IS 3025 (Part 16) RA 2012 Gravimetric method
7.	Chlorides as Cl	mg/lit.	391	IS 3025 (Part 32) RA 2009 Argentometric method
8.	Sulphate as SO ₄	mg/lit.	190	APHA-23 rd Edition 2017 4500-E-SO ₄ ²⁻

REMARK-

- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

(V)uam

Prepared by
(Mrs.Vrushali kadam-Londhe)

(D)Kam

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

(Vipul)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB


- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

TEST REPORT				Page 1 of 1
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk. Tal. - Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-442/2023-24	
		Report Date	03/01/2024	
		Inward No	12-274	
		Inward Date	28/12/2023	
Sample Testing Location	Laboratory	Analysis Start date	28/12/2023	
Sample Detail	ETP Outlet	Analysis End date	02/01/2024	
Sample Collected By	Party	Sample Condition	Fit For Analysis	
Sample Volume	3000 ml			


Sr. No.	Parameter	Unit	Result	Limits as Per MPCB Consent	Method
1.	pH@25° C	-----	7.82	5.5-9.0	IS 3025 (Part 11) RA 2012 Electrometric method
2.	BOD @27° C For 3 Days	mg/lit.	58.0	≤100	IS 3025 (Part 44) RA 2014 Azide Modification Method
3.	Chemical Oxygen Demand	mg/lit.	168	≤250	IS 3025 (Part 58) RA 2012 Open Reflux Method
4.	Total Suspended Solids	mg/lit.	44.0	≤100	IS 3025 (Part 17) RA 2012 Gravimetric method
5.	Oil & Grease	mg/lit.	<1.00	≤10.0	APHA 23 rd Edition 2017 5520 B
6.	Total Dissolved Solids	mg/lit.	1394	≤2100	IS 3025 (Part 16) RA 2012 Gravimetric method
7.	Chlorides as Cl	mg/lit.	131	≤600	IS 3025 (Part 32) RA 2009 Argentometric method
8.	Sulphate as SO ₄ ²⁻	mg/lit.	108	≤1000	APHA-23 rd Edition 2017 4500-E-SO ₄ ²⁻

REMARK-

- ❖ The above analysis water sample is within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable


Prepared by
(Mrs.Vrushali kadam-Londhe)


Reviewed by
(Mrs.Dhanashri Kadam-Thorat)


Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

153



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

TEST REPORT		Page 1 of 1
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk. Tal. - Ambegaon, Dist. - Pune-412406.		Report No AL/TR/70-441/2023-24
		Report Date 03/01/2024
		Inward No 12-273
		Inward Date 28/12/2023
Sample Testing Location	Laboratory	Analysis Start date 28/12/2023
Sample Detail	ETP Inlet	Analysis End date 02/01/2024
Sample Collected By	Party	Sample Condition Fit For Analysis
Sample Volume	3000 ml	

Sr. No.	Parameter	Unit	Result	Method
1.	pH@25° C	-----	4.80	IS 3025 (Part 11) RA 2012 Electrometric method
2.	BOD @27° C For 3 Days	mg/lit.	3111	IS 3025 (Part 44) RA 2014 Azide Modification Method
3.	Chemical Oxygen Demand	mg/lit.	9317	IS 3025 (Part 58) RA 2012 Open Reflux Method
4.	Total Suspended Solids	mg/lit.	403	IS 3025 (Part 17) RA 2012 Gravimetric method
5.	Oil & Grease	mg/lit.	1.10	APHA 23 rd Edition 2017 5520 B
6.	Total Dissolved Solids	mg/lit.	4620	IS 3025 (Part 16) RA 2012 Gravimetric method
7.	Chlorides as Cl	mg/lit.	160	IS 3025 (Part 32) RA 2009 Argentometric method
8.	Sulphate as SO ₄ ²⁻	mg/lit.	294	APHA-23 rd Edition 2017 4500-E-SO ₄ ²⁻

REMARK-

- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

TEST REPORT		Page 1 of 1	
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk. Tal. - Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-651/2023-24
		Report Date	03/02/2024
		Inward No	01-183
		Inward Date	27/01/2024
Sample Testing Location	Laboratory	Analysis Start date	29/01/2024
Sample Detail	ETP Outlet	Analysis End date	02/02/2024
Sample Collected By	Party	Sample Condition	Fit For Analysis
Sample Volume	3000 ml		

Sr. No.	Parameter	Unit	Result	Limits as Per MPCB Consent	Method
1.	pH@25° C	-----	7.18	5.5-9.0	IS 3025 (Part 11) RA 2012 Electrometric method
2.	BOD @27° C For 3 Days	mg/lit.	28.0	≤100	IS 3025 (Part 44) RA 2014 Azide Modification Method
3.	Chemical Oxygen Demand	mg/lit.	122	≤250	IS 3025 (Part 58) RA 2012 Open Reflux Method
4.	Total Suspended Solids	mg/lit.	86.0	≤100	IS 3025 (Part 17) RA 2012 Gravimetric method
5.	Oil & Grease	mg/lit.	1.20	≤10.0	APHA 23 rd Edition 2017 5520 B
6.	Total Dissolved Solids	mg/lit.	1470	≤2100	IS 3025 (Part 16) RA 2012 Gravimetric method
7.	Chlorides as Cl	mg/lit.	208	≤600	IS 3025 (Part 32) RA 2009 Argentometric method
8.	Sulphate as SO ₄ ²⁻	mg/lit.	61.4	≤1000	APHA-23 rd Edition 2017 4500-E-SO ₄ ²⁻

REMARK-

- ❖ The above analysis water sample is within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam Londhe)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

155



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

TEST REPORT		Page 1 of 1
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk. Tal. - Ambegaon, Dist. - Pune-412406.		Report No AL/TR/70-650/2023-24
		Report Date 03/02/2024
		Inward No 01-182
		Inward Date 27/01/2024
Sample Testing Location	Laboratory	Analysis Start date 29/01/2024
Sample Detail	ETP Inlet	
Sample Collected By	Party	Analysis End date 02/02/2024
Sample Volume	3000 ml	Sample Condition Fit For Analysis

Sr. No.	Parameter	Unit	Result	Method
1.	pH@25°C	----	5.40	IS 3025 (Part 11) RA 2012 Electrometric method
2.	BOD @27°C For 3 Days	mg/lit.	1200	IS 3025 (Part 44) RA 2014 Azide Modification Method
3.	Chemical Oxygen Demand	mg/lit.	3520	IS 3025 (Part 58) RA 2012 Open Reflux Method
4.	Total Suspended Solids	mg/lit.	614	IS 3025 (Part 17) RA 2012 Gravimetric method
5.	Oil & Grease	mg/lit.	1.80	APHA 23 rd Edition 2017 5520 B
6.	Total Dissolved Solids	mg/lit.	3123	IS 3025 (Part 16) RA 2012 Gravimetric method
7.	Chlorides as Cl	mg/lit.	140	IS 3025 (Part 32) RA 2009 Argentometric method
8.	Sulphate as SO ₄ ²⁻	mg/lit.	732	APHA-23 rd Edition 2017 4500-E-SO ₄ ²⁻

REMARK-

- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

(Signature)

Prepared by
(Mrs.Vrushali kadam-Londhe)

(Signature)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

(Signature)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

TEST REPORT			Page 1 of 1
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk. Tal. Ambegaon, Dist. Pune 412406.		Report No	AL/TR/70-865/2023-24
		Report Date	28/02/2024
		Inward No	02-17B
		Inward Date	22/02/2024
Sample Testing Location	Laboratory	Analysis Start date	23/02/2024
Sample Detail	ETP Outlet		
Sample Collected By	Party	Analysis End date	27/02/2024
Sample Volume	3000 ml	Sample Condition	Fit For Analysis


Sr. No.	Parameter	Unit	Result	Limits as Per MPCB Consent	Method
1.	pH@25° C	-----	5.60	5.5-9.0	IS 3025 (Part 11) RA 2012 Electrometric method
2.	BOD @27° C For 3 Days	mg/lit.	29.0	≤100	IS 3025 (Part 44) RA 2014 Azide Modification Method
3.	Chemical Oxygen Demand	mg/lit.	168	≤250	IS 3025 (Part 58) RA 2012 Open Reflux Method
4.	Total Suspended Solids	mg/lit.	91.0	≤100	IS 3025 (Part 17) RA 2012 Gravimetric method
5.	Oil & Grease	mg/lit.	1.60	≤10.0	APHA 23 rd Edition 2017 5520 B
6.	Total Dissolved Solids	mg/lit.	912	≤2100	IS 3025 (Part 16) RA 2012 Gravimetric method
7.	Chlorides as Cl	mg/lit.	259	≤600	IS 3025 (Part 32) RA 2009 Argentometric method
8.	Sulphate as SO ₄ ²⁻	mg/lit.	463	≤1000	APHA-23 rd Edition 2017 4500-E-SO ₄ ²⁻

REMARK-


- ❖ The above analysis water sample is within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable


Prepared by
(Mrs.Vrushali kadam-Londhe)


Reviewed by
Mrs.Dhanashree Thorat)


Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization


TEST REPORT		Page 1 of 1	
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Rk. Tal. - Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-864/2023-24
		Report Date	28/02/2024
		Inward No	02-177
		Inward Date	22/02/2024
Sample Testing Location	Laboratory	Analysis Start date	23/02/2024
Sample Detail	ETP Inlet	Analysis End date	27/02/2024
Sample Collected By	Party	Sample Condition	Fit For Analysis
Sample Volume	3000 ml		


Sr. No.	Parameter	Unit	Result	Method
1.	pH@25° C	-----	7.25	IS 3025 (Part 11) RA 2012 Electrometric method
2.	BOD @27° C For 3 Days	mg/lit.	1600	IS 3025 (Part 44) RA 2014 Azide Modification Method
3.	Chemical Oxygen Demand	mg/lit.	4720	IS 3025 (Part 58) RA 2012 Open Reflux Method
4.	Total Suspended Solids	mg/lit.	1190	IS 3025 (Part 17) RA 2012 Gravimetric method
5.	Oil & Grease	mg/lit.	2.20	APHA 23 rd Edition 2017 5520 B
6.	Total Dissolved Solids	mg/lit.	1973	IS 3025 (Part 16) RA 2012 Gravimetric method
7.	Chlorides as Cl	mg/lit.	220	IS 3025 (Part 32) RA 2009 Argentometric method
8.	Sulphate as SO ₄ ²⁻	mg/lit.	34.8	APHA-23 rd Edition 2017 4500-E-SO ₄ ²⁻

REMARK-

- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable


Prepared by
(Mrs.Vrushali kadam-Londhe)


Reviewed by
Mrs.Dhanashree Thorat.)


Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

TEST REPORT				Page 1 of 1
NAME OF COMPANY & ADDRESS:		Report No	AL/TR/80-215/2024-25	
M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd.		Report Date	06/04/2024	
Dattatraynagar, Pargaon Village-Awasari Bk. Tal. - Ambegaon, Dist. - Pune-412406.		Inward No	03-272	
Sample Testing Location		Inward Date	30/03/2024	
Sample Detail		Analysis Start date	01/04/2024	
Sample Collected By		Analysis End date	05/04/2024	
Sample Volume		Sample Condition	Fit For Analysis	

Sr. No.	Parameter	Unit	Result	Limits as Per MPCB Consent	Method
1.	pH@25° C	-----	7.91	5.5-9.0	IS 3025 (Part 11) RA 2022 Electrometric method
2.	BOD @27° C For 3 Days	mg/l.	28.0	≤100	IS 3025 (Part 44) RA 2023 Azide Modification Method
3.	Chemical Oxygen Demand	mg/l.	110	≤250	IS 3025 (Part 58) RA 2023 Open Reflux Method
4.	Total Suspended Solids	mg/l.	58.0	≤100	IS 3025 (Part 17) RA 2022 Gravimetric method
5.	Oil & Grease	mg/l.	2.7	≤10.0	APHA-24 th Edition 2023 -5520 B
6.	Total Dissolved Solids	mg/l.	1585	≤2100	IS 3025 (Part 16) RA 2023 Gravimetric method
7.	Chlorides as Cl	mg/l.	213.69	≤600	IS 3025 (Part 32) RA 2019 Argentometric method
8.	Sulphate as SO ₄ ²⁻	mg/l.	139.85	≤1000	APHA-24 th Edition 2023 4500-E-SO ₄ ²⁻

REMARK-

- ❖ The above analysis water sample is within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Drum

Prepared by
(Mrs.Vrushali kadam-londhe)

Sondale
Reviewed by
(Ms.Sonali Mohite)



Vipul
Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

159



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

TEST REPORT		Page 1 of 1
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk. Tal. - Ambegaon, Dist. - Pune-412406.		Report No AL/TR/80-214/2024-25
		Report Date 06/04/2024
		Inward No 03-271
		Inward Date 30/03/2024
Sample Testing Location	Laboratory	Analysis Start date 01/04/2024
Sample Detail	ETP Inlet	
Sample Collected By	Party	Analysis End date 05/04/2024
Sample Volume	3000 ml	Sample Condition Fit For Analysis

Sr. No.	Parameter	Unit	Result	Method
1.	pH@25° C	----	4.20	IS 3025 (Part 11) RA 2022 Electrometric method
2.	BOD @27° C For 3 Days	mg/l.	1500	IS 3025 (Part 44) RA 2023 Azide Modification Method
3.	Chemical Oxygen Demand	mg/l.	4408	IS 3025 (Part 58) RA 2023 Open Reflux Method
4.	Total Suspended Solids	mg/l.	240	IS 3025 (Part 17) RA 2022 Gravimetric method
5.	Oil & Grease	mg/l.	4.1	APHA-24 th Edition 2023 -5520 B
6.	Total Dissolved Solids	mg/l.	4184	IS 3025 (Part 16) RA 2023 Gravimetric method
7.	Chlorides as Cl	mg/l.	169.98	IS 3025 (Part 32) RA 2019 Argentometric method
8.	Sulphate as SO ₄ ²⁻	mg/l.	1060.58	APHA-24 th Edition 2023 4500-E-SO ₄ ²⁻

REMARK-

- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

P. Vrushali

Prepared by
(Mrs.Vrushali kadam-londhe)

Sonali
Reviewed by
(Ms.Sonali Mohite)



Vipul
Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

3 (X)

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-11-2023 00:00
 To Date 30-11-2023 23:59
 Interval Daily
 Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP1	ETP1	ETP1	ETP1
Parameter	BOD	COD	pH	TSS
Unit	mg/l	mg/l	pH	mg/l
Limit	0.00 - 100.00	0.00 - 250.00	5.50 - 9.00	0.00 - 100.00
08-11-2023 00:00	23.01 <	46.02 <	6.7 <	0 <
09-11-2023 00:00	21.27 <	42.54 <	7.73 <	0 <
10-11-2023 00:00	19.61 <	39.22 <	8.74 <	0 <
11-11-2023 00:00	19.59 <	39.18 <	8.58 <	0 <
12-11-2023 00:00	22.21 <	44.41 <	8.36 <	0 <
13-11-2023 00:00	26.48	52.94	8.19	0.41
14-11-2023 00:00	39.54	79.1	8.24	5.34
15-11-2023 00:00	42.68	85.37	8.24	1.41
16-11-2023 00:00	46.55	93.12	7.98	5.84
17-11-2023 00:00	45.76 <	91.54 <	6.85 <	19.64 <
18-11-2023 00:00	24.74	49.47	7.98	36.45 H
19-11-2023 00:00	13.25	26.5	7.47	0
20-11-2023 00:00	12.54	25.09	7.25	0
21-11-2023 00:00	7.97 <	15.95 <	7.26 <	0 <
22-11-2023 00:00	7.53 <	15.06 <	7.25 <	0 <
23-11-2023 00:00	14.72 <	29.45 <	7.25 <	0 <
24-11-2023 00:00	12.66 <	25.32 <	7.27 <	0 <
25-11-2023 00:00	11.76 <	23.52 <	7.23 <	0 <
26-11-2023 00:00	10.43 <	20.87 <	7.23 <	0 <
27-11-2023 00:00	12.05 <	24.11 <	7.14 <	0 <
28-11-2023 00:00	9.74 <	19.49 <	7.13 <	0 <
29-11-2023 00:00	8.95 <	17.9 <	7.13 <	0 <
30-11-2023 00:00	8.49	16.99	7.19	0.05
Average	20.1	40.1	7.6	3
Geom.Mean	17	34	7.6	2.5
Maximum	46.6	93.1	8.7	36.4
Median	14.7	29.4	7.3	0
Minimum	7.5	15.1	6.7	0
Mode	46.6	24.1	8.4	0
Std.Deviation	12.5	24.9	0.6	8.5
Total Active Duration				

23

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-12-2023 00:00
 To Date 31-12-2023 23:59
 Interval Daily
 Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP1	ETP1	ETP1	ETP1
Parameter	BOD	COD	pH	TSS
Unit	mg/l	mg/l	pH	mg/l
Limit	0.00 - 100.00	0.00 - 250.00	5.50 - 9.00	0.00 - 100.00
01-12-2023 00:00	8.78	17.57	7.21	0
02-12-2023 00:00	9.63 <	19.27 <	7.28 <	0
03-12-2023 00:00	13.46 <	26.93 <	7.32 <	0.02
04-12-2023 00:00	24.04 <	48.09 <	7.34 <	0.01
05-12-2023 00:00	23.6 <	47.2 <	7.34 <	0
06-12-2023 00:00	24.45 <	48.91 <	7.32 <	0.02
07-12-2023 00:00	23.78	47.57	7.29	0
08-12-2023 00:00	19.39 <	38.79 <	7.28 <	0
09-12-2023 00:00	15.31 <	30.63 <	7.37 <	0.02
10-12-2023 00:00	13.61 <	27.23 <	7.42 <	0
11-12-2023 00:00	13.82 <	27.65 <	7.39 <	0
12-12-2023 00:00	13.12 <	26.24 <	7.22 <	0.23
13-12-2023 00:00	12.6	25.21	7.18	0
14-12-2023 00:00	12.21	24.42	7.22	0
15-12-2023 00:00	21.83	43.67	7.25	0.08
16-12-2023 00:00	42.31	84.63	7.26	0.06
17-12-2023 00:00	62.59 <	125.14 <	7.31 <	4.62
18-12-2023 00:00	53.71 < H	107.32 <	7.25 <	9.82
19-12-2023 00:00	38.49 <	76.98 <	7.79 <	1.48
20-12-2023 00:00	38.18	76.38	7.25	0.07
21-12-2023 00:00	97.45 < H	195.4 < H	6.36 <	11.8
22-12-2023 00:00	56.74	113.49	6.21	0.78
23-12-2023 00:00	52.69 <	105.3 <	6.29 <	3.59
24-12-2023 00:00	52.18 <	104.36 <	6.28 <	0
27-12-2023 00:00	55.05 <	110.12 <	6.27 <	0
28-12-2023 00:00	62.99 <	125.81 <	6.37 <	2.75
29-12-2023 00:00	64.28 <	128.59 <	6.55 <	2.27
30-12-2023 00:00	70.78 <	141.58 <	6.74 <	1.34
31-12-2023 00:00	88.53 <	177.09 <	6.77 <	6.97
Average	37.4	74.9	7	1.6
Geom.Mean	29.5	59	7	0.5
Maximum	97.4	195.4	7.8	11.8
Median	24.4	48.9	7.3	0
Minimum	8.8	17.6	6.2	0
Mode	53.7	25.2	7.3	0
Std.Deviation	25.1	50.3	0.4	3.1
Total Active Duration				

EnviroConnect

Forbes Marshall

Multi Station Report

From Date 01-01-2024 00:00

To Date 31-01-2024 23:59

Interval Daily
Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP1	ETP1	ETP1	ETP1
Parameter	BOD	COD	pH	TSS
Unit	mg/l	mg/l	pH	mg/l
Limit	0.00 - 100.00	0.00 - 250.00	5.50 - 9.00	0.00 - 100.00
01-01-2024 00:00	103.43 < H	206.67 <	6.51 < L	39.7
02-01-2024 00:00	54.46 < H	108.96 <	7.6 < LH	39.2
03-01-2024 00:00	18.51 <	37.02 <	9.26 < H	0
04-01-2024 00:00	18.45 <	36.9 <	8.38 <	0
05-01-2024 00:00	18.48 <	36.96 <	8.1 <	0.49
06-01-2024 00:00	20.79 <	41.58 <	7.84 <	0
07-01-2024 00:00	23.61 <	47.22 <	7.41 <	9.22
08-01-2024 00:00	22.85 <	45.71 <	7.52 <	0
09-01-2024 00:00	22.53 <	45.07 <	7.43 <	0.07
10-01-2024 00:00	22.33	44.66	7.4	7.4
11-01-2024 00:00	22.65	45.27	7.47	1.08
12-01-2024 00:00	22.99 <	45.98 <	7.59 <	0.13
13-01-2024 00:00	22.54 <	45.04 <	7.85 <	2.11
14-01-2024 00:00	22.59 <	45.18 <	8.09 <	3.56
15-01-2024 00:00	29.08 <	58.1 <	8.23 <	5.54
16-01-2024 00:00	46.39 <	92.77 <	8.36 <	3.56
17-01-2024 00:00	28.7 <	57.38 <	8.39 <	15.03
18-01-2024 00:00	18.58	37.16	8.39	0.03
19-01-2024 00:00	35.14	70.28	8.37	1.35
20-01-2024 00:00	43.37	86.61	8.32	4.95
21-01-2024 00:00	41.59	83.13	8.43	4.45
22-01-2024 00:00	40.45	80.89	8.62	4.99
23-01-2024 00:00	20.75 <	41.51 <	8.68 <	13.86
24-01-2024 00:00	20.83 <	41.67 <	8.76 <	4.62
25-01-2024 00:00	20.41 <	40.82 <	8.81 <	10.01
26-01-2024 00:00	20.41 <	40.83 <	8.82 <	18.06
27-01-2024 00:00	20.92 <	41.85 <	8.82 <	7.37
28-01-2024 00:00	21.96 <	43.92 <	8.78 <	3.78
29-01-2024 00:00	22.53 <	45.07 <	8.84 <	2.21
30-01-2024 00:00	22.56 <	45.12 <	8.87 <	0.44
31-01-2024 00:00	22.73 <	45.47 <	8.85 <	5.72
Average	28.8	57.6	8.2	6.7
Geom.Mean	26.2	52.4	8.2	2.1
Maximum	103.4	206.7	9.3	39.7
Median	22.6	45.1	8.4	3.8
Minimum	18.4	36.9	6.5	0
Mode	20.9	45.2	8.3	0
Std.Deviation	16.7	33.4	0.6	9.9

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-02-2024 00:00

To Date 29-02-2024 23:59

Interval Daily
Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP1	ETP1	ETP1	ETP1
Parameter	BOD	COD	pH	TSS
Unit	mg/l	mg/l	pH	mg/l
Limit	0.00 - 100.00	0.00 - 250.00	5.50 - 9.00	0.00 - 100.00
01-02-2024 00:00	22.43 <	44.86 <	8.87 <	6.63
02-02-2024 00:00	21.86	43.73	8.88	4.66
03-02-2024 00:00	42.8	85.46	8.86	10.45
04-02-2024 00:00	33.29	66.53	8.83	7.51
05-02-2024 00:00	32.52 <	64.98 <	8.8 <	8.55
06-02-2024 00:00	32.17	64.3	8.83	10.97
07-02-2024 00:00	32.83	65.65	8.89	7.17
08-02-2024 00:00	33.94	67.89	8.8	9.74
09-02-2024 00:00	31.46	62.93	8.59	1.98
10-02-2024 00:00	26.41	52.83	8.61	7.14
11-02-2024 00:00	25.98	51.97	8.61	3.65
12-02-2024 00:00	26.2	52.4	8.6	2.04
13-02-2024 00:00	25.51	51.01	8.59	5.58
14-02-2024 00:00	25.23	50.45	8.56	6.4
15-02-2024 00:00	24.56	49.12	8.53	5.09
16-02-2024 00:00	24.72 <	49.45 <	8.35 <	6.94
17-02-2024 00:00	24.81 <	49.64 <	8.24 <	4.01
18-02-2024 00:00	22.96 <	45.9 <	8.26 <	8.28
19-02-2024 00:00	21.68 <	43.36 <	8.26 <	1.5
20-02-2024 00:00	22.79 <	45.58 <	8.25 <	11.53
21-02-2024 00:00	21.88 <	43.77 <	8.27 <	1.99
22-02-2024 00:00	21.52	43.04	8.32	4.12
23-02-2024 00:00	22.54 <	45.09 <	8.39 <	6.56
24-02-2024 00:00	22.18 <	44.35 <	8.37 <	3.6
25-02-2024 00:00	22.07 <	44.14 <	8.34 <	3.87
26-02-2024 00:00	22.46 <	44.93 <	8.3 <	3.06
27-02-2024 00:00	23.41 <	46.86 <	8.25 <	6.96
28-02-2024 00:00	23.16 <	46.33 <	8.27 <	1.85
29-02-2024 00:00	23.14 <	46.3 <	8.28 <	1.31
Average	26.1	52.2	8.5	5.6
Geom.Mean	25.7	51.3	8.5	4.8
Maximum	42.8	85.5	8.9	11.5
Median	24.6	49.1	8.5	5.6
Minimum	21.5	43	8.2	1.3
Mode	23	65	8.3	2
Std.Deviation	5.2	10.3	0.2	3
Total Active Duration				

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-03-2024 00:00
 To Date 31-03-2024 23:59
 Interval Daily
 Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP1	ETP1	ETP1	ETP1
Parameter	BOD	COD	pH	TSS
Unit	mg/l	mg/l	pH	mg/l
Limit	0.00 - 100.00	0.00 - 250.00	5.50 - 9.00	0.00 - 100.0
01-03-2024 00:00	24.02 <	47.99 <	8.26 <	4.5
02-03-2024 00:00	22.95 <	45.91 <	8.27 <	1.61
03-03-2024 00:00	22.77 <	45.54 <	8.28 <	2.38
04-03-2024 00:00	23.72 <	47.41 <	8.3 <	3.28
05-03-2024 00:00	23.45	46.9	8.29	3.39
06-03-2024 00:00	23.5	46.99	8.32	3.08
07-03-2024 00:00	22.45	44.91	8.34	5.65
08-03-2024 00:00	21.23	42.46	8.29	9.06
09-03-2024 00:00	19.89	39.8	8.4	3.88
10-03-2024 00:00	18.81	37.62	8.4	10.16
11-03-2024 00:00	18.96	37.92	8.46	5.92
12-03-2024 00:00	20.06	40.09	8.54 H	24.91
13-03-2024 00:00	20.78	41.56	8.63	12.57
14-03-2024 00:00	20.02	40.03	8.55	2.99
15-03-2024 00:00	23.88 <	47.77 <	8.08 <	11.88
16-03-2024 00:00	25.41	50.83	8.08	0
17-03-2024 00:00	25.41	50.83	8.08	0
18-03-2024 00:00	25.41	50.83	8.08	0
19-03-2024 00:00	25.41	50.83	8.08	0
20-03-2024 00:00	25.41	50.83	8.08	0
21-03-2024 00:00	25.41	50.83	8.08	0
22-03-2024 00:00	25.41 <	50.83 <	8.08 <	0
26-03-2024 00:00	25.41 <	50.83 <	8.08 <	0
27-03-2024 00:00	25.41 <	50.83 <	8.08 <	0
28-03-2024 00:00	25.41 <	50.83 <	8.08 <	0
29-03-2024 00:00	25.41 <	50.83 <	8.08 <	0
30-03-2024 00:00	25.41 <	50.83 <	8.08 <	0
31-03-2024 00:00	25.41 <	50.83 <	8.08 <	0
Average	23.5	46.9	8.2	3.8
Geom.Mean	23.3	46.7	8.2	5.3
Maximum	25.4	50.8	8.6	24.9
Median	24	47.9	8.2	2
Minimum	18.8	37.6	8.1	0
Mode	25.4	50.8	8.1	0
Std.Deviation	2.3	4.6	0.2	5.6
Total Active Duration				

From Date 01-04-2024 00:00

To Date 30-04-2024 23:59

Interval Daily
Function Average

3

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP1	ETP1	ETP1	ETP1
Parameter	BOD	COD	pH	TSS
Unit	mg/l	mg/l	pH	mg/l
Limit	0.00 - 100.00	0.00 - 250.00	5.50 - 9.00	0.00 - 100.00
01-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
02-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
03-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
04-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
05-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
06-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
07-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
08-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
09-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
10-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
11-04-2024 00:00	25.41	50.83	8.08	0
12-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
13-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
14-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
15-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
16-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
17-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
18-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
19-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
20-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
21-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
22-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
23-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
24-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
25-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
26-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
27-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
28-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
29-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
30-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
Average	25.4	50.8	8.1	0
Geom.Mean	25.4	50.8	8.1	?
Maximum	25.4	50.8	8.1	0
Median	25.4	50.8	8.1	0
Minimum	25.4	50.8	8.1	0
Mode	25.4	50.8	8.1	0
Std.Deviation	0	0	0	0
Total Active Duration				

भीमाशंकर सहकारी साखर कारखाना लि., दत्तात्रयनगर

पारगाव तर्फे अवसरी बु., ता. आंबेगाव, जि. पुणे

जा.क्र. भीमाशंकर/ले अँड वे. २१२४/२०२२-२०२३

दि. २३/१०/२०२२
२५

परीपत्रक

कारखान्यातील सर्व अधिकारी व कर्मचारी तसेच उस तोडणी कामगार यांना कळविण्यात येते की, कारखान्याचे संस्थापक-संचालक व माजी गृहमंत्री, महाराष्ट्र राज्य मा.ना.श्री. दिलीपराव वळसे पाटील यांच्या वाढदिवसानिमित्त रविवार दि. ३०/१०/२०२२ रोजी सकाळी ठिक १०.०० वाजता कारखाना साईटवरील दत्तात्रय गोविंदराव वळसे पाटील इंग्लीश मेडीयम स्कूल दत्तात्रयनगर पारगाव येथे सर्वरोग निदान शिबीर आयोजित करण्यात आले आहे. सदर शिबिरासाठी जहांगीर हॉस्पिटल पुणे येथील तज्ञ डॉक्टर मेंदू विकार तज्ञ, हृदय विकार तज्ञ व ऑर्थोपेडिक तज्ञ तपासणी करणेसाठी उपस्थित राहणार आहेत.

तरी सर्वांनी सदर सर्वरोग निदान शिबिरात सहभाग घ्यावा.

(सी.जी.डॉगे)
कार्यकारी संचालक

प्रत :- मा.चेअरमनसाहेब माहीतीस्तव सादर.

सर्व खातेप्रमुख, उपखातेप्रमुख :- कर्मचारी यांचे कामाचे नियोजन करून कर्मचारी यांना शिबिरासाठी पाठविणे.

सर्व नोटीस बोर्ड

प्रशासन व लेबर विभाग :- शिबिराचे फोटो काढने बातमी देणे, संबधीत विभागाशी संपर्क साधून शिबिराचे नियोजन करणे.

शेतकी विभाग :- उसतोडणी कर्मचारी यांना शिबिरात सहभागी होणेसाठी कळवावे.

भीमाशंकर शिक्षण संस्था :- शिबिरासाठी ०३ रूप, उद्घाटनप्रसंगी लागणारे साहित्य व नोंदणीसाठी ०३ क्लार्क व्यवस्था करणे.

इंजिनिअरिंग विभाग :- शिबिरासाठी लागणारे लाईट बोर्ड, फॅन, इत्यादी व्यवस्था करावी.

गेस्ट हाऊस :- शिबिरासाठी स्टाफची चहा, नाष्टा, जेवण व्यवस्था करावी.

सिव्हिल विभाग :- शिबिराचे ठिकाणी आवश्यक ०३ टेबल ५० खुर्ची व मदतनिस देणे.

रसायन :- शिबिरासाठी पिण्याचे पाणी पुरवठा व्यवस्था करणे, व स्टाफसाठी चहा, नाष्टा देणेची व्यवस्था करावी.

जहांगीर हॉस्पिटल - शिबीर

अस्थी रोग - कारखाना कर्मचारी व कुटुंबीय

अ.न	नाव	गाव	वर्गवारी
१	सविता भरत गठे	कारखाना कॉलोनी	कारखाना
२	सरला शाम अहिरे	कारखाना कॉलोनी	कारखाना
३	नंदा अशोक बडेकर	कारखाना कॉलोनी	कारखाना
४	अशोक तावजी बडेकर	कारखाना कॉलोनी	कारखाना
५	बाळासाहेब सखाराम पोखरकर	कारखाना कॉलोनी	कारखाना
६	किरण रोहिदास पोखरकर	कारखाना कॉलोनी	कारखाना
७	ज्ञानेश्वर रघुनाथ ढोबळे	कारखाना कॉलोनी	कारखाना
८	देविदास बंडू कोकणे	कारखाना कॉलोनी	कारखाना
९	रवींद्र बाबाजी थोरात	कारखाना कॉलोनी	कारखाना
१०	रामेश्वर वामन ठकाजी	कारखाना कॉलोनी	कारखाना
११	रमेश गेणभाऊ अगळे	कारखाना कॉलोनी	कारखाना
१२	मारुती गजानन ढोबळे	कारखाना कॉलोनी	कारखाना
१३	नवनाथ दिलीप वाव्हळ	कारखाना कॉलोनी	कारखाना
१४	रोहिणी दिलीप बोटे	कारखाना कॉलोनी	कारखाना
१५	राजेश रामभाऊ राजपुरे	कारखाना कॉलोनी	कारखाना
१६	नारायण लक्ष्मन शेलार	कारखाना कॉलोनी	कारखाना
१७	वारे दिलीप त्र्यंबक	कारखाना कॉलोनी	कारखाना
१८	हनुमंत श्रीहरी बोधडे	कारखाना कॉलोनी	कारखाना
१९	आशाबाई रतन जाधव	कारखाना कॉलोनी	कारखाना
२०	शंकर पांडुरंग ढोके	एकलहरे	कारखाना
२१	विलास मारुती यादव	नागापूर	कारखाना
२२	अजित सोनोपंत निघोट	निघोटवाडी	कारखाना

जहांगीर हॉस्पिटल - शिबीर			
हृदय विकार - कारखाना कर्मचारी व कुटुंबीय			
अ.न	नाव	गाव	वर्गवारी
१	रंगनाथ जिजाबा होळकर	काठापूर खुर्द	कारखाना
२	भरत सखाराम गटे	कारखाना कॉलोनी	कारखाना
३	बाबुराव बुधाजी मोरमारे	कारखाना कॉलोनी	कारखाना
४	शाम काशीराम अहिरे	कारखाना कॉलोनी	कारखाना
५	सरला शाम अहिरे	कारखाना कॉलोनी	कारखाना
६	गुलाबचंद स्वामिनाथ शर्मा	कारखाना कॉलोनी	कारखाना
७	थोरात चंद्रकांत किसन	कारखाना कॉलोनी	कारखाना
८	बाबासो सखाराम पोखरकर	कारखाना कॉलोनी	कारखाना
९	ज्ञानेश्वर रघुनाथ ढोबळे	कारखाना कॉलोनी	कारखाना
१०	दिलीप बबन भोर	कारखाना कॉलोनी	कारखाना
११	गणेश सुरेश टेमकर	कारखाना कॉलोनी	कारखाना
१२	अशोक दगडु वाघ	कारखाना कॉलोनी	कारखाना
१३	विलास मारुती यादव	कारखाना कॉलोनी	कारखाना
१४	रवींद्र बाबाजी थोरात	कारखाना कॉलोनी	कारखाना
१५	प्रशांत वसंत शेवाळे	कारखाना कॉलोनी	कारखाना
१६	लक्ष्मण पुंजाजी काळे	कारखाना कॉलोनी	कारखाना
१७	रामेश्वर ठाकरे	कारखाना कॉलोनी	कारखाना
१८	रमेश मेणभाऊ आगळे	कारखाना कॉलोनी	कारखाना
१९	अजित सोनापंत निघोट	निघोटवाडी	कारखाना
२०	कल्पेश कैलाश वाघ	पहाडदरा	कारखाना
२१	गणेश ज्ञानेश्वर खंडागळे	मांजरवाडी	कारखाना
२२	शरद शांताराम मेंगडे	मेंगडेवाडी	कारखाना

जहांगीर हॉस्पिटल - शिबीर

अस्थी रोग - कारखाना कर्मचारी व कुटुंबीय

अ.न	नाव	गाव	वर्गवारी
१	सविता भरत गळे	कारखाना कॉलोनी	कारखाना
२	सरला शाम अहिरे	कारखाना कॉलोनी	कारखाना
३	नंदा अशोक बडेकर	कारखाना कॉलोनी	कारखाना
४	अशोक तावजी बडेकर	कारखाना कॉलोनी	कारखाना
५	बाळासाहेब सखाराम पोखरकर	कारखाना कॉलोनी	कारखाना
६	किरण रोहिदास पोखरकर	कारखाना कॉलोनी	कारखाना
७	ज्ञानेश्वर रघुनाथ ढोबळे	कारखाना कॉलोनी	कारखाना
८	देविदास बंडू कोकणे	कारखाना कॉलोनी	कारखाना
९	रवींद्र बाबाजी थोरात	कारखाना कॉलोनी	कारखाना
१०	रामेश्वर वामन ठकाजी	कारखाना कॉलोनी	कारखाना
११	रमेश गेणभाऊ अगळे	कारखाना कॉलोनी	कारखाना
१२	मारुती गजानन ढोबळे	कारखाना कॉलोनी	कारखाना
१३	नवनाथ दिलीप वाव्हळ	कारखाना कॉलोनी	कारखाना
१४	रोहिणी दिलीप बोटे	कारखाना कॉलोनी	कारखाना
१५	राजेश रामभाऊ राजपुरे	कारखाना कॉलोनी	कारखाना
१६	नारायण लक्ष्मन शेलार	कारखाना कॉलोनी	कारखाना
१७	वारे दिलीप त्र्यंबक	कारखाना कॉलोनी	कारखाना
१८	हनुमंत श्रीहरी बोधडे	कारखाना कॉलोनी	कारखाना
१९	आशाबाई रतन जाधव	कारखाना कॉलोनी	कारखाना
२०	शंकर पांडुरंग ढोके	एकलहरे	कारखाना
२१	विलास मारुती यादव	नागापूर	कारखाना
२२	अजित सोनोपंत निघोट	निघोटवाडी	कारखाना

जहांगीर हॉस्पिटल - शिबीर			
मेंदू रोग - कारखाना कर्मचारी व कुटुंबीय			
अ.न	नाव	गाव	वर्गवारी
१	शंकर पांडुरंग ढोके	एकलहरे	कारखाना
२	सुभाष भाऊ रोडे	काठापूर	कारखाना
३	नंदा अशोक पठागंडे	कारखाना कॉलोनी	कारखाना
४	अशोक निवृत्ती पठागंडे	कारखाना कॉलोनी	कारखाना
५	शाम काशीराम अहिरे	कारखाना कॉलोनी	कारखाना
६	लक्ष्मन पुंजाजी काळे	कारखाना कॉलोनी	कारखाना
७	शेवाळे प्रशांत वसंत	कारखाना कॉलोनी	कारखाना
८	रमेश गेणभाऊ आगळे	कारखाना कॉलोनी	कारखाना
९	देविदास बंडू कोकणे	कारखाना कॉलोनी	कारखाना
१०	पाटील राजू अण्णा	कारखाना कॉलोनी	कारखाना
११	बढे रमेश दत्तात्रय	कारखाना कॉलोनी	कारखाना
१२	आदक दिनकर रामभाऊ	कारखाना कॉलोनी	कारखाना
१३	गावडे दिलीप कृष्णा	कारखाना कॉलोनी	कारखाना
१४	दिकित सोमेश्वर वसंतराव	कारखाना कॉलोनी	कारखाना
१५	खिल्लारी रवींद्र केशवराव	कारखाना कॉलोनी	कारखाना
१६	मनोहर शिवराम मेंगडे	कारखाना कॉलोनी	कारखाना
१७	सावळेराम चंद्रकांत आरडे	कारखाना कॉलोनी	कारखाना
१८	विलास मारुती यादव	नागापूर	कारखाना
१९	जितेंद्र वाल्मिक	नारायणगाव	कारखाना
२०	अजित सोनापंत निघोट	निघोटवाडी	कारखाना
२१	गणेश ज्ञानेश्वर खंडागळे	मांजरवाडी	कारखाना
२२	शरद शांताराम मेंगडे	मेंगडेवाडी	कारखाना
२३	दिलीप बबन भोर	वळती	कारखाना
२४	नारायण भिमाजी लोखंडे	वळती	कारखाना
२५	मारुती बबन वैद्य	वैदवाडी	कारखाना

जहांगीर हॉस्पिटल - शिबीर

हृदय विकार - कारखाना कर्मचारी व कुटुंबीय

अ.न	नाव	गाव	वर्गवारी
१	रंगनाथ जिजाबा होळकर	काठापूर खुर्द	कारखाना
२	भरत सखाराम गटे	कारखाना कॉलोनी	कारखाना
३	बाबुराव बुधाजी मोरमारे	कारखाना कॉलोनी	कारखाना
४	शाम काशीराम अहिरे	कारखाना कॉलोनी	कारखाना
५	सरला शाम अहिरे	कारखाना कॉलोनी	कारखाना
६	गुलाबचंद स्वामिनाथ शर्मा	कारखाना कॉलोनी	कारखाना
७	थोरात चंद्रकांत किसन	कारखाना कॉलोनी	कारखाना
८	बाबासा सखाराम पोखरकर	कारखाना कॉलोनी	कारखाना
९	ज्ञानेश्वर रघुनाथ ढोबळे	कारखाना कॉलोनी	कारखाना
१०	दिलीप बबन भोर	कारखाना कॉलोनी	कारखाना
११	गणेश सुरेश टेमकर	कारखाना कॉलोनी	कारखाना
१२	अशोक दगडु वाघ	कारखाना कॉलोनी	कारखाना
१३	विलास मारुती यादव	कारखाना कॉलोनी	कारखाना
१४	रवींद्र बाबाजी थोरात	कारखाना कॉलोनी	कारखाना
१५	प्रशांत वसंत शेवाळे	कारखाना कॉलोनी	कारखाना
१६	लक्ष्मन पुंजाजी काळे	कारखाना कॉलोनी	कारखाना
१७	रामेश्वर ठाकरे	कारखाना कॉलोनी	कारखाना
१८	रमेश गेणभाऊ आगळे	कारखाना कॉलोनी	कारखाना
१९	अजित सोनापंत निघोट	निघोटवाडी	कारखाना
२०	कल्पेश कैलाश वाघ	पहाडदरा	कारखाना
२१	गणेश ज्ञानेश्वर खंडागळे	मांजरवाडी	कारखाना
२२	शरद शांताराम मेंगडे	मेंगडेवाडी	कारखाना

जहांगीर हॉस्पिटल - शिबीर

अस्थी रोग - कारखाना कर्मचारी व कुटुंबीय

अ.न	नाव	गाव	वर्गवारी
१	सविता भरत गळे	कारखाना कॉलोनी	कारखाना
२	सरला शाम अहिरे	कारखाना कॉलोनी	कारखाना
३	नंदा अशोक बडेकर	कारखाना कॉलोनी	कारखाना
४	अशोक तावजी बडेकर	कारखाना कॉलोनी	कारखाना
५	बाळासाहेब सखाराम पोखरकर	कारखाना कॉलोनी	कारखाना
६	किरण रोहिदास पोखरकर	कारखाना कॉलोनी	कारखाना
७	ज्ञानेश्वर रघुनाथ ढोबळे	कारखाना कॉलोनी	कारखाना
८	देविदास बंडू कोकणे	कारखाना कॉलोनी	कारखाना
९	रवींद्र बाबाजी थोरात	कारखाना कॉलोनी	कारखाना
१०	रामेश्वर वामन ठकाजी	कारखाना कॉलोनी	कारखाना
११	रमेश गेणभाऊ अगळे	कारखाना कॉलोनी	कारखाना
१२	मारुती गजानन ढोबळे	कारखाना कॉलोनी	कारखाना
१३	नवनाथ दिलीप वाव्हळ	कारखाना कॉलोनी	कारखाना
१४	रोहिणी दिलीप बोटे	कारखाना कॉलोनी	कारखाना
१५	राजेश रामभाऊ राजपुरे	कारखाना कॉलोनी	कारखाना
१६	नारायण लक्ष्मन शेलार	कारखाना कॉलोनी	कारखाना
१७	वारे दिलीप त्र्यंबक	कारखाना कॉलोनी	कारखाना
१८	हनुमंत श्रीहरी बोधडे	कारखाना कॉलोनी	कारखाना
१९	आशाबाई रतन जाधव	कारखाना कॉलोनी	कारखाना
२०	शंकर पांडुरंग ढोके	एकलहरे	कारखाना
२१	विलास मारुती यादव	नागापूर	कारखाना
२२	अजित सोनोपत निघोट	निघोटवाडी	कारखाना

जहांगीर हॉस्पिटल - शिबीर



जनरल चेक अप



अ.न	नाव	गाव	वर्गवारी
१	हार्दिक सोमनाथ शिंदे	अवसरी बुद्रुक	कारखाना
२	शंकर पांडुरंग ढोके	एकलहरे	कारखाना
३	अशोक तावजी बडेकर	कारखाना कॉलोनी	कारखाना
४	काशिनाथ भीमा जाधव	कारखाना कॉलोनी	कारखाना
५	सोनाबाई काशिनाथ जाधव	कारखाना कॉलोनी	कारखाना
६	थोरात चंद्रकांत किसन	कारखाना कॉलोनी	कारखाना
७	अशोक दगडु वाघ	कारखाना कॉलोनी	कारखाना
८	रमेश गेणभाऊ आगळे	कारखाना कॉलोनी	कारखाना
९	देविदास बंडू कोकणे	कारखाना कॉलोनी	कारखाना
१०	रवींद्र बाबाजी थोरात	कारखाना कॉलोनी	कारखाना
११	नवनाथ दिलीप वाव्हळ	कारखाना कॉलोनी	कारखाना
१२	विलास मारुती यादव	कारखाना कॉलोनी	कारखाना
१३	बाबासो सखाराम पोखरकर	कारखाना कॉलोनी	कारखाना
१४	लक्ष्मन पुंजाजी काळे	कारखाना कॉलोनी	कारखाना
१५	दत्तात्रय शंकर खेडकर	कारखाना कॉलोनी	कारखाना
१६	चंद्रशेखर अरविंद मगर	कारखाना कॉलोनी	कारखाना
१७	संजय तुकाराम सहाणे	कारखाना कॉलोनी	कारखाना
१८	दिव्या केतकरी	कारखाना कॉलोनी	कारखाना
१९	इंद्रकुमार पांडे	कारखाना कॉलोनी	कारखाना
२०	शेला चंद्रकांत शिरवळ	कारखाना कॉलोनी	कारखाना
२१	वैशाली रामेश्वर ठाकरे	कारखाना कॉलोनी	कारखाना
२२	दिपाली अनिल बोंबले	कारखाना कॉलोनी	कारखाना
२३	सरिता तिवारी	कारखाना कॉलोनी	कारखाना
२४	रमेश वामन भोर	कारखाना कॉलोनी	कारखाना
२५	चंद्रकांत एकनाथ शिरोळे	कारखाना कॉलोनी	कारखाना
२६	संदीप मुरलीधर खैरे	कारखाना कॉलोनी	कारखाना
२७	संजय एकनाथ भालेराव	कारखाना कॉलोनी	कारखाना
२८	रवींद्र हिरालाल सावळे	कारखाना कॉलोनी	कारखाना
२९	इंद्रकुमार रामचंद्र पांडे	कारखाना कॉलोनी	कारखाना
३०	कैलारा भाऊ गाढवे	कारखाना कॉलोनी	कारखाना
३१	सुनील सीताराम टेमकर	कारखाना कॉलोनी	कारखाना
३२	राजेश दशरथ वाकचौरे	कारखाना कॉलोनी	कारखाना
३३	ब्रिजेश अनंत लोहोट	कारखाना कॉलोनी	कारखाना

जहांगीर हॉस्पिटल - शिबीर

जनरल चेक अप

अ.न	नाव	गाव	वर्गवारी
३४	राहुल विनोद कासार	कारखाना कॉलोनी	कारखाना
३५	अंकाक्षा शांताराम रोडे	कारखाना कॉलोनी	कारखाना
३६	सरिता शांताराम रोडे	कारखाना कॉलोनी	कारखाना
३७	शांताराम गणपत रोडे	कारखाना कॉलोनी	कारखाना
३८	अनिल रामभाऊ बोंबले	कारखाना कॉलोनी	कारखाना
३९	वारे शोभा दिलीप	कारखाना कॉलोनी	कारखाना
४०	मनीषा भाऊसाहेब चौधरी	कारखाना कॉलोनी	कारखाना
४१	अनिल सोपान वळसे	कारखाना कॉलोनी	कारखाना
४२	अक्षय सुरेश सुखे	कारखाना कॉलोनी	कारखाना
४३	धोंडू धर्मा मानकर	कारखाना कॉलोनी	कारखाना
४४	प्रवीण ज्ञानेश्वर वाळूज	कारखाना कॉलोनी	कारखाना
४५	तानाजी शहाजी पाटूळे	कारखाना कॉलोनी	कारखाना
४६	कृष्णा नरवडे	कारखाना कॉलोनी	कारखाना
४७	नामदेव गणपत गायकवाड	कारखाना कॉलोनी	कारखाना
४८	सुहास यल्लापा पाटील	कारखाना कॉलोनी	कारखाना
४९	संतोष लक्ष्मन थोरात	कारखाना कॉलोनी	कारखाना
५०	अंकुश आनंदा वाव्हळ	कारखाना कॉलोनी	कारखाना
५१	दिनकर रामभाऊ आदक	कारखाना कॉलोनी	कारखाना
५२	सीताराम दगडु जोशी	कारखाना कॉलोनी	कारखाना
५३	सविता संजय भालेराव	कारखाना कॉलोनी	कारखाना
५४	राजू भाऊसाहेब फणसे	कारखाना कॉलोनी	कारखाना
५५	वेदांत समाधान पवार	कारखाना कॉलोनी	कारखाना
५६	प्रवीण बाळू शेठे	कारखाना कॉलोनी	कारखाना
५७	अरुण वीरेंद्र सिंह	कारखाना कॉलोनी	कारखाना
५८	किसन दगडू केंगले	कारखाना कॉलोनी	कारखाना
५९	अनिल निवृत्ती खानदेशी	कारखाना कॉलोनी	कारखाना
६०	केतन सुधाकर लोखंडे	कारखाना कॉलोनी	कारखाना
६१	अजित सोनापंत निघोट	निघोटवाडी	कारखाना
६२	प्रज्वल हनुमंत लबडे	पारगाव	कारखाना
६३	शरद शांताराम मेंगडे	मेंगडेवाडी	कारखाना
६४	संतोष पांडुरंग लोंढे	वळती	कारखाना







Area Statement of Bhimashankar

Sr. No.	Details	Area in Sq. M.	Avg Rainfall	Runoff Coeff	Total Water Colleted	
1	Main Building and around shed	9883	849.32	0.8	6715.06365	9883
2	Godown 5 Nos.	14233	849.32	0.8	9670.69725	14233
3	English School	3266	849.32	0.8	2219.1033	
4	College Bldg	2500	849.32	0.8	1698.61	
5	Office Bldg	964	849.32	0.8	654.995584	964
6	Gust House & Rest Room	628.5	849.32	0.8	427.038096	628.5
7	Laboure Qurter (105 to107)	512	849.32	0.8	347.881472	512
8	Laboure Qurter (114 to118)	1966.28	849.32	0.8	1336.00074	1966.28
9	Laboure Qurter (114 to118)	1295.4	849.32	0.8	880.167302	1295.4
10	Banglow Quarter (102 to 104)	621	849.32	0.8	421.942176	621
	Effective Catchment Area	35869.18	849.32	0.8	24371.5296	

RAIN WATER HARVESTING
FEASIBILITY REPORT
FOR
Project
BHIMASHANKAR SUGAR
FACTORY
At
DATTATRAY NAGAR, PARGAON, PUNE
By



M/S. RAINBOW GROUP

**ADD: NEAR BALAJI LAW COLLEGE,
A/P- TATHWADE, PUNE**

PH. NO. 020/65000337,

AIM OF THE PROJECT –

- To implement 'Rain Water harvesting' to store and recharge water to achieve maximum self-sufficiency.
- To recharge excess water in the ground in methodical way to improve 'ground water table'.
- To recharge, reuse and recycle water in every possible way and achieve minimum water discharge to take care of natural resource.
- To plan all 'water management' in sustainable way without disturbing the natural balance.

1. TITLE OF THE PROJECT : - A Project report on Rain water harvesting at Industrial Project
"Bhimashankar Sugar Factory, Dattatray Nagar, Pargaon, Pune

2. SUBMITTED BY :- **M/s. RAINBOW GROUP**

S. No. 1/1/1, Near Balaji law College,
Ravet-Aundh BRT Road, Tathwade, Pune – 411033
Phone: 020-65000337
E-mail: Rainbow.rainwaterharvesting@gmail.com
Web: www.rainbowgroup.org.in

3. RAINFALL PATTERN:-

The normal annual rainfall over the district varies from about 468 mm to 4659 mm. It is minimum in the eastern part of the district around Daund (468 mm), Baramati (486 mm) and Jujuri (494 mm). This increases towards west and reaches a maximum around Khandala (4659 mm) in the western ghat. The Chances of receiving normal rainfall are maximum (50 to 55%) in eastern part around Indapur and Daund, in the central part around Pune city and small area around Junnar in northern part of the district. Rainfall analysis also indicates occurrence of drought prone area in eastern, southern, south-eastern, central and north western part around Indapur, Baramati, Jujuri, Daund, Talegaon, Damdhare, Alandi, Shirur and Bhore covering about 50% area of the district. Taluka wise average annual rainfall for the period 2003 to 2012 ranges from about 474 mm (Daund) to 2668 mm (Velhe)

Table-3 Annual Rainfall Data for Year 2003-2012 (Rainfall in mm)

Taluka	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	Decadal Average
Pune City	335.3	652.4	1239.5	1246	779.44	689.29	909.7	1169	979.9	492.7	849.32
Haveli	452.2	890.6	1250.36	1247.5	859.04	706.09	938.3	1147.8	979.6	505.4	897.67
Mulshi	1251	1878	2875.8	2804	1834	1602	1836.7	1592	1792	1438	1890.35
Bhor	712	1380.1	1714	1762	1429.4	998	1213	1121	1129.3	833	1229.18
Maval	1026	1466	2561	2252	1442.6	1399.5	1364.8	1168	1482	1013	1571.14
Velhe	1420	2054.4	3320.6	3997	3263	2409	1405	2043	2695.1	2070.4	2667.7
Junnar	648.2	8	1344.4	1237	880	747.4	706	862.3	769	557.1	852.32
Khed	386.2	775	973.1	1461.1	756.5	692.66	839.6	1018.4	637.7	436.2	777.65
Ambegaon	421.8	735.1	1025	1338.3	830.9	735	732.3	823.4	836	616.6	809.44
Shirur	266	374	460	760	674	492	859.6	849.5	441.8	321	549.69
Baramati	113.2	521	711	567	622	454	738.8	804.6	291	235	505.76
Indapur	163.3	651.9	896.1	668	640.3	345.4	932.4	805.8	399	250.6	555.28
Daund	156.3	522	742.2	594	604.85	326.7	474.3	639.3	347.6	337.4	474.46
Purandhar	215	710	1158	1476	519	497	806	602	609.4	371	696.34
District Average	540.46	995.87	1647.9	1529.2	1081	814.62	968.3	1046.1	956.38	676.9	


4. METHODS OF RAIN WATER HARVESTING -

Rain water harvesting can be done by two methods -

1) Direct storage method

a. In closed / Underground tank

In direct storage method, the roof water will flow from down take pipe through sand filters. Sand filters to be installed on every down take pipe, and then will flow to the storage tank. Though it is costly preposition we can store some part of volume of water by this method. We can store some water in underground tank and some part can be utilized for Ground Water Recharge.




RAINWATER CAN BE STORED IN TANKS

b. Percolation pond -

Developing percolation pond is another important method of Rain Water Harvesting.


Percolation pond can be prepared by bare stone pitching /using HDPE sheets. Laying HDPE sheets will require murum filling underneath.

However if we want to recharge maximum water in the ground, we do not propose HDPE sheet layer in the percolation pond. So more & more water will seep in & after maximum silting at bottom, water will get stored.



2) Ground water recharge

Another method is using roof water and Storm water for ground water recharge. In that case the roof water can



RAINWATER CAN BE RECHARGED INTO THE GROUND

be filtered through sand filters but storm water needs Desilting chamber and auxiliary bore wells or recharge pit. The storm water can be collected through channel and gutters according to the existing topography. The physical, chemical and biological contamination can be taken care by desilting chamber. This water can be used for ground water recharge by putting it in auxiliary bore well. By this the ground water table will improve substantially along with water table of the area. We can also use soak away pits, infiltration trenches, oil & grit separators to purify water. This is comparatively cheaper option.

Rainwater harvesting Calculation

Rainwater Collected before development

$$\text{Total terrace Area} = 35869.18 \text{ Sq. M. (Appo.)}$$

$$= 35817.18 \times 849.32 \times 0.3$$

$$= 9126.07 \text{ Cum per year}$$

$$= 182.52 \text{ Cum Per Day}$$

We consider the 50 day of rainy season in one year

Rainwater Collected after development

$$1. \text{ Total Terrace area (A)} \quad - 35869.18 \text{ Sq. M.}$$

$$2. \text{ Average Rainfall in Pune (I)} \quad - 849.26 \text{ MM}$$

(Ref: Ground water information)

$$3. \text{ Runoff Coefficient Factor for hard Space (F)} \quad - 0.8$$

Surface water collected by rainwater will be

$$= \text{Area in Sq. M.} \times \text{Average Rainfall} \times \text{Runoff Coefficient}$$

$$= A \times I \times F$$

$$= 35869.18 \times 849.26 \times 0.8$$

$$= 24369.80 \text{ Cum per year}$$

$$= 487.39 \text{ cum per day}$$

We consider the 50 day of rainy season in one year


Surplus Water will be calculated

$$\text{Total Surplus water} = \text{Rainwater After Development} - \text{Rainwater Before Development}$$

$$= 487.39 - 182.52$$

$$= 304.87 \text{ Cum Per Day}$$





Recharge pits – Drawing of recharge pit







We are recharge with 2m x 2m in which Vee –Wire screen filter installed from this filtration will recharge water in to percolation borewell.

Vee wire screen filter is having filtration in micron level, also its used for rainwater harvesting purpose.

Actual Photos of Rainwater Harvesting







AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

TEST REPORT			Page 1 of 1
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-189/2023-24
		Report Date	07/12/2023
		Inward No	12-012
		Inward Date	02/12/2023
Sample Testing Location	Laboratory		
Sample Detail	Well Water - Shri Ramesh Gaikwad (East Side)	Analysis Start date	02/12/2023
Sample Collected By	Party	Analysis End date	06/12/2023
Sample Volume	2250 ml	Sample Condition	Fit For Analysis

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.59	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOS/cm	1620	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.85	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	1053	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	141	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	293	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	624	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	129	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	72.4	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	110	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	53.3	≤45.0	APHA 23 rd Edition 2017-4500-B-NO ₃
14.	Iron as Fe	mg/lit	0.01	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses, Bibvewadi, Pune 411037. | Phone : 020-24240030, 08530074787 | Email : akankshalab2007@gmail.com



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEF-CC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

13

TEST REPORT				Page 1 of 1
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-186/2023-24	
		Report Date	07/12/2023	
		Inward No	12-009	
		Inward Date	02/12/2023	
Sample Testing Location	Laboratory			
Sample Detail	Well Water -Shri Nivruti Dhobale (West Side)	Analysis Start date	02/12/2023	
Sample Collected By	Party	Analysis End date	06/12/2023	
Sample Volume	2250 ml	Sample Condition	Fit For Analysis	

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.68	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOs/cm	892	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.53	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	580	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	63.6	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	237	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	270	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	54.1	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	32.4	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	21.8	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	7.37	≤45.0	APHA 23 rd Edition 2017 4500-B-NO ₃
14.	Iron as Fe	mg/lit	BDL	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses, Bibvewadi, Pune 411037. | Phone : 020-24240030, 08530074787 | Email : akankshalab2007@gmail.com



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

TEST REPORT

Page 1 of 1

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-188/2023-24
		Report Date	07/12/2023
		Inward No	12-011
Sample Testing Location	Laboratory	Inward Date	02/12/2023
Sample Detail	Well Water -Shri Pandurang Walse (South Side)	Analysis Start date	02/12/2023
Sample Collected By	Party	Analysis End date	06/12/2023
Sample Volume	2250 ml	Sample Condition	Fit For Analysis

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.72	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOs/cm	1851	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.80	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	1203	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	141	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	384	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	676	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	141	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	77.4	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	118	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	48.0	≤45.0	APHA 23 rd Edition 2017-4500-B-NO ₃
14.	Iron as Fe	mg/lit	0.01	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses, Bibvewadi, Pune 411037. | Phone : 020-24240030, 08530074787 | Email : akankshalab2007@gmail.com



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

TEST REPORT

Page 1 of 1

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-187/2023-24
		Report Date	07/12/2023
		Inward No	12-010
		Inward Date	02/12/2023
Sample Testing Location	Laboratory		
Sample Detail	Well Water -Shri Yogesh Pingle (North Side)	Analysis Start date	02/12/2023
Sample Collected By	Party	Analysis End date	06/12/2023
Sample Volume	2250 ml	Sample Condition	Fit For Analysis

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.61	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOs/cm	1841	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.52	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	1197	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	127	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	565	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	520	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	108	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	59.9	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	76.3	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	42.7	≤45.0	APHA 23 rd Edition 20174500-B-NO ₃
14.	Iron as Fe	mg/lit	0.01	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses, Bibvewadi, Pune 411037. | Phone : 020-24240030,08530074787 | Email : akankshalab2007@gmail.com



AKANKSHA ANALYTICAL & RESEARCH LAB

- * Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- * ISO 9001 : 2015 Certified Organization
- * ISO 45001 : 2018 Certified Organization

TEST REPORT

Page 1 of 1

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-191/2023-24
		Report Date	07/12/2023
		Inward No	AL/W/12-12/01/2023-24
		Inward Date	02/12/2023
Sample Testing Location	Laboratory		
Sample Detail	Well Water -Shri Vitthal Dhobale (East Side)	Analysis Start date	02/12/2023
Sample Collected By	Party	Analysis End date	06/12/2023
Sample Volume	2250 ml	Sample Condition	Fit For Analysis

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.63	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOS/cm	1634	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.81	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	1065	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	148	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	296	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	634	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	130	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	72.0	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	116	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	58.3	≤45.0	APHA 23 rd Edition 2017-4500-B-NO ₃
14.	Iron as Fe	mg/lit	0.02	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Vrushali

Prepared by
(Mrs.Vrushali kadam-Londhe)

Dhanashri

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

Vipul

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses,
Bibvewadi, Pune 411037. | Phone : 020-24240030, 08530074787 | Email : akankshalab2007@gmail.com



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

TEST REPORT

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	Page 1 of 1
		Report Date	AL/TR/70-446/2023-24
		Inward No	03/01/2024
		Inward Date	12-278
Sample Testing Location	Laboratory	Analysis Start date	28/12/2023
Sample Detail	Well Water -Shri Ragunath Dobale(South East)	Analysis End date	02/01/2024
Sample Collected By	Party	Sample Condition	Fit For Analysis
Sample Volume	2250 ml		

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.25	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOs/cm	1609	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.82	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	992	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	140	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	330	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	535	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	103	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	66.7	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	230	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	47.8	≤45.0	APHA 23 rd Edition 2017-4500-B-NO ₃
14.	Iron as Fe	mg/lit	0.01	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- The above analysis water sample is not within the prescribed limits.
- Sample will be preserve for seven days after analysis.
- Above analysis results are related to sample as tested.
- All the test conducted at permanent location not at out source
- The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- BDL-Below Detectable Limit.
- N.S. Not Specified
- Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses, Bibvewadi, Pune 411037. | Phone : 020-24240030, 08530074787. | Email : akankshalab2007@gmail.com



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

TEST REPORT				Page 1 of 1
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-444/2023-24	
		Report Date	03/01/2024	
		Inward No	12-276	
Sample Testing Location	Laboratory	Inward Date	28/12/2023	
Sample Detail	Well Water -Tanishka Mangal karyalaya (South West)	Analysis Start date	28/12/2023	
Sample Collected By	Party	Analysis End date	02/01/2024	
Sample Volume	2250 ml	Sample Condition	Fit For Analysis	

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.34	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOs/cm	1511	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.70	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	750	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	146	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	399	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	597	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	119	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	71.7	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	180	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	68.8	≤45.0	APHA 23 rd Edition 20174500-B-NO ₃
14.	Iron as Fe	mg/lit	0.01	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses, Bibvewadi, Pune 411037. | Phone : 020-24240030,08530074787 | Email : akankshalab2007@gmail.com



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

TEST REPORT				Page 1 of 1
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-445/2023-24	
		Report Date	03/01/2024	
		Inward No	12-277	
Sample Testing Location	Laboratory	Inward Date	28/12/2023	
Sample Detail	Well Water -Shri Pravin Sabale (North East)	Analysis Start date	28/12/2023	
Sample Collected By	Party	Analysis End date	02/01/2024	
Sample Volume	2250 ml	Sample Condition	Fit For Analysis	

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.13	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOs/cm	1431	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.60	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	896	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	116	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	353	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	556	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	107	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	69.2	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	162	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	51.4	≤45.0	APHA 23 rd Edition 2017 4500-B-NO ₃
14.	Iron as Fe	mg/lit	0.01	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses, Bibvewadi, Pune 411037. | Phone : 020-24240030, 08530074787 | Email : akankshalab2007@gmail.com



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

TEST REPORT

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-443/2023-24
		Report Date	03/01/2024
		Inward No	12-275
Sample Testing Location	Laboratory	Inward Date	28/12/2023
Sample Detail	Well water-Shri Suresh Giri House (North West)	Analysis Start date	28/12/2023
Sample Collected By	Party	Analysis End date	02/01/2024
Sample Volume	2250 ml	Sample Condition	Fit For Analysis

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.32	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOs/cm	1437	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.70	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	921	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	155	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	365	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	659	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	124	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	84.0	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	198	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	72.5	≤45.0	APHA 23 rd Edition 2017-4500-B-NO ₃
14.	Iron as Fe	mg/lit	0.01	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses, Bibvewadi, Pune 411037. | Phone : 020-24240030, 08530074787 | Email : akankshalab2007@gmail.com



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Ministry of Environment Forest and Climate Change (MoEFCC), New Delhi
- ISO 9001 : 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

TEST REPORT

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	Page 1 of 1
		Report Date	AL/TR/70-447/2023-24
		Inward No	03/01/2024
		Inward Date	12-279
Sample Testing Location	Laboratory	Analysis Start date	28/12/2023
Sample Detail	Ghod Menna River Sangam	Analysis End date	02/01/2024
Sample Collected By	Party	Sample Condition	Fit For Analysis
Sample Volume	2250 ml		

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.15	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOs/cm	1255	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	8.49	6.5 to 8.5	IS 3025 (Part 11) RA 2012
6.	Total Dissolved Solids	mg/lit	803	≤500	Electrometric Method
7.	Chlorides as Cl	mg/lit	233	≤250	IS 3025 (Part 16) RA 2012
8.	Total Alkalinity as CaCO ₃	mg/lit	23.9	≤200	Gravimetric Method
9.	Total Hardness as CaCO ₃	mg/lit	144	≤200	IS3025(Part-32) RA 2009
10.	Calcium as Ca	mg/lit	54.4	≤200	Argentometric Method
11.	Magnesium as Mg	mg/lit	1.98	≤75.0	IS3025(Part-23)RA 2009
12.	Sulphate as SO ₄	mg/lit	150	≤30.0	IS3025(Part-21) RA 2014
13.	Nitrate as NO ₃	mg/lit	24.9	≤200	EDTA Titrimetric method
14.	Iron as Fe	mg/lit	0.01	≤45.0	IS3025(Part-40) RA 2009
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	≤0.3	EDTA Method
16.	Fecal Coliform	MPN/100ml	Present		APHA 23 rd Edition 2017
17.	E- Coli	MPN/100ml	Present		3500- Mg B Calculation method
					APHA-23 rd Edition 2017-E-SO ₄ ²⁻
					APHA 23 rd Edition 20174500-B-NO ₃
					IS3025(Part-53)
					IS1622:1981 Reaff.2014
					IS1622:1981 Reaff.2014
					IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses, Bibvewadi, Pune 411037. | Phone : 020-24240030,08530074787 | Email : akankshalab2007@gmail.com

20



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

TEST REPORT

Page 1 of 1

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-653/2023-24
		Report Date	03/02/2024
		Inward No	01-185
Sample Testing Location	Laboratory	Inward Date	27/01/2024
Sample Detail	Well Water - Shri Ramesh Gaikwad (East Side)	Analysis Start date	29/01/2024
Sample Collected By	Party	Analysis End date	02/02/2024
Sample Volume	2250 ml	Sample Condition	Fit For Analysis

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity @ 25°C	NTU	0.16	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOs/cm	1307	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.71	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	850	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	106	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	390	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	367	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	106	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	24.5	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	81.6	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	41.2	≤45.0	APHA 23 rd Edition 2017-4500-B-NO ₃
14.	Iron as Fe	mg/lit	0.02	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses,
Bibvewadi, Pune 411037. | Phone : 020-24240030, 08530074787 | Email : akankshalab2007@gmail.com



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

TEST REPORT

Page 1 of 1

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-654/2023-24
		Report Date	03/02/2024
		Inward No	01-186
		Inward Date	27/01/2024
Sample Testing Location	Laboratory		
Sample Detail	Borewell Water - Shri Nivruti Dhobale (West Side)	Analysis Start date	29/01/2024
Sample Collected By	Party	Analysis End date	02/02/2024
Sample Volume	2250 ml	Sample Condition	Fit For Analysis

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.07	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOs/cm	640	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.62	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	416	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	34.0	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	173	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	214	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	53.0	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	19.6	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	24.3	<200	APHA 23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	7.26	≤45.0	APHA 23 rd Edition 20174500-B-NO ₃
14.	Iron as Fe	mg/lit	BDL	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

(Signature)

Prepared by:
(Mrs.Vrushali kadam-Londhe)

(Signature)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

(Signature)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses, Bibvewadi, Pune 411037. | Phone : 020-24240030,08530074787 | Email : akankshalab2007@gmail.com



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

TEST REPORT

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	Page 1 of 1 AL/TR/70-652/2023-24
		Report Date	03/02/2024
		Inward No	01-184
Sample Testing Location	Laboratory	Inward Date	27/01/2024
Sample Detail	Well Water -Shri Pandhurang Walse (South Side)	Analysis Start date	29/01/2024
Sample Collected By	Party	Analysis End date	02/02/2024
Sample Volume	2250 ml	Sample Condition	Fit For Analysis

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.25	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOs/cm	1898	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.43	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	1234	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	160	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	260	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	816	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	126	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	120	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	156	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	50.8	≤45.0	APHA 23 rd Edition 20174500-B-NO ₃
14.	Iron as Fe	mg/lit	0.03	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses,
Bibvewadi, Pune 411037. | Phone : 020-24240030,08530074787 | Email : akankshalab2007@gmail.com

203



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

TEST REPORT

Page 1 of 1

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-655/2023-24
		Report Date	03/02/2024
		Inward No	01-187
Sample Testing Location	Laboratory	Inward Date	27/01/2024
Sample Detail	Well Water -Shri Yogesh Pingale (North side)	Analysis Start date	29/01/2024
Sample Collected By	Party	Analysis End date	02/02/2024
Sample Volume	2250 ml	Sample Condition	Fit For Analysis

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.10	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOs/cm	1227	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.70	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	798	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	92.3	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	325	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	387	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	110	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	27.0	<30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	79.4	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	40.9	≤45.0	APHA 23 rd Edition 2017-4500-B-NO ₃
14.	Iron as Fe	mg/lit	0.02	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses,
Bibvewadi, Pune 411037. | Phone : 020-24240030 08530074787 | Email : akankshalab2007@gmail.com

204



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

TEST REPORT

Page 1 of 1

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-656/2023-24
		Report Date	03/02/2024
		Inward No	01-188
		Inward Date	27/01/2024
Sample Testing Location	Laboratory		
Sample Detail	Well Water -Shri Santosh Shinde(East Side)	Analysis Start date	29/01/2024
Sample Collected By	Party	Analysis End date	02/02/2024
Sample Volume	2250 ml	Sample Condition	Fit For Analysis

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.21	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOs/cm	1456	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.55	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	947	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	116	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	260	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	550	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	179	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	24.5	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	158	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	51.3	≤45.0	APHA 23 rd Edition 2017-4500-B-NO ₃
14.	Iron as Fe	mg/lit	0.03	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
(Mrs.Dhanashri Kadam-Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

TEST REPORT				Page 1 of 1
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-868/2023-24	
		Report Date	28/02/2024	
Sample Testing Location		Inward No	02-181	
		Inward Date	22/02/2024	
Sample Detail	Borewell Water - Shri Rohidas Dhobale	Analysis Start date	23/02/2024	
Sample Collected By	Party	Analysis End date	27/02/2024	
Sample Volume	2250 ml	Sample Condition	Fit For Analysis	

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.15	≤1.00	IS3025(Part-10)
4.	Conductivity	µMHOS/cm	1146	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.38	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	745	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	97.8	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	364	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	400	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	84.0	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	45.0	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	75.3	≤200	APHA- 23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	43.9	≤45.0	APHA 23 rd Edition 20174500-B-NO ₃
14.	Iron as Fe	mg/lit	0.01	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
Mrs.Dhanashree Thorat)

Authorized Signatory
(Mr.Vipul Waglunare)

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change Govt. of India.
- ISO 9001:2015 Certified Organization
- ISO 45001:2018 Certified Organization

TEST REPORT				Page 1 of 1
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-869/2023-24	
		Report Date	28/02/2024	
		Inward No	02-182	
Sample Testing Location	Laboratory	Inward Date	22/02/2024	
Sample Detail	Borewell Water -Shri. Machindra Kule	Analysis Start date	23/02/2024	
Sample Collected By	Party	Analysis End date	27/02/2024	
Sample Volume	2250 ml	Sample Condition	Fit For Analysis	

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.22	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOs/cm	1155	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.23	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	751	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	103	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	364	≤200	IS3025(Part-23) RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	400	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	84.0	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	45.6	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	71.2	<200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	43.2	≤45.0	APHA 23 rd Edition 2017 4500-B-NO ₃
14.	Iron as Fe	mg/lit	0.01	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
Mrs.Dhanashree Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

TEST REPORT

Page 1 of 1

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-870/2023-24
		Report Date	28/02/2024
		Inward No	02-183
		Inward Date	22/02/2024
Sample Testing Location	Laboratory		
Sample Detail	Borewell Water -Shri. Vishwanath Narhe	Analysis Start date	23/02/2024
Sample Collected By	Party	Analysis End date	27/02/2024
Sample Volume	2250 ml	Sample Condition	Fit For Analysis

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.19	≤1.00	IS3025(Part-10)
4.	Conductivity	µMH0s/cm	1458	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.61	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	948	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	127	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	250	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	580	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	128	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	62.4	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	207	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	53.5	≤45.0	APHA 23 rd Edition 20174500-B-NO ₃
14.	Iron as Fe	mg/lit	0.02	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-


- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
Mrs.Dhanashree Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

16

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

TEST REPORT				Page 1 of 1
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-871/2023-24	
		Report Date	28/02/2024	
		Inward No	02-184	
Sample Testing Location	Laboratory	Inward Date	22/02/2024	
Sample Detail	Borewell Water - Shri. Vitthal Dhobale	Analysis Start date	23/02/2024	
Sample Collected By	Party	Analysis End date	27/02/2024	
Sample Volume	2250 ml	Sample Condition	Fit For Analysis	

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.57	≤1.00	IS3025(Part-10)
4.	Conductivity	µMHOs/cm	858	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	7.69	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	558	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	78.3	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	302	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	260	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	56.0	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	28.0	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	44.2	≤200	APHA- 23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	21.5	≤45.0	APHA 23 rd Edition 20174500-B-NO ₃
14.	Iron as Fe	mg/lit	0.01	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
Mrs.Dhanashree Thorat)

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

210



AKANKSHA ANALYTICAL & RESEARCH LAB

16

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001:2015 Certified Organization
- ISO 45001:2018 Certified Organization

TEST REPORT

Page 1 of 1

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/70-872/2023-24
		Report Date	28/02/2024
		Inward No	02-185
Sample Testing Location	Laboratory	Inward Date	22/02/2024
Sample Detail	Well Water - Shri Balasaheb Dhobale	Analysis Start date	23/02/2024
Sample Collected By	Party	Analysis End date	27/02/2024
Sample Volume	2250 ml	Sample Condition	Fit For Analysis

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.48	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOs/cm	1353	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	8.07	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/lit	880	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/lit	88.1	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/lit	499	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/lit	390	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/lit	60.0	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/lit	57.6	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/lit	93.0	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/lit	31.7	≤45.0	APHA 23 rd Edition 2017-4500-B-NO ₃
14.	Iron as Fe	mg/lit	0.01	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-Londhe)

Reviewed by
Mrs.Dhanashree Thorat

Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

TEST REPORT

Page 1 of 1

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/80-218/2024-25
		Report Date	06/04/2024
		Inward No	03-275
		Inward Date	30/03/2024
Sample Testing Location	Laboratory	Analysis Start date	01/04/2024
Sample Detail	Well Water Shri Bharat Dhobale(South-East)	Analysis End date	05/04/2024
Sample Collected By	Party	Sample Condition	Fit For Analysis
Sample Volume	2250 ml		

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.19	≤1.00	IS3025(Part-10)2023
4.	Conductivity	μMHOS/cm	1413.85	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	8.41	6.5 to 8.5	IS 3025 (Part 11) RA 2022 Electrometric Method
6.	Total Dissolved Solids	mg/l	919	≤500	IS 3025 (Part 16) RA 2023 Gravimetric Method
7.	Chlorides as Cl	mg/l	121.42	≤250	IS3025(Part-32) RA 2019 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/l	447.3	≤200	IS3025(Part-23)RA 2023
9.	Total Hardness as CaCO ₃	mg/l	393	≤200	IS3025(Part-21) RA 2009 EDTA Titrimetric method
10.	Calcium as Ca	mg/l	48.0	≤75.0	IS3025(Part-40) RA 2019 EDTA Method
11.	Magnesium as Mg	mg/l	65.0	≤30.0	APHA 24 th Edition 2023 - 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/l	72.88	≤200	APHA-24 th Edition 2023 4500-E- SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/l	51.71	≤45.0	APHA 24 th Edition 2023 4500 B- NO ₃
14.	Iron as Fe	mg/l	BDL	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Quam
Prepared by

(Mrs.Vrushali kadam-Jondhe)

Sonali
Reviewed by

(Ms.Sonali Mohite)

...End of test report...



Vipul
Authorized Signatory
(Mr.Vipul Waghmare)

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses,
Bibviewadi, Pune 411037. | Phone : 020-24240030,08530074787 | Email : akankshalab2007@gmail.com



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

TEST REPORT

Page 1 of 1

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/80-219/2024-25
		Report Date	06/04/2024
		Inward No	03-276
		Inward Date	30/03/2024
Sample Testing Location	Laboratory	Analysis Start date	01/04/2024
Sample Detail	Borewell Water - Shri Mayur Dhobale(South -West)	Analysis End date	05/04/2024
Sample Collected By	Party	Sample Condition	Fit For Analysis
Sample Volume	2250 ml		

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.24	≤1.00	IS3025(Part-10)2023
4.	Conductivity	μMHOs/cm	1512.31	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	8.23	6.5 to 8.5	IS 3025 (Part 11) RA 2022 Electrometric Method
6.	Total Dissolved Solids	mg/l	983	≤500	IS 3025 (Part 16) RA 2023 Gravimetric Method
7.	Chlorides as Cl	mg/l	121.42	≤250	IS3025(Part-32) RA 2019 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/l	319.5	≤200	IS3025(Part-23)RA 2023
9.	Total Hardness as CaCO ₃	mg/l	555	≤200	IS3025(Part-21) RA 2009 EDTA Titrimetric method
10.	Calcium as Ca	mg/l	157	≤75.0	IS3025(Part-40) RA 2019 EDTA Method
11.	Magnesium as Mg	mg/l	38.0	≤30.0	APHA 24 th Edition 2023 - 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/l	156.38	≤200	APHA-24 th Edition 2023 4500-E- SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/l	47.42	≤45.0	APHA 24 th Edition 2023 4500 B - NO ₃
14.	Iron as Fe	mg/l	BDL	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-londhe)

Reviewed by
(Ms.Sonali Mohite)
...End of test report



Authorized Signatory
(Mr.Vipul Waghmare)

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses,
Bibvewadi, Pune 411037. | Phone : 020-24240030,08530074787 | Email : akankshalab2007@gmail.com



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

TEST REPORT

Page 1 of 1

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/80-220/2024-25
		Report Date	06/04/2024
		Inward No	03-277
		Inward Date	30/03/2024
Sample Testing Location	Laboratory	Analysis Start date	01/04/2024
Sample Detail	Borewell Water - Shri Pandurang Karande (North -East)	Analysis End date	05/04/2024
Sample Collected By	Party	Sample Condition	Fit For Analysis
Sample Volume	2250 ml		


Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.35	≤1.00	IS3025(Part-10)2023
4.	Conductivity	μMHOs/cm	767.69	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	8.47	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/l	499	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/l	48.57	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/l	159.7	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/l	121	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/l	24.0	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/l	14.0	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/l	9.33	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/l	1.44	≤45.0	APHA 23 rd Edition 20174500-B-NO ₃
14.	Iron as Fe	mg/l	0.01	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-londhe)

Reviewed by
(Ms.Sonali Mohite)
...End of test report...



Authorized Signatory
(Mr.Vipul Waghmare)



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001 : 2018 Certified Organization

TEST REPORT

NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	Page 1 of 1
		Report Date	AL/TR/80-221/2024-25
		Inward No	06/04/2024
		Inward Date	03-278
Sample Testing Location	Laboratory	Analysis Start date	30/03/2024
Sample Detail	Borewell Water - Shri Pransant asware (North -West)	Analysis End date	01/04/2024
Sample Collected By	Party	Sample Condition	05/04/2024
Sample Volume	2250 ml		Fit For Analysis

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	---	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.24	≤1.00	IS3025(Part-10)2023
4.	Conductivity	μMHOS/cm	789.23	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	8.50	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/l	513	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/l	48.57	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/l	159.7	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/l	131	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/l	20.0	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/l	19.0	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/l	9.65	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/l	1.43	≤45.0	APHA 23 rd Edition 20174500-B-NO ₃
14.	Iron as Fe	mg/l	BDL	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-londhe)

Reviewed by
(Ms.Sonali Mohite)



Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses, Bibvewadi, Pune 411037. | Phone : 020-24240030,08530074787 | Email : akankshalab2007@gmail.com



AKANKSHA ANALYTICAL & RESEARCH LAB

- Recognized by Central Pollution Control Board, M/o Environment, Forest & Climate Change, Govt. of India.
- ISO 9001: 2015 Certified Organization
- ISO 45001: 2018 Certified Organization

TEST REPORT			Page 1 of 1
NAME OF COMPANY & ADDRESS: M/s. Bhima Shankar Sahakari Sakhar Karkhana Ltd. Dattatraynagar, Pargaon Village-Awasari Bk.Tal.-Ambegaon, Dist. - Pune-412406.		Report No	AL/TR/80-222/2024-25
		Report Date	06/04/2024
		Inward No	03-279
		Inward Date	30/03/2024
Sample Testing Location	Laboratory		
Sample Detail	well Water – Shri Ramdas Chavan (South side)	Analysis Start date	01/04/2024
Sample Collected By	Party	Analysis End date	05/04/2024
Sample Volume	2250 ml	Sample Condition	Fit For Analysis

Sr. No.	Parameter	Unit	Result	Desirable limits as per IS:10500, 2012	Method Ref
A) PHYSICAL ANALYSIS					
1.	Colour	Hazen	BDL	≤5.00	IS3025(Part-4)
2.	Odour	--	Unobjectionable	Unobjectionable	IS3025(Part-5)
3.	Turbidity@ 25°C	NTU	0.11	≤1.00	IS3025(Part-10)
4.	Conductivity	μMHOs/cm	1416.92	N.S	IS 3025 (Part 14):2013
B) CHEMICAL ANALYSIS					
5.	pH @ 25°C	---	8.24	6.5 to 8.5	IS 3025 (Part 11) RA 2012 Electrometric Method
6.	Total Dissolved Solids	mg/l	921	≤500	IS 3025 (Part 16) RA 2012 Gravimetric Method
7.	Chlorides as Cl	mg/l	131.13	≤250	IS3025(Part-32) RA 2009 Argentometric Method
8.	Total Alkalinity as CaCO ₃	mg/l	308.8	≤200	IS3025(Part-23)RA 2009
9.	Total Hardness as CaCO ₃	mg/l	525	≤200	IS3025(Part-21) RA 2014 EDTA Titrimetric method
10.	Calcium as Ca	mg/l	96.0	≤75.0	IS3025(Part-40) RA 2009 EDTA Method
11.	Magnesium as Mg	mg/l	67.0	≤30.0	APHA 23 rd Edition 2017 3500- Mg B Calculation method
12.	Sulphate as SO ₄	mg/l	139.20	≤200	APHA-23 rd Edition 2017-E-SO ₄ ²⁻
13.	Nitrate as NO ₃	mg/l	48.31	≤45.0	APHA 23 rd Edition 20174500-B-NO ₃
14.	Iron as Fe	mg/l	0.01	≤0.3	IS3025(Part-53)
C) BACTERIOLOGICAL ANALYSIS					
15.	Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
16.	Fecal Coliform	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014
17.	E- Coli	MPN/100ml	Present	Absent	IS1622:1981 Reaff.2014

REMARK-

- ❖ The above analysis water sample is not within the prescribed limits.
- ❖ Sample will be preserve for seven days after analysis.
- ❖ Above analysis results are related to sample as tested.
- ❖ All the test conducted at permanent location not at out source
- ❖ The contents of this test report shall not be reproduced in part or without written approval of lab incharge.
- ❖ BDL-Below Detectable Limit.
- ❖ N.S. Not Specified
- ❖ Opinion and interpretation - Not applicable

Prepared by
(Mrs.Vrushali kadam-londhe)



Reviewed by
(Ms.Sonali Mohi)



Authorized Signatory
(Mr.Vipul Waghmare)

...End of test report...

Office and Laboratory : S. No. 613, Plot No. 5, Gangadham Phase-I, Opp. Ganga Landmark Row Houses, Bibvewadi, Pune 411037. | Phone : 020-24240030, 08530074787 | Email : akankshalab2007@gmail.com





वन परिक्षेत्र अधिकारी, मंचर(प्रा) यांचे कार्यालय
वनसावित्री उद्यान, अवसरी घाट तालुका आंबेगाव, जिल्हा पुणे

E- Mail rromanchar@gmail.com



विषय - झाडांमधील अंतर प्रमाणित करून
मिळणेबाबत..

जा./क्र./संकिर्ण/ १७६८/२०१९ - २०

मंचर ४१०५०३ दिनांक - ०२/१३/२०१९

संदर्भ - भीमाशंकर सहकारी साखर कारखाना लि. दिनांक- २९/११/२०१९.

वरील विषयी वनपाल धामणी व वनरक्षक लाखनगाव यांनी भीमाशंकर सहकारी साखर कारखाना परिसरात व सभोवताली १९.५३ हे.क्षेत्रात ६५०२ वृक्ष लागवड केलेल्या सोबत दर्शविलेल्या यादीतील फळझाडे इ.आंबा, नारळ, चिकू, जांभूळ, सीताफळ, आवळा, फणस इ.वृक्षांमधील सरासरी अंतर ९ ते १० मी असून इतर प्रजातीतील ३ ते ४ मी. आहे.

तसेच शोभेच्या झाडांतील अंतर २ ते ३ मी. आहे. लागवड केलेल्या वृक्षांतील अंतर योग्य आहे.



(योगेश एस. महाजन)

वनपरिक्षेत्र अधिकारी

मंचर.

जाक्र/ताकृअ/ विस्तार/3६१५/२०१९
तालुका कृषि अधिकारी, आंबेगाव
(घोडेगाव) दि. २/१२/२०१९

प्रति,


मा.कार्यकारी संचालक,
भिमशंकर सहकारी साखर कारखाना,
पारगाव त.अवसरी बु.

विषय -- झांडामधील अंतर प्रमाणित करून मिळणेबाबत.

संदर्भ -- भिमशंकर सहकारी साखर कारखाना पारगाव त.अवसरी बु यांचे कडील
पत्र जाक्र/शेतकरी/२३८९/१९ दिनांक २७/११/१९.

उपरोक्त संदर्भीय विषयान्वये कळविण्यात येते की, भिमशंकर सहकारी साखर कारखाना
परिसरातील कार्यक्षेत्रामध्ये जास्तीत जास्त झाडे लावून परिसर हरीत करणेसाठी सोबत जोडलेल्या
यादीप्रमाणे १९.५३ हे.आर क्षेत्रात ६५०२ वृक्ष लागवड केलेबाबतचे सहपत्र प्राप्त झाले आहे.

सदर सहपत्राचे अवलोकन केले असता सोबतच्या दोन झाडांमधील अंतर संयुक्तीक असलेचे
प्रमाणित करण्यात येत आहे.


तालुका कृषि अधिकारी
आंबेगाव (घोडेगाव) जि.पुणे

अ.क्र.	झाडाची नावे	वृक्ष लागवड (संख्या)				प्रति वृक्ष आवश्यक अंतर (मी. X मी.)	प्रति वृक्ष (स्क्वेअर मी.)	वृक्ष लागवड क्षेत्र (हे.आर)
		२०१७-१८ (पूर्वीची)	२०१८-१९	२०१९-२०	आज अखेर एकूण			
४९	गणई	८	०	०	८	३ X ३	९	०.०१
५०	बेल	३	०	०	३	६ X ६	३६	०.०१
५१	शेवरी	१२	०	०	१२	४ X ४	१६	०.०२
५२	देवदार	२७	०	०	२७	८ X ८	६४	०.१७
५३	हिमालया	२	०	०	२			
५४	बकवान	४	०	०	४			
५५	वेडुफळी	१	०	०	१			
५६	येहळ	२	०	०	२			
५७	पिचकारी	३६	०	०	३६	२ X २	४	०.०१
५८	सायर	५	०	०	५			
५९	करवंद	२	०	०	२			
६०	हिरडा	०	०	२५	२५	५ X ५	२५	०.०६
	एकूण	२१६३	५७०	११९५	३९२८			१९.१४
	बुशेस							
६१	जास्वंद	२८	०	०	२८	२ X २	४	०.०१
६२	तगर पांढरा	७१	०	०	७१	२ X २	४	०.०३
६३	बोगन वेल	४०२	०	०	४०२	२ X २	४	०.१६
६४	मोरपंखी	१३	०	०	१३	२ X २	४	०.०१
६५	रातराणी	३	०	०	३			
६६	प्राजता	२	०	०	२			
६७	खिसमस	२	०	०	२			
	एकूण	५२१	०	०	५२१			०.२१
	फुलझाडे/ शोभेची झाडे							
६८	गुलाब	८८	०	०	८८	२ X १.५	३	०.०३
६९	लिली	४३	०	०	४३	२ X १.५	३	०.०१
७०	क्रोटॉन	५०	०	०	५०	२ X १.५	३	०.०२
७१	गोल्डन डोरांटा	५३८	०	०	५३८	१.५ X १.५	०	०.००
७२	लॅन्टीना व्हेरीगेटेड	८५	०	०	८५	१.५ X १.५	२.२५	०.०२
७३	क्रिपरवडेलिया	१००	०	०	१००			
७४	हिमेलिया	६३	०	०	६३	१.५ X १.५	२.२५	०.०१
७५	मोगरा	१२	०	०	१२	१ X १	१	०.००
७६	आबोली	३	०	०	३			
७७	कॅलेंडरा	२१२	०	०	२१२	१ X १	१	०.०२
७८	अँकलीफा	२३०	०	०	२३०	१ X १	१	०.०२
७९	डबल तगर	५८	०	०	५८	१ X १	१	०.०१
८०	अँलमॅंडा	४१	०	०	४१	१ X १	१	०.००
८१	साबर कांडी	३०	०	०	३०	१ X १	१	०.००
८२	रेबीन ग्रास	७५	०	०	७५	१ X १	१	०.०१
८३	मंकी ग्रास	२५	०	०	२५			
८४	केना	५०	०	०	५०			
८५	एक्यालिफा	३५०	०	०	३५०	१ X १	१	०.०४
	एकूण	२०५३	०	०	२०५३			०.१९
	एकूण एकंदर	४७३७	५७०	११९५	६५०२			१९.५३

मुख्य विकास अधिकारी

मुख्य शेतकी अधिकारी

कार्यकारी संचालक



प्रालुका कृषि अधिकारी
आंबेगाव (घोडेगाव), जि.पुणे


भीमाशंकर सहकारी साखर कारखाना लि., दत्तात्रयनगर



पारगाव तर्फे अवसरी बु.॥, ता.आंबेगाव, जि.पुणे.

झाडांची नावे व अंतर तपशिल

अ.क्र.	झाडांची नावे	वृक्ष लागवड (संख्या)				प्रति वृक्ष आवश्यक अंतर (मी. X मी.)	प्रति वृक्ष (स्क्वेअर मी.)	वृक्ष लागवड क्षेत्र (हे.आर.)
		२०१७-१८ (पुर्वीची)	२०१८-१९	२०१९-२०	आज अखेर एकूण			
१	नारळ ६ मी	१७०	०	०	१७०	५ X ५	२५	०.४३
२	आंबा	१९	१०५	५५	१७९	१० X १०	१००	१.७९
३	चिक्कु	५८	०	०	५८	९ X ९	८१	०.४७
४	आवळा	३	५	०	८	६ X ६	३६	०.०३
५	फणस	७	०	०	७	८ X ८	६४	०.०४
६	कागदी लिंबू	२२	०	०	२२	५ X ५	२५	०.०६
७	सिताफल	१३९	०	०	१३९	४ X ४	१६	०.२२
८	पेरू	२९	०	०	२९	६ X ६	३६	०.१०
९	जामुळ	२८	०	२५	५३	६ X ६	३६	०.१९
१०	चिंच	७	४०	६५०	६९७	८ X ८	६४	४.४६
११	झाडींब	५	०	०	५	४ X ४	१६	०.०१
१२	कोठ	६	०	०	६	६ X ६	३६	०.०२
१३	बोर	११	०	०	११	४ X ४	१६	०.०२
१४	गुलमोहर ८ मी	२३	५०	०	७३	८ X ८	६४	०.४७
१५	रेनट्री १० मी	१६	११०	०	१२६	८ X ८	६४	०.८१
१६	बॉटल पाम	२४१	२२	५०	३१३	५ X ५	२५	०.७८
१७	फिलोशिया पाम	१४	३	०	१७	५ X ५	२५	०.०४
१८	सप्तपर्णी	५२	४८	०	१००	८ X ८	६४	०.६४
१९	पित्त मोहर	१७	५६	०	७३	८ X ८	६४	०.४७
२०	वड	१२०	६	०	१२६	१० X १०	१००	१.२६
२१	अर्जुन	२९	२०	०	४९	८ X ८	६४	०.३१
२२	सिल्वर ओक	६	०	०	६	५ X ५	२५	०.०२
२३	काशिद	३५	३५	१०५	१७५	८ X ८	६४	१.१२
२४	सिसम	१२५	२०	०	१४५	८ X ८	६४	०.९३
२५	पिंपळ	१७	०	०	१७	८ X ८	६४	०.११
२६	फायकस	०	५०	०	५०	४ X ४	१६	०.०८
२७	बांबू	१२	०	०	१२	४ X ४	१६	०.०२
२८	करंज	३३	०	९०	१२३	८ X ८	६४	०.७९
२९	बॉटल ब्रश	१३	०	०	१९	४ X ४	१६	०.०३
३०	कडुलिंब	२००	०	९५	२९५	६ X ६	३६	१.०६
३१	बदाम	३०	०	०	३०	६ X ६	३६	०.११
३२	सुरु	३१	०	०	३१	६ X ६	३६	०.११
३३	अशोक	१३	०	०	१९	४ X ४	१६	०.१६
३४	स्पॅथोडिया	२१	०	०	६	८ X ८	६४	०.०४
३५	कांचन (आपटा)	३३	०	१००	१३९	८ X ८	६४	०.८१
३६	सोनचाफा	११	०	०	५	४ X ४	१६	०.०१
३७	पांडरा चाफा	२१	०	०	२१	४ X ४	१६	०.०३
३८	जंवर	११	०	०	११	८ X ८	६४	०.०७
३९	निलगिरी	३३	०	०	३४	३ X ३	९	०.०३
४०	रामफल	१४	०	०	१४	५ X ५	२५	०.०४
४१	सुबागळ	२१३	०	०	२१३	४ X ४	१६	०.३४
४२	शेवगा	१४	०	०	१४	३ X ३	९	०.०१
४३	अंजीर	२	०	०	२			
४४	पांगारा	३	०	०	३			
४५	चंदनी	७	०	०	७	४ X ४	१६	०.०१
४६	भेंडी	४	०	०	४	३ X ३	९	०.००
४७	वामुळ	६४	०	०	६४	६ X ६	३६	०.२३
४८	भोकर	१	०	०	१			









15/11

08

प्रभात पुणे, सोमवार, दि. 3 डिसेंबर २०१८

भीमाशंकर सहकारी साखर कारखाना लि.

साखर कारखाना, पुराणानंद, अहमदनगर जिल्हा, पुणे-४२२१०६
फोन नं. (०२०) २२८२२२२२, २२८२२२२३, २२८२२२२४

जाहीर सूचना

या जाहीर सूचनात कळविण्यात येते की, मी. राज्य आयात प्रतिबंध
मंडळाच्या शासन सूचक गीटविक्रय मध्ये भीमाशंकर सहकारी साखर कारखान्याची
दस्तावेजांची शहमाव करीत येवसाठी या जाहीरात कि. ग्रुप यात नियोजित
२५०० मे. टन वरून २००० मे. टन गारुड भरात तादलाच्यास पर्यावणीय मजुरी
मिलवली आहे. मंडळ सूचनाचे पत्र सावातणीच्यास मंडळाच्या शासनाच्या <http://ec.maharashtra.gov.in> संकेतस्थळा उपलब्ध आहे.

मंडळ जाहीर सूचना ही पर्यावणीय मजुरीतील सामान्य शर्तीची भूतता
करण्यासाठी देण्यात येत आहे.

कायकारी संचालक

Sakal Times

The State Environment Impact Assessment Agency, Government of Maharashtra, Mumbai has sanctioned Environmental Clearance for MSE Bhilushankar Sahakar Sakhar Karkhana Ltd. At Patangaynaoli, Patgaon, Jalgaon District, Ambedkar Dist. Pune for proposed expansion of Sugar plant from 750 to 6000 TPD. The Environmental clearance is granted under the provision of EIA Notification 2006. The copy of Environmental clearance is available on Maharashtra Pollution Control Board website <http://ec.maharashtra.gov.in>. This advertisement is published according to the general conditions specified in the Environmental clearance.

Managing Director



≡ MENU



पर्यावरण विषयक

Marathi

English
Marathi

आमच्या विषयी

विभाग

यश

उत्पादने

सामाजिक उपक्रम

गॅलरी

करीयर

अहवाल

निविदा

शेतकरी पोर्टल

उत्सव विकास उपक्रम

स्वतंत्र ऊस विकास विंग

VSI आणि CSRC Padegaon पासून सुधारित ऊस बियाणे वाण पुरवठा देखील शेतक-यांना वाजवी दर शेतीसाठी लागणारे साहित्य म्हणजे रासायनिक खते, कीटकनाशके कीटकनाशक पुरवठा.

तसेच माती आणि पाणी परीक्षण प्रयोगशाळा सुसज्ज.

19 to 29 MW Co-Gen EC Com.01.06.2023to31.12. 2023

45 to 95 KLPD Dist.EC Com.01.06.2023 to 31.12.2023

2500 to 6000 TCDS ugar EC Com.01.06.2023 to 31.12.2023

45 to 95 KLPD Disti. EC Compl.1 Jan.2023 to 30 Jun.2023

2500 to 6000 TCD Sugar EC Compl.1 Jan.2023 to 30 Jun.2023

19 to 29 MW Co-Gen, EC Compl.1 Jan.2023 to 30 Jun.2023

Akanksha Lab Monitoring Report Season 2022-23

Environment Statement Year 2022-23

On Line Monitoring System Season 2022-23

45to95 KLPD Disti.EC Com.Dt.01.07.2022 to31.12.2022

19to29 MW Co-gen.EC Com.Dt.01.07.2022 to31.12.2022

2500 TCD to 6000 TCD EC Com Dt.01.07.2022 to 31.12.2022

45-95 KLPD Distillery EC Letter

Akanksha Lab Report Season 2021-22

Environment Statement 01 Apr 2021 to 31 Mar 2022

2500 to 6000 TCD Sugar EC Compliance 01 Jan 2022 to 30 Jun 2022

45KLPD Distillery EC Compliance 01 Jan 2022 to 30 Jun 2022

19 MW Co-Gen EC Compliance 01 Jan 2022 to 30 Jun 2022

EC 19 TO 29MW Cogen

6000 TCD EC Compliance (1st July 2021 to 31 Dec 2021)

45 KLPD Distillery EC Compliance (1st July 2021 to 31 Dec 2021)

19 MW Co-Gen EC Compliance (1st July 2021 to 31 Dec 2021)

2500 to 6000 MT Sugar EC Comp(01.01.2021 to 30.06.2021)

45 KLPD Dist EC Comp(01.01.2021 to 30.06.2021)

19 MW Co-gen EC Comp (01.01.2021 to 30.06.2021)

Akanksha Lab & On line Monitoring Report Season 2020-21

Environment Statement 2020-21

Environment Statement 2019-20

19 MW Co-Gen EC Compliance Report (1st Jun 2020 to 31st Dec 2020)

45 KLPD Distillery EC Compliance (1st Jun 2020 to 31st Dec 2020)

Sugar 2500TCD To 6000TCD EC Compliance (1st Jun 2020 to 31st Dec 2020)

Akanksha Lab Report (Water,Air,Stack-Season 2019-20)

45 KLPD Distillery Environmental Clearance

Six Monthly Compliance Report 6000 TCD Sugar Unit (1 st January 2020 to 30 June 2020)

Six Monthly Compliance Report 19 MW Co-gen,(1st January 2020 to 30 June 2020)

On Line Monitoring report 2019-20

Environment Statement (1st April 2019 to 31st March 2020)

Part B (19 Mw EC Compliance -01 July 2019 to 31st Dec 2019)

Part A (19 Mw EC compliance -01 July 2019 to 31st Dec 2019)

6000 M.T. E.C. Compliance (1st July to 31 st Dec.2019) Part B

6000 M.T. E.C. Compliance (1st July To 31st December 2019) Part A

19 MW Co-Gen E.C. MoEF Visit Compliance Report

MoEF Approved (Akanksha Lab) Analysis Report Season 2018-19

6000 M.T.Environmental Clearance

On -Line monitoring Report Season 2018-19

6000 MT EC Complianace Jan.to Jun.2019

19 MW Co-gen. EC Compliance Jan. to July 2019

19 MW Co-generation Environment Clearance

19 MW Co-generation Non complianace Report 2018-19

Environmental Statement (Form-V) 2018-19

जलद दुगे

शेतरी 12मा

> गृहपत्र

> Select healthy sugar cane plants.

> कण्ठरी इमिहण

> Split the sugar cane stems into foot-long pieces

> ऊपारदो

> Dig furrows in a sunny planting spot.

> नदी

> Mark on the furrows.

> नदी

> Fertilize the sugar cane with nitrogen.

> संयर्ग

> Weed the planting bed often



Bhimashankar Sahakari Sakhar Karkhana

पं. नमो नमर, ता.अमिनाव.
शिरापुरी, PIN-412405

☎ (0213) 9766741

✉ bssk11d@gmail.com

f w 8 s in

Copyright © 2017 Bhimashankar Sahakari Sakhar Karkhana . All Rights Reserved.



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2024

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000065827

Submitted Date

10-06-2024

PART A

Company Information

Company Name

Bhimashankar Sahakari Sakhar Karkhana Ltd.

Application UAN number

00000170265

Address

Dattatraynagar, Pargaon Tarfe Awasari Bk.

Plot no

-

Taluka

Ambegaon

Village

Pargaon Tarfe Awasari Bk.

Capital Investment (In lakhs)

31832.06

Scale

Red

City

Pargaon Tarfe Awasari Bk.

Pincode

412406

Person Name

Mr. Chandrakant G. Dhage

Designation

Managing Director

Telephone Number

9975568130

Fax Number

0213328270

Email

bsskltd@gmail.com

Region

SRO-Pune II

Industry Category

Red

Industry Type

R12 Sugar (excluding Khandsari)

Last Environmental statement submitted online

yes

Consent Number

Format1.0/CAC/UAN No.MPCB-
CONSENT-0000170265/CR/2309000334

Consent Issue Date

2023-09-05

Consent Valid Upto

2026-07-31

Establishment Year

2000

Date of last environment statement submitted

Apr 9 2023 12:00:00:000AM

Industry Category Primary (STC Code) & Secondary (STC Code)

Product Information

Product Name

Sugar

Consent Quantity

21600

Actual Quantity

24641

UOM

By-product Information

By Product Name

Bagasse

Consent Quantity

46800

Actual Quantity

57013

UOM

Molasses

7200

9212

Pressmud	7200	8432	
Co-Generation	19	19	Mwh

Part-B (Water & Raw Material Consumption)

1) Water Consumption in m3/day

Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day
	1694.00	1264.00
Cooling	48.00	16.00
Domestic	96.00	62.00
All others	0.00	0.00
Total	1838.00	1342.00

2) Effluent Generation in CMD / MLD

Particulars	Consent Quantity	Actual Quantity	UOM
Trade Effluent	817	570	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
Sugar	0	0.008	CMD

3) Raw Material Consumption (Consumption of raw material per unit of product)

Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
Sugarcane	1076959.00	1050115.00	MT/A

4) Fuel Consumption

Fuel Name	Consent quantity	Actual Quantity	UOM
Bagasse	46800	57013	

Part-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

[A] Water

Pollutants Detail	Quantity of Pollutants discharged (kL/day) Quantity	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour Concentration	Percentage of variation from prescribed standards with reasons %variation	Standard	Reason
pH	7.4	7.0	00	5.5 to 9.0	Nil

[B] Air (Stack)

Pollutants Detail	Quantity of Pollutants discharged (kL/day) Quantity	Concentration of Pollutants discharged(Mg/NM3) Concentration	Percentage of variation from prescribed standards with reasons %variation	Standard	Reason
SPM	117	105	00	105	Nil

Part-D

HAZARDOUS WASTES

236

1) From Process

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used or spent oil	0.300	0.05	KL/A

2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	00	00	MT/A

Part-E

SOLID WASTES

1) From Process

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Boiler Ash	3460	4015	MT/A
ETP Sludge	4	6	MT/A

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
-	00	00	MT/A

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	00	00	MT/A

Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes:

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
5.1 Used or spent oil	0.05	KL/A	-

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
Boiler Ash	4015	MT/A	-
ETP Sludge	6	MT/A	-

Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
Trade Effluent	6.25	515	16	1390	2.90	0.50

Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.

[A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection

1) Online Monitoring system for Effluent & Stack 2) Annual Maintenance of Effluent treatment plant

Environmental Protection Measures

Control Air & Water Pollution

Capital Investment (Lacks)

3.15

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection

1) Plantation Programme 2) Annual Maintenance Contract for On Line Monitoring System

Environmental Protection Measures

Tree plantation & Control Air & Water Pollution

Capital Investment (Lacks)

0.50

Part-I

Any other particulars for improving the quality of the environment.

Particulars

Adopt New technology for Air & Water Pollution

Name & Designation

Mr. Chandrakant G. Dhage

UAN No:

MPCB-ENVIRONMENT_STATEMENT-0000065827

Submitted On:

10-06-2024