

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-04-2024 00:00
 To Date 30-04-2024 23:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer STACK1
 Parameter PM
 Unit mg/Nm3
 Limit 0.00 - 150.00

01-04-2024 00:00	66 < M
02-04-2024 00:00	66 < M
03-04-2024 00:00	66 < M
04-04-2024 00:00	66 < M
05-04-2024 00:00	66 < M
06-04-2024 00:00	66 < M
10-04-2024 00:00	66 < M
11-04-2024 00:00	66 < M
13-04-2024 00:00	66 < M
14-04-2024 00:00	66 < M
15-04-2024 00:00	66 < M
Average	66
Geom.Mean	66
Maximum	66
Median	66
Minimum	66
Mode	66
Std.Deviation	0
Total Active Duration	

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-03-2024 00:00
 To Date 31-03-2024 23:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer STACK1
 Parameter PM
 Unit mg/Nm3
 Limit 0.00 - 150.00

15-03-2024 00:00	23 < M
16-03-2024 00:00	21.63 <
17-03-2024 00:00	22.02 <
18-03-2024 00:00	22 <
19-03-2024 00:00	19.73 <
20-03-2024 00:00	22.86 <
21-03-2024 00:00	22.75 <
22-03-2024 00:00	22.34 <
26-03-2024 00:00	66 < M
27-03-2024 00:00	66 < M
28-03-2024 00:00	66 < M
29-03-2024 00:00	66 < M
30-03-2024 00:00	66 < M
31-03-2024 00:00	66 < M

Average	40.9
Geom.Mean	35.2
Maximum	66
Median	22.9
Minimum	19.7
Mode	66
Std.Deviation	22.6
Total Active Duration	

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-11-2023 00:00

To Date 30-11-2023 23:59

Interval Daily

Function Average

Plant BSSK

Analyzer STACK2

Parameter PM

Unit mg/Nm3

Limit 0.00 - 150.00

08-11-2023 00:00 66 < M

09-11-2023 00:00 66 < M

10-11-2023 00:00 66 < M

11-11-2023 00:00 66 < M

12-11-2023 00:00 66 < M

13-11-2023 00:00 66 < M

14-11-2023 00:00 66 < M

15-11-2023 00:00 66 M

16-11-2023 00:00 66 < M

17-11-2023 00:00 66 < M

18-11-2023 00:00 66 < M

19-11-2023 00:00 66 < M

20-11-2023 00:00 66 < M

21-11-2023 00:00 66 < M

22-11-2023 00:00 66 < M

23-11-2023 00:00 66 < M

24-11-2023 00:00 66 < M

25-11-2023 00:00 66 < M

26-11-2023 00:00 66 < M

27-11-2023 00:00 66 < M

28-11-2023 00:00 66 < M

29-11-2023 00:00 66 < M

Average 66

Geom.Mean 66

Maximum 66

Median 66

Minimum 66

Mode 66

Std.Deviation 0

Total Active Duration

EnviroConnect

Forbes Marshall

Multi Station Report

From Date 01-12-2023 00:00

To Date 31-12-2023 23:59

Interval Daily

Function Average

Plant BSSK

Analyzer STACK2

Parameter PM

Unit mg/Nm3

Limit 0.00 - 150.00

01-12-2023 00:00	66 < M
02-12-2023 00:00	66 < M
03-12-2023 00:00	66 < M
04-12-2023 00:00	66 < M
05-12-2023 00:00	66 < M
06-12-2023 00:00	66 < M
07-12-2023 00:00	66 < M
08-12-2023 00:00	66 < M
09-12-2023 00:00	66 < M
10-12-2023 00:00	66 < M
11-12-2023 00:00	66 < M
12-12-2023 00:00	66 < M
13-12-2023 00:00	66 < M
14-12-2023 00:00	66 M
15-12-2023 00:00	66 < M
16-12-2023 00:00	66 < M
17-12-2023 00:00	66 < M
18-12-2023 00:00	66 < M
19-12-2023 00:00	66 < M
20-12-2023 00:00	66 < M
21-12-2023 00:00	66 < M
22-12-2023 00:00	66 < M
23-12-2023 00:00	66 < M
24-12-2023 00:00	66 < M
27-12-2023 00:00	66 < M
28-12-2023 00:00	66 < M
29-12-2023 00:00	66 < M
30-12-2023 00:00	66 < M
31-12-2023 00:00	66 < M

Average 66

Geom.Mean 66

Maximum 66

Median 66

Minimum 66

Mode 66

Std.Deviation 0

Total Active Duration

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-01-2024 00:00
 To Date 31-01-2024 23:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer STACK2
 Parameter PM
 Unit mg/Nm3
 Limit 0.00 - 150.00

01-01-2024 00:00	66 < M
02-01-2024 00:00	66 < M
03-01-2024 00:00	66 < M
04-01-2024 00:00	66 < M
05-01-2024 00:00	66 < M
06-01-2024 00:00	66 < M
07-01-2024 00:00	66 < M
08-01-2024 00:00	66 < M
09-01-2024 00:00	66 < M
10-01-2024 00:00	66 < M
11-01-2024 00:00	66 < M
12-01-2024 00:00	66 < M
13-01-2024 00:00	66 < M
14-01-2024 00:00	66 < M
15-01-2024 00:00	66 < M
16-01-2024 00:00	66 < M
17-01-2024 00:00	65.89 < M
18-01-2024 00:00	66 < M
19-01-2024 00:00	66 < M
20-01-2024 00:00	66 < M
21-01-2024 00:00	66 < M
22-01-2024 00:00	66 < M
23-01-2024 00:00	66 < M
24-01-2024 00:00	66 < M
25-01-2024 00:00	66 < M
26-01-2024 00:00	66 < M
27-01-2024 00:00	66 < M
28-01-2024 00:00	66 < M
29-01-2024 00:00	66 < M
30-01-2024 00:00	66 < M
31-01-2024 00:00	66 < M

Average	66
Geom.Mean	66
Maximum	66
Median	66
Minimum	65.9
Mode	66
Std.Deviation	0

EnviroConnect

Forbes Marshall

Multi Station Report

From Date 01-02-2024 00:00

To Date 29-02-2024 23:59

Interval Daily

Function Average

Plant BSSK

Analyzer STACK2

Parameter PM

Unit mg/Nm3

Limit 0.00 - 150.00

01-02-2024 00:00 66 < M

02-02-2024 00:00 66 < M

03-02-2024 00:00 66 < M

04-02-2024 00:00 66 < M

05-02-2024 00:00 66 < M

06-02-2024 00:00 66 < M

07-02-2024 00:00 66 < M

08-02-2024 00:00 66 < M

09-02-2024 00:00 66 < M

10-02-2024 00:00 66 M

11-02-2024 00:00 66 < M

12-02-2024 00:00 66 M

13-02-2024 00:00 66 < M

14-02-2024 00:00 66 < M

15-02-2024 00:00 66 < M

16-02-2024 00:00 66 < M

17-02-2024 00:00 66 < M

18-02-2024 00:00 66 < M

19-02-2024 00:00 66 < M

20-02-2024 00:00 66 < M

21-02-2024 00:00 66 < M

22-02-2024 00:00 66 < M

23-02-2024 00:00 66 < M

24-02-2024 00:00 66 < M

25-02-2024 00:00 66 < M

26-02-2024 00:00 66 < M

27-02-2024 00:00 66 < M

28-02-2024 00:00 66 < M

29-02-2024 00:00 66 < M

Average 66

Geom.Mean 66

Maximum 66

Median 66

Minimum 66

Mode 66

Std.Deviation 0

Total Active Duration

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-03-2024 00:00
 To Date 31-03-2024 23:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer STACK2
 Parameter PM
 Unit mg/Nm3
 Limit 0.00 - 150.00

01-03-2024 00:00	66 < M
02-03-2024 00:00	66 < M
03-03-2024 00:00	66 < M
04-03-2024 00:00	66 < M
05-03-2024 00:00	66 < M
06-03-2024 00:00	66 < M
07-03-2024 00:00	66 < M
08-03-2024 00:00	66 < M
09-03-2024 00:00	66 < M
10-03-2024 00:00	66 M
11-03-2024 00:00	66 M
12-03-2024 00:00	66 < M
13-03-2024 00:00	66 < M
14-03-2024 00:00	66 < M
15-03-2024 00:00	67.44 < M
16-03-2024 00:00	66 < M
17-03-2024 00:00	66 < M
18-03-2024 00:00	66 < M
19-03-2024 00:00	66 < M
20-03-2024 00:00	66 < M
21-03-2024 00:00	66 < M
22-03-2024 00:00	66 < M
26-03-2024 00:00	66 < M
27-03-2024 00:00	66 < M
28-03-2024 00:00	66 < M
29-03-2024 00:00	66 < M
30-03-2024 00:00	66 < M
31-03-2024 00:00	66 < M

Average	66.1
Geom.Mean	66.1
Maximum	67.4
Median	66
Minimum	66
Mode	66
Std.Deviation	0.3
Total Active Duration	

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-04-2024 00:00
 To Date 30-04-2024 23:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer STACK2
 Parameter PM
 Unit mg/Nm3
 Limit 0.00 - 150.00

01-04-2024 00:00	66 < M
02-04-2024 00:00	66 < M
03-04-2024 00:00	66 < M
04-04-2024 00:00	66 < M
05-04-2024 00:00	66 < M
06-04-2024 00:00	66 < M
10-04-2024 00:00	66 < M
11-04-2024 00:00	66 < M
13-04-2024 00:00	66 < M
14-04-2024 00:00	66 < M
15-04-2024 00:00	66 < M
Average	66
Geom.Mean	66
Maximum	66
Median	66
Minimum	66
Mode	66
Std.Deviation	0
Total Active Duration	

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-11-2023 00:00
 To Date 30-11-2023 23:59
 Interval Daily
 Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP1	ETP1	ETP1	ETP1
Parameter	BOD	COD	pH	TSS
Unit	mg/l	mg/l	pH	mg/l
Limit	0.00 - 100.00	0.00 - 250.00	5.50 - 9.00	0.00 - 100.00
08-11-2023 00:00	23.01 <	46.02 <	6.7 <	0 <
09-11-2023 00:00	21.27 <	42.54 <	7.73 <	0 <
10-11-2023 00:00	19.61 <	39.22 <	8.74 <	0 <
11-11-2023 00:00	19.59 <	39.18 <	8.58 <	0 <
12-11-2023 00:00	22.21 <	44.41 <	8.36 <	0 <
13-11-2023 00:00	26.48	52.94	8.19	0.41
14-11-2023 00:00	39.54	79.1	8.24	5.34
15-11-2023 00:00	42.68	85.37	8.24	1.41
16-11-2023 00:00	46.55	93.12	7.98	5.84
17-11-2023 00:00	45.76 <	91.54 <	6.85 <	19.64 <
18-11-2023 00:00	24.74	49.47	7.98	36.45 H
19-11-2023 00:00	13.25	26.5	7.47	0
20-11-2023 00:00	12.54	25.09	7.25	0
21-11-2023 00:00	7.97 <	15.95 <	7.26 <	0 <
22-11-2023 00:00	7.53 <	15.06 <	7.25 <	0 <
23-11-2023 00:00	14.72 <	29.45 <	7.25 <	0 <
24-11-2023 00:00	12.66 <	25.32 <	7.27 <	0 <
25-11-2023 00:00	11.76 <	23.52 <	7.23 <	0 <
26-11-2023 00:00	10.43 <	20.87 <	7.23 <	0 <
27-11-2023 00:00	12.05 <	24.11 <	7.14 <	0 <
28-11-2023 00:00	9.74 <	19.49 <	7.13 <	0 <
29-11-2023 00:00	8.95 <	17.9 <	7.13 <	0 <
30-11-2023 00:00	8.49	16.99	7.19	0.05
Average	20.1	40.1	7.6	3
Geom.Mean	17	34	7.6	2.5
Maximum	46.6	93.1	8.7	36.4
Median	14.7	29.4	7.3	0
Minimum	7.5	15.1	6.7	0
Mode	46.6	24.1	8.4	0
Std.Deviation	12.5	24.9	0.6	8.5
Total Active Duration				

3

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-12-2023 00:00
 To Date 31-12-2023 23:59
 Interval Daily
 Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP1	ETP1	ETP1	ETP1
Parameter	BOD	COD	pH	TSS
Unit	mg/l	mg/l	pH	mg/l
Limit	0.00 - 100.00	0.00 - 250.00	5.50 - 9.00	0.00 - 100.00
01-12-2023 00:00	8.78	17.57	7.21	0
02-12-2023 00:00	9.63 <	19.27 <	7.28 <	0
03-12-2023 00:00	13.46 <	26.93 <	7.32 <	0.02
04-12-2023 00:00	24.04 <	48.09 <	7.34 <	0.01
05-12-2023 00:00	23.6 <	47.2 <	7.34 <	0
06-12-2023 00:00	24.45 <	48.91 <	7.32 <	0.02
07-12-2023 00:00	23.78	47.57	7.29	0
08-12-2023 00:00	19.39 <	38.79 <	7.28 <	0
09-12-2023 00:00	15.31 <	30.63 <	7.37 <	0.02
10-12-2023 00:00	13.61 <	27.23 <	7.42 <	0
11-12-2023 00:00	13.82 <	27.65 <	7.39 <	0
12-12-2023 00:00	13.12 <	26.24 <	7.22 <	0.23
13-12-2023 00:00	12.6	25.21	7.18	0
14-12-2023 00:00	12.21	24.42	7.22	0
15-12-2023 00:00	21.83	43.67	7.25	0.08
16-12-2023 00:00	42.31	84.63	7.26	0.06
17-12-2023 00:00	62.59 <	125.14 <	7.31 <	4.62
18-12-2023 00:00	53.71 < H	107.32 <	7.25 <	9.82
19-12-2023 00:00	38.49 <	76.98 <	7.79 <	1.48
20-12-2023 00:00	38.18	76.38	7.25	0.07
21-12-2023 00:00	97.45 < H	195.4 < H	6.36 <	11.8
22-12-2023 00:00	56.74	113.49	6.21	0.78
23-12-2023 00:00	52.69 <	105.3 <	6.29 <	3.59
24-12-2023 00:00	52.18 <	104.36 <	6.28 <	0
27-12-2023 00:00	55.05 <	110.12 <	6.27 <	0
28-12-2023 00:00	62.99 <	125.81 <	6.37 <	2.75
29-12-2023 00:00	64.28 <	128.59 <	6.55 <	2.27
30-12-2023 00:00	70.78 <	141.58 <	6.74 <	1.34
31-12-2023 00:00	88.53 <	177.09 <	6.77 <	6.97
Average	37.4	74.9	7	1.6
Geom.Mean	29.5	59	7	0.5
Maximum	97.4	195.4	7.8	11.8
Median	24.4	48.9	7.3	0
Minimum	8.8	17.6	6.2	0
Mode	53.7	25.2	7.3	0
Std.Deviation	25.1	50.3	0.4	3.1
Total Active Duration				

EnviroConnect

Forbes Marshall

Multi Station Report

From Date 01-01-2024 00:00

To Date 31-01-2024 23:59

Interval Daily

Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP1	ETP1	ETP1	ETP1
Parameter	BOD	COD	pH	TSS
Unit	mg/l	mg/l	pH	mg/l
Limit	0.00 - 100.00	0.00 - 250.00	5.50 - 9.00	0.00 - 100.00
01-01-2024 00:00	103.43 < H	206.67 <	6.51 < L	39.7
02-01-2024 00:00	54.46 < H	108.96 <	7.6 < LH	39.2
03-01-2024 00:00	18.51 <	37.02 <	9.26 < H	0
04-01-2024 00:00	18.45 <	36.9 <	8.38 <	0
05-01-2024 00:00	18.48 <	36.96 <	8.1 <	0.49
06-01-2024 00:00	20.79 <	41.58 <	7.84 <	0
07-01-2024 00:00	23.61 <	47.22 <	7.41 <	9.22
08-01-2024 00:00	22.85 <	45.71 <	7.52 <	0
09-01-2024 00:00	22.53 <	45.07 <	7.43 <	0.07
10-01-2024 00:00	22.33	44.66	7.4	7.4
11-01-2024 00:00	22.65	45.27	7.47	1.08
12-01-2024 00:00	22.99 <	45.98 <	7.59 <	0.13
13-01-2024 00:00	22.54 <	45.04 <	7.85 <	2.11
14-01-2024 00:00	22.59 <	45.18 <	8.09 <	3.56
15-01-2024 00:00	29.08 <	58.1 <	8.23 <	5.54
16-01-2024 00:00	46.39 <	92.77 <	8.36 <	3.56
17-01-2024 00:00	28.7 <	57.38 <	8.39 <	15.03
18-01-2024 00:00	18.58	37.16	8.39	0.03
19-01-2024 00:00	35.14	70.28	8.37	1.35
20-01-2024 00:00	43.37	86.61	8.32	4.95
21-01-2024 00:00	41.59	83.13	8.43	4.45
22-01-2024 00:00	40.45	80.89	8.62	4.99
23-01-2024 00:00	20.75 <	41.51 <	8.68 <	13.86
24-01-2024 00:00	20.83 <	41.67 <	8.76 <	4.62
25-01-2024 00:00	20.41 <	40.82 <	8.81 <	10.01
26-01-2024 00:00	20.41 <	40.83 <	8.82 <	18.06
27-01-2024 00:00	20.92 <	41.85 <	8.82 <	7.37
28-01-2024 00:00	21.96 <	43.92 <	8.78 <	3.78
29-01-2024 00:00	22.53 <	45.07 <	8.84 <	2.21
30-01-2024 00:00	22.56 <	45.12 <	8.87 <	0.44
31-01-2024 00:00	22.73 <	45.47 <	8.85 <	5.72
Average	28.8	57.6	8.2	6.7
Geom.Mean	26.2	52.4	8.2	2.1
Maximum	103.4	206.7	9.3	39.7
Median	22.6	45.1	8.4	3.8
Minimum	18.4	36.9	6.5	0
Mode	20.9	45.2	8.3	0
Std.Deviation	16.7	33.4	0.6	9.9

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-02-2024 00:00
 To Date 29-02-2024 23:59
 Interval Daily
 Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP1	ETP1	ETP1	ETP1
Parameter	BOD	COD	pH	TSS
Unit	mg/l	mg/l	pH	mg/l
Limit	0.00 - 100.00	0.00 - 250.00	5.50 - 9.00	0.00 - 100.00
01-02-2024 00:00	22.43 <	44.86 <	8.87 <	6.63
02-02-2024 00:00	21.86	43.73	8.88	4.66
03-02-2024 00:00	42.8	85.46	8.86	10.45
04-02-2024 00:00	33.29	66.53	8.83	7.51
05-02-2024 00:00	32.52 <	64.98 <	8.8 <	8.55
06-02-2024 00:00	32.17	64.3	8.83	10.97
07-02-2024 00:00	32.83	65.65	8.89	7.17
08-02-2024 00:00	33.94	67.89	8.8	9.74
09-02-2024 00:00	31.46	62.93	8.59	1.98
10-02-2024 00:00	26.41	52.83	8.61	7.14
11-02-2024 00:00	25.98	51.97	8.61	3.65
12-02-2024 00:00	26.2	52.4	8.6	2.04
13-02-2024 00:00	25.51	51.01	8.59	5.58
14-02-2024 00:00	25.23	50.45	8.56	6.4
15-02-2024 00:00	24.56	49.12	8.53	5.09
16-02-2024 00:00	24.72 <	49.45 <	8.35 <	6.94
17-02-2024 00:00	24.81 <	49.64 <	8.24 <	4.01
18-02-2024 00:00	22.96 <	45.9 <	8.26 <	8.28
19-02-2024 00:00	21.68 <	43.36 <	8.26 <	1.5
20-02-2024 00:00	22.79 <	45.58 <	8.25 <	11.53
21-02-2024 00:00	21.88 <	43.77 <	8.27 <	1.99
22-02-2024 00:00	21.52	43.04	8.32	4.12
23-02-2024 00:00	22.54 <	45.09 <	8.39 <	6.56
24-02-2024 00:00	22.18 <	44.35 <	8.37 <	3.6
25-02-2024 00:00	22.07 <	44.14 <	8.34 <	3.87
26-02-2024 00:00	22.46 <	44.93 <	8.3 <	3.06
27-02-2024 00:00	23.41 <	46.86 <	8.25 <	6.96
28-02-2024 00:00	23.16 <	46.33 <	8.27 <	1.85
29-02-2024 00:00	23.14 <	46.3 <	8.28 <	1.31
Average	26.1	52.2	8.5	5.6
Geom.Mean	25.7	51.3	8.5	4.8
Maximum	42.8	85.5	8.9	11.5
Median	24.6	49.1	8.5	5.6
Minimum	21.5	43	8.2	1.3
Mode	23	65	8.3	2
Std.Deviation	5.2	10.3	0.2	3
Total Active Duration				

EnviroConnect Forbes Marshall Multi Station Report

From Date 01-03-2024 00:00
 To Date 31-03-2024 23:59
 Interval Daily
 Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP1	ETP1	ETP1	ETP1
Parameter	BOD	COD	pH	TSS
Unit	mg/l	mg/l	pH	mg/l
Limit	0.00 - 100.00	0.00 - 250.00	5.50 - 9.00	0.00 - 100.00
01-03-2024 00:00	24.02 <	47.99 <	8.26 <	4.5
02-03-2024 00:00	22.95 <	45.91 <	8.27 <	1.61
03-03-2024 00:00	22.77 <	45.54 <	8.28 <	2.38
04-03-2024 00:00	23.72 <	47.41 <	8.3 <	3.28
05-03-2024 00:00	23.45	46.9	8.29	3.39
06-03-2024 00:00	23.5	46.99	8.32	3.08
07-03-2024 00:00	22.45	44.91	8.34	5.65
08-03-2024 00:00	21.23	42.46	8.29	9.06
09-03-2024 00:00	19.89	39.8	8.4	3.88
10-03-2024 00:00	18.81	37.62	8.4	10.16
11-03-2024 00:00	18.96	37.92	8.46	5.92
12-03-2024 00:00	20.06	40.09	8.54 H	24.91
13-03-2024 00:00	20.78	41.56	8.63	12.57
14-03-2024 00:00	20.02	40.03	8.55	2.99
15-03-2024 00:00	23.88 <	47.77 <	8.08 <	11.88
16-03-2024 00:00	25.41	50.83	8.08	0
17-03-2024 00:00	25.41	50.83	8.08	0
18-03-2024 00:00	25.41	50.83	8.08	0
19-03-2024 00:00	25.41	50.83	8.08	0
20-03-2024 00:00	25.41	50.83	8.08	0
21-03-2024 00:00	25.41	50.83	8.08	0
22-03-2024 00:00	25.41 <	50.83 <	8.08 <	0
26-03-2024 00:00	25.41 <	50.83 <	8.08 <	0
27-03-2024 00:00	25.41 <	50.83 <	8.08 <	0
28-03-2024 00:00	25.41 <	50.83 <	8.08 <	0
29-03-2024 00:00	25.41 <	50.83 <	8.08 <	0
30-03-2024 00:00	25.41 <	50.83 <	8.08 <	0
31-03-2024 00:00	25.41 <	50.83 <	8.08 <	0
Average	23.5	46.9	8.2	3.8
Geom.Mean	23.3	46.7	8.2	5.3
Maximum	25.4	50.8	8.6	24.9
Median	24	47.9	8.2	2
Minimum	18.8	37.6	8.1	0
Mode	25.4	50.8	8.1	0
Std.Deviation	2.3	4.6	0.2	5.6
Total Active Duration				

From Date 01-04-2024 00:00

To Date 30-04-2024 23:59

Interval Daily

Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP1	ETP1	ETP1	ETP1
Parameter	BOD	COD	pH	TSS
Unit	mg/l	mg/l	pH	mg/l
Limit	0.00 - 100.00	0.00 - 250.00	5.50 - 9.00	0.00 - 100.00
01-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
02-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
03-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
04-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
05-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
06-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
07-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
08-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
09-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
10-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
11-04-2024 00:00	25.41	50.83	8.08	0
12-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
13-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
14-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
15-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
16-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
17-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
18-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
19-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
20-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
21-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
22-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
23-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
24-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
25-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
26-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
27-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
28-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
29-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
30-04-2024 00:00	25.41 <	50.83 <	8.08 <	0 <
Average	25.4	50.8	8.1	0
Geom.Mean	25.4	50.8	8.1	?
Maximum	25.4	50.8	8.1	0
Median	25.4	50.8	8.1	0
Minimum	25.4	50.8	8.1	0
Mode	25.4	50.8	8.1	0
Std.Deviation	0	0	0	0
Total Active Duration				