

From Date	1/10/2018 0:00
To Date	31-10-2018 23:59:59
Interval	Daily
Function	Average
Plant	BSSK
Analyzer	Dust Old Stack No1
Parameter	PM
Unit	mg/Nm3
Limit	0 - 0
27-10-2018 00:00:00	4.89
28-10-2018 00:00:00	5.39
29-10-2018 00:00:00	8.89
30-10-2018 00:00:00	6.12 D
31-10-2018 00:00:00	13.47
Average	7.8
Geom.Mean	7.2
Maximum	13.5
Median	6.1
Minimum	4.9
Mode	8.9
Std.Deviation	3.5

From Date 1/10/2018 0:00
 To Date 31-10-2018 23:59:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer Dust New Stack No 2
 Parameter PM
 Unit mg/Nm3
 Limit 0 - 0

27-10-2018 00:00:00	34.01
28-10-2018 00:00:00	41.33
29-10-2018 00:00:00	50.41
30-10-2018 00:00:00	56.8 D
31-10-2018 00:00:00	58.49
Average	48.2
Geom.Mean	47.2
Maximum	58.5
Median	50.4
Minimum	34
Mode	41.3
Std.Deviation	10.4

From Date 1/10/2018 0:00
 To Date 31-10-2018 23:59:59
 Interval Daily
 Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP Analyser	ETP Analyser	ETP Analyser	ETP Analyser
Parameter	pH	COD	TSS	BOD
Unit	pH	mg/l	mg/l	mg/l
Limit	0 - 0	0 - 0	0 - 0	0 - 0
27-10-2018 00:00:00	8.29	93.66	73.92	45.75
28-10-2018 00:00:00	7.28	95.24	78.44	46.5
29-10-2018 00:00:00	7.08	97.29	77.59	47.59
30-10-2018 00:00:00	7.07 D	96.58 D	77.28 D	47.22 D
31-10-2018 00:00:00	7.07	97.31	77.24	47.63
Average	7.4	96	76.9	46.9
Geom.Mean	7.3	96	76.9	46.9
Maximum	8.3	97.3	78.4	47.6
Median	7.1	96.6	77.3	47.2
Minimum	7.1	93.7	73.9	45.8
Mode	7.1	95.2	77.3	47.6
Std.Deviation	0.5	1.6	1.7	0.8

From Date 1/11/2018 0:00
 To Date 30-11-2018 23:59:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer Dust Old Stack No1
 Parameter PM
 Unit mg/Nm3
 Limit 0 - 0

1/11/2018 0:00	24.97
2/11/2018 0:00	57.82
3/11/2018 0:00	60
4/11/2018 0:00	29.53
5/11/2018 0:00	40.66
6/11/2018 0:00	60
7/11/2018 0:00	60 D
8/11/2018 0:00	60 D
9/11/2018 0:00	60
10/11/2018 0:00	59.97
11/11/2018 0:00	28.25
12/11/2018 0:00	20.57 D
13-11-2018 00:00:00	59.94
14-11-2018 00:00:00	60 D
15-11-2018 00:00:00	11.74
16-11-2018 00:00:00	52.3
17-11-2018 00:00:00	60 D
18-11-2018 00:00:00	60
19-11-2018 00:00:00	60
20-11-2018 00:00:00	60
21-11-2018 00:00:00	60 D
22-11-2018 00:00:00	23.92
23-11-2018 00:00:00	14.91 D
24-11-2018 00:00:00	48.22
25-11-2018 00:00:00	60
26-11-2018 00:00:00	60
27-11-2018 00:00:00	60 <
28-11-2018 00:00:00	60
29-11-2018 00:00:00	60 D
30-11-2018 00:00:00	60
Average	49.8
Geom.Mean	45.7
Maximum	60
Median	60
Minimum	11.7

From Date 1/11/2018 0:00
 To Date 30-11-2018 23:59:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer Dust New Stack No 2
 Parameter PM
 Unit mg/Nm3
 Limit 0 - 0

1/11/2018 0:00	59.77
2/11/2018 0:00	60
3/11/2018 0:00	60
4/11/2018 0:00	39.39
5/11/2018 0:00	45.32
6/11/2018 0:00	52.73
7/11/2018 0:00	57.71
8/11/2018 0:00	59.31 D
9/11/2018 0:00	60
10/11/2018 0:00	60
11/11/2018 0:00	38.54
12/11/2018 0:00	32.04 D
13-11-2018 00:00:00	35.36
14-11-2018 00:00:00	42.18 D
15-11-2018 00:00:00	51.74 D
16-11-2018 00:00:00	56.81
17-11-2018 00:00:00	59.65 D
18-11-2018 00:00:00	60
19-11-2018 00:00:00	60
20-11-2018 00:00:00	35.15
21-11-2018 00:00:00	28.18 D
22-11-2018 00:00:00	47.31
23-11-2018 00:00:00	58.34 D
24-11-2018 00:00:00	60
25-11-2018 00:00:00	60
26-11-2018 00:00:00	60
27-11-2018 00:00:00	60 <
28-11-2018 00:00:00	60
29-11-2018 00:00:00	60 D
30-11-2018 00:00:00	37.23
Average	51.9
Geom.Mean	50.7
Maximum	60
Median	58.8
Minimum	28.2

From Date 1/11/2018 0:00
 To Date 30-11-2018 23:59:59
 Interval Daily
 Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP Analyser	ETP Analyser	ETP Analyser	ETP Analyser
Parameter	pH	COD	TSS	BOD
Unit	pH	mg/l	mg/l	mg/l
Limit	0 - 0	0 - 0	0 - 0	0 - 0
1/11/2018 0:00	7.03	97.37	77.54	47.66
2/11/2018 0:00	7.01	97.69	78.46	47.81
3/11/2018 0:00	6.98	98.75	78.75	48.33
4/11/2018 0:00	6.83	99.78	79.08	48.84
5/11/2018 0:00	6.67	100.16	79.17	49.03
6/11/2018 0:00	6.47	101.38	79.23	49.64
7/11/2018 0:00	6.58	103.16	79.21	50.54
8/11/2018 0:00	6.67 D	103.3 D	79.08 D	50.62 D
9/11/2018 0:00	6.76	103.34	79.11	50.65
10/11/2018 0:00	6.85	103.36	79.16	50.66
11/11/2018 0:00	6.92	103.32	79.07	50.65
12/11/2018 0:00	7 D	103.43 D	79.15 D	50.71 D
13-11-2018 00:00:00	7.06	103.37	79.21	50.7
14-11-2018 00:00:00	7.11 D	103.61 D	79.26 D	50.8 D
15-11-2018 00:00:00	7.13 D	103.67 D	79.2 D	50.83 D
16-11-2018 00:00:00	7.2	103.77	79.24	50.89
17-11-2018 00:00:00	7.25 D	103.88 D	79.3 D	50.94 D
18-11-2018 00:00:00	7.27	103.91	79.23	50.96
19-11-2018 00:00:00	7.23	104.33	79.48	51.16
20-11-2018 00:00:00	6.94	104.6	79.6	51.3
21-11-2018 00:00:00	6.76	104.91	79.5	51.45
22-11-2018 00:00:00	6.74	105.17	79.52	51.59
23-11-2018 00:00:00	6.85 D	105.32 D	79.44 D	51.68 D
24-11-2018 00:00:00	6.95	105.25	79.45	51.66
25-11-2018 00:00:00	7.01	105.44	79.52	51.75
26-11-2018 00:00:00	7.01	105.66	79.5	51.85
27-11-2018 00:00:00	7.11 <	106.46 <	79.71 <	52.27 <
28-11-2018 00:00:00	7.07	106.45	79.84	52.26
29-11-2018 00:00:00	7.04	106.33	79.71	52.22
30-11-2018 00:00:00	7.05	106.59	79.85	52.36
Average	7	103.5	79.3	50.7
Geom.Mean	6.9	103.4	79.3	50.7
Maximum	7.3	106.6	79.8	52.4
Median	7	103.7	79.2	50.9
Minimum	6.5	97.4	77.5	47.7

From Date 1/12/2018 0:00
 To Date 31-12-2018 23:59:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer Dust Old Stack No1
 Parameter PM
 Unit mg/Nm3
 Limit 0 - 0

1/12/2018 0:00	60
2/12/2018 0:00	60 D
3/12/2018 0:00	60
4/12/2018 0:00	60
5/12/2018 0:00	60 D
6/12/2018 0:00	60
7/12/2018 0:00	60
8/12/2018 0:00	60
9/12/2018 0:00	60
10/12/2018 0:00	60
11/12/2018 0:00	59.98
12/12/2018 0:00	25.58 D
13-12-2018 00:00:00	12.14 D
14-12-2018 00:00:00	55.01
15-12-2018 00:00:00	60
16-12-2018 00:00:00	60
17-12-2018 00:00:00	60
18-12-2018 00:00:00	60
19-12-2018 00:00:00	60 < D
20-12-2018 00:00:00	60
21-12-2018 00:00:00	31.47
22-12-2018 00:00:00	53
23-12-2018 00:00:00	60
24-12-2018 00:00:00	60
25-12-2018 00:00:00	60
26-12-2018 00:00:00	60 D
27-12-2018 00:00:00	39.22 D
28-12-2018 00:00:00	10.22 D
29-12-2018 00:00:00	26.64
30-12-2018 00:00:00	56.67
31-12-2018 00:00:00	60
Average	52.6
Geom.Mean	48.9
Maximum	60
Median	60

From Date 1/12/2018 0:00
 To Date 31-12-2018 23:59:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer Dust New Stack No 2
 Parameter PM
 Unit mg/Nm3
 Limit 0 - 0

1/12/2018 0:00	30.32
2/12/2018 0:00	51.38 D
3/12/2018 0:00	59.79
4/12/2018 0:00	60
5/12/2018 0:00	60 D
6/12/2018 0:00	60 D
7/12/2018 0:00	60
8/12/2018 0:00	60
9/12/2018 0:00	60
10/12/2018 0:00	60
11/12/2018 0:00	60
12/12/2018 0:00	60
13-12-2018 00:00:00	36.22 D
14-12-2018 00:00:00	32.72
15-12-2018 00:00:00	54.78
16-12-2018 00:00:00	59.99
17-12-2018 00:00:00	60
18-12-2018 00:00:00	60
19-12-2018 00:00:00	60 D
20-12-2018 00:00:00	60
21-12-2018 00:00:00	39.51
22-12-2018 00:00:00	29.25
23-12-2018 00:00:00	49.7
24-12-2018 00:00:00	59.87
25-12-2018 00:00:00	60
26-12-2018 00:00:00	60 D
27-12-2018 00:00:00	46.81 D
28-12-2018 00:00:00	31.38 D
29-12-2018 00:00:00	53.44
30-12-2018 00:00:00	59.93
31-12-2018 00:00:00	60
Average	53.4
Geom.Mean	52.1
Maximum	60
Median	60

From Date 1/12/2018 0:00
 To Date 31-12-2018 23:59:59
 Interval Daily
 Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP Analyser	ETP Analyser	ETP Analyser	ETP Analyser
Parameter	pH	COD	TSS	BOD
Unit	pH	mg/l	mg/l	mg/l
Limit	0 - 0	0 - 0	0 - 0	0 - 0
1/12/2018 0:00	7.07	106.94	79.92	52.54
2/12/2018 0:00	7.09 D	107.41 D	80.07 D	52.75 D
3/12/2018 0:00	7.07	107.51	80.17	52.81
4/12/2018 0:00	7.05	107.72	80.3	52.92
5/12/2018 0:00	7 D	108.02 D	80.39 D	53.08 D
6/12/2018 0:00	6.93 D	108.13 D	80.33 D	53.14 D
7/12/2018 0:00	6.94	108.38	80.31	53.27
8/12/2018 0:00	6.94	108.44	80.34	53.31
9/12/2018 0:00	6.95	108.51	80.4	53.33
10/12/2018 0:00	6.97	108.36	80.3	53.27
11/12/2018 0:00	7.35	71.04	80.81	34.67
12/12/2018 0:00	7.37	99.84	141.34	48.99
Average	7.1	104.2	85.4	51.2
Geom.Mean	7.1	103.6	84.2	50.9
Maximum	7.4	108.5	141.3	53.3
Median	7	107.9	80.3	53
Minimum	6.9	71	79.9	34.7
Mode	7	107.5	80.8	53.1
Std.Deviation	0.2	10.7	17.6	5.3

From Date 1/1/2019 0:00
 To Date 31-01-2019 23:59:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer Dust Old Stack No1
 Parameter PM
 Unit mg/Nm3
 Limit 0 - 0

1/1/2019 0:00	60
2/1/2019 0:00	60
3/1/2019 0:00	60
4/1/2019 0:00	60
5/1/2019 0:00	60
6/1/2019 0:00	60
7/1/2019 0:00	60
8/1/2019 0:00	60
Average	60
Geom.Mean	60
Maximum	60
Median	60
Minimum	60
Mode	60
Std.Deviation	0

From Date 1/1/2019 0:00
 To Date 31-01-2019 23:59:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer Dust New Stack No 2
 Parameter PM
 Unit mg/Nm3
 Limit 0 - 0

1/1/2019 0:00	60
2/1/2019 0:00	60
3/1/2019 0:00	60
4/1/2019 0:00	60
5/1/2019 0:00	60
6/1/2019 0:00	60
7/1/2019 0:00	60
8/1/2019 0:00	41.39
11/1/2019 0:00	32.79
12/1/2019 0:00	46.62
13-01-2019 00:00	71.6
14-01-2019 00:00	75
15-01-2019 00:00	75
16-01-2019 00:00	75 D
17-01-2019 00:00	75 D
18-01-2019 00:00	75
19-01-2019 00:00	75
20-01-2019 00:00	75
21-01-2019 00:00	75
22-01-2019 00:00	58.16
23-01-2019 00:00	43.22
24-01-2019 00:00	71.02
25-01-2019 00:00	75
26-01-2019 00:00	51.6 D
27-01-2019 00:00	37.58
28-01-2019 00:00	75 < D
29-01-2019 00:00	75 D
30-01-2019 00:00	75 D
31-01-2019 00:00	75 D
Average	63.8
Geom.Mean	62.2
Maximum	75
Median	71
Minimum	32.8
Mode	75

From Date 1/1/2019 0:00
 To Date 31-01-2019 23:59:59
 Interval Daily
 Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP Analyser	ETP Analyser	ETP Analyser	ETP Analyser
Parameter	pH	COD	TSS	BOD
Unit	pH	mg/l	mg/l	mg/l
Limit	0 - 0	0 - 0	0 - 0	0 - 0
22-01-2019 00:00:	7.03	37.99	48.14	20.79
23-01-2019 00:00:	6.35	34.27	91.13	19.07
24-01-2019 00:00:	7.31	15.86	38.66	9.81
25-01-2019 00:00:	7.43	17.9	39.47	10.85
26-01-2019 00:00:	7.27	14.72	41.77	9.26
27-01-2019 00:00:	7.25	7.67	10.83	5.72
28-01-2019 00:00:	7.24 < D	10.56 < D	23.06 < D	7.17 < D
29-01-2019 00:00:	7.24 D	8.23 D	25.47 D	5.98 D
30-01-2019 00:00:	7.27	21.22	29.09	12.52
31-01-2019 00:00:	7.26 D	6.77 D	2.12 D	5.28 D
Average	7.2	17.5	35	10.6
Geom.Mean	7.2	14.8	25.4	9.6
Maximum	7.4	38	91.1	20.8
Median	7.3	15.3	33.9	9.5
Minimum	6.4	6.8	2.1	5.3
Mode	7	38	39.5	5.7
Std.Deviation	0.3	10.9	24.3	5.4

From Date 1/2/2019 0:00
To Date 28-02-2019 23:59:59
Interval Daily
Function Average

Plant BSSK
Analyzer Dust Old Stack No1
Parameter PM
Unit mg/Nm3
Limit 0 - 0

19-02-2019 00:00:00	58.52
20-02-2019 00:00:00	117.41 D
21-02-2019 00:00:00	121
22-02-2019 00:00:00	121 D
23-02-2019 00:00:00	121
24-02-2019 00:00:00	121
25-02-2019 00:00:00	121
26-02-2019 00:00:00	121 < D
27-02-2019 00:00:00	121 D
28-02-2019 00:00:00	121 D
Average	114.4
Geom.Mean	112.2
Maximum	121
Median	121
Minimum	58.5
Mode	121
Std.Deviation	19.7

From Date 1/2/2019 0:00
 To Date 28-02-2019 23:59:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer Dust New Stack No 2
 Parameter PM
 Unit mg/Nm3
 Limit 0 - 0

1/2/2019 0:00	75
2/2/2019 0:00	75
3/2/2019 0:00	75 D
4/2/2019 0:00	75
5/2/2019 0:00	75
6/2/2019 0:00	75 D
7/2/2019 0:00	28.33 <
8/2/2019 0:00	33.64 D
9/2/2019 0:00	53.84
10/2/2019 0:00	73.08
11/2/2019 0:00	75
12/2/2019 0:00	75
13-02-2019 00:00:00	75 D
14-02-2019 00:00:00	75
15-02-2019 00:00:00	75
16-02-2019 00:00:00	75
17-02-2019 00:00:00	59.77 D
18-02-2019 00:00:00	46.38
19-02-2019 00:00:00	70.52
20-02-2019 00:00:00	75 D
21-02-2019 00:00:00	75
22-02-2019 00:00:00	75 D
23-02-2019 00:00:00	75
24-02-2019 00:00:00	75 D
25-02-2019 00:00:00	75
26-02-2019 00:00:00	75 < D
27-02-2019 00:00:00	75 D
28-02-2019 00:00:00	75 D
Average	69.3
Geom.Mean	67.6
Maximum	75
Median	75
Minimum	28.3
Mode	75
Std.Deviation	12.9

From Date 1/2/2019 0:00
 To Date 28-02-2019 23:59:59
 Interval Daily
 Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP Analyser	ETP Analyser	ETP Analyser	ETP Analyser
Parameter	pH	COD	TSS	BOD
Unit	pH	mg/l	mg/l	mg/l
Limit	0 - 0	0 - 0	0 - 0	0 - 0
1/2/2019 0:00	7.24	8.43	5.75	6.09
2/2/2019 0:00	7.24	11.69	27.09	7.69
3/2/2019 0:00	7.23 D	11.57 D	16.71 D	7.68 D
4/2/2019 0:00	7.26	11.55	16.06	7.67
5/2/2019 0:00	7.39	9.51	16.54	6.63
6/2/2019 0:00	7.19 D	5.81 D	7.03 D	4.77 D
7/2/2019 0:00	7.06 <	4.62 <	2.55 <	4.2 <
8/2/2019 0:00	7 D	8.47 D	7.87 D	6.13 D
9/2/2019 0:00	7.06	7.05	10.3	5.46
10/2/2019 0:00	7.08	4.54	10.55	4.19
11/2/2019 0:00	7.05	4.82	3.92	4.28
12/2/2019 0:00	7	3.56	5.18	3.62
13-02-2019 00:00:00	6.9 D	3.03 D	7.7 D	3.35 D
14-02-2019 00:00:00	6.9	4.02	7.21	3.86
15-02-2019 00:00:00	6.94	9.44	8.31	6.59
16-02-2019 00:00:00	7	22.25	15.29	12.98
17-02-2019 00:00:00	7.06 D	17.8 D	14.83 D	10.8 D
18-02-2019 00:00:00	7.09	12.28	11.4	8.04
19-02-2019 00:00:00	7.12	8.55	9.83	6.15
20-02-2019 00:00:00	7.15 D	6.82 D	9.97 D	5.28 D
21-02-2019 00:00:00	7.13	9.33	11.85	6.53
22-02-2019 00:00:00	7.08 D	7.23 D	12.54 D	5.48 D
23-02-2019 00:00:00	7.13	7.16	10.07	5.44
24-02-2019 00:00:00	7.22 D	4.95 D	9.97 D	4.32 D
25-02-2019 00:00:00	7.32	4.82	9.23	4.28
26-02-2019 00:00:00	7.42 < D	5.2 < D	5.96 < D	4.51 < D
27-02-2019 00:00:00	7.39 D	8.61 D	8.38 D	6.21 D
28-02-2019 00:00:00	7.42 D	5.93 D	10.97 D	4.85 D
Average	7.1	8.2	10.5	6
Geom.Mean	7.1	7.3	9.4	5.7
Maximum	7.4	22.3	27.1	13
Median	7.1	7.2	10	5.5
Minimum	6.9	3	2.5	3.3
Mode	7.3	9.4	3.9	5.5
Std.Deviation	0.2	4.3	4.9	2.1

From Date 1/3/2019 0:00
 To Date 31-03-2019 23:59:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer Dust Old Stack No1
 Parameter PM
 Unit mg/Nm3
 Limit 0 - 0

1/3/2019 0:00	121
2/3/2019 0:00	121
3/3/2019 0:00	99.44
4/3/2019 0:00	108.38
5/3/2019 0:00	108.29
6/3/2019 0:00	109.23 D
7/3/2019 0:00	121 D
8/3/2019 0:00	121
9/3/2019 0:00	121
10/3/2019 0:00	121
11/3/2019 0:00	121
12/3/2019 0:00	121
13-03-2019 00:00:00	121
14-03-2019 00:00:00	121 D
15-03-2019 00:00:00	107.28
16-03-2019 00:00:00	91 D
17-03-2019 00:00:00	91
18-03-2019 00:00:00	91
19-03-2019 00:00:00	91
20-03-2019 00:00:00	91
21-03-2019 00:00:00	91
22-03-2019 00:00:00	91 D
23-03-2019 00:00:00	91 D
24-03-2019 00:00:00	91
25-03-2019 00:00:00	91 <
26-03-2019 00:00:00	91 D
27-03-2019 00:00:00	91 D
28-03-2019 00:00:00	91
29-03-2019 00:00:00	91 D
30-03-2019 00:00:00	91
31-03-2019 00:00:00	91
Average	103.2
Geom.Mean	102.3
Maximum	121
Median	91

From Date 1/3/2019 0:00
 To Date 31-03-2019 23:59:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer Dust New Stack No 2
 Parameter PM
 Unit mg/Nm3
 Limit 0 - 0

1/3/2019 0:00	75
2/3/2019 0:00	75
3/3/2019 0:00	61.41
4/3/2019 0:00	56.76
5/3/2019 0:00	57.09
6/3/2019 0:00	69.77 D
7/3/2019 0:00	75 D
8/3/2019 0:00	74.99
9/3/2019 0:00	74.97
10/3/2019 0:00	74.81
11/3/2019 0:00	74.65
12/3/2019 0:00	73.97
13-03-2019 00:00	73.6 D
14-03-2019 00:00	74.05
15-03-2019 00:00	74.49
16-03-2019 00:00	74.19 D
17-03-2019 00:00	74.55
18-03-2019 00:00	74.87
19-03-2019 00:00	74.85
20-03-2019 00:00	74.75 D
21-03-2019 00:00	74.64
22-03-2019 00:00	74.79 D
23-03-2019 00:00	74.94 D
24-03-2019 00:00	74.99
25-03-2019 00:00	75 <
26-03-2019 00:00	74.93
27-03-2019 00:00	74.78 D
28-03-2019 00:00	74.59
29-03-2019 00:00	74.12 D
30-03-2019 00:00	74
31-03-2019 00:00	73.81
Average	72.9
Geom.Mean	72.7
Maximum	75
Median	74.6

From Date 1/3/2019 0:00
 To Date 31-03-2019 23:59:59
 Interval Daily
 Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP Analyser	ETP Analyser	ETP Analyser	ETP Analyser
Parameter	pH	COD	TSS	BOD
Unit	pH	mg/l	mg/l	mg/l
Limit	0 - 0	0 - 0	0 - 0	0 - 0
1/3/2019 0:00	7.43	2.82	14.55	3.31
2/3/2019 0:00	7.45	2.49	14.42	3.14
3/3/2019 0:00	7.47	1.65	15.79	2.77
4/3/2019 0:00	7.45	2.83	7.38	3.41
5/3/2019 0:00	7.27	6.01	13.75	5.09
6/3/2019 0:00	7.2 D	14.89 D	12.11 D	9.35 D
7/3/2019 0:00	7.26 D	14.35 D	18.36 D	9.08 D
8/3/2019 0:00	7.33	6.59	13.05	5.16
9/3/2019 0:00	7.4	4.74	11.95	4.24
10/3/2019 0:00	7.45	2.31	10.31	3.07
11/3/2019 0:00	7.51	1.68	9.33	2.75
12/3/2019 0:00	7.53	1.53	10.75	2.66
13-03-2019 00:00:00	7.58 D	2.22 D	12.45 D	2.94 D
14-03-2019 00:00:00	7.61	2.04	14.01	2.84
15-03-2019 00:00:00	7.62	10.56	16.19	7.14
16-03-2019 00:00:00	7.61 D	23.12 D	24.44 D	13.39 D
17-03-2019 00:00:00	7.66	16.1	17.2	9.93
18-03-2019 00:00:00	7.69	14.65	14.01	9.23
19-03-2019 00:00:00	7.72	16.84	15.63	10.32
20-03-2019 00:00:00	7.76 D	22.93 D	21.95 D	13.3 D
21-03-2019 00:00:00	7.79	21.97	28.9	12.86
22-03-2019 00:00:00	7.84 D	24.59 D	20.1 D	14.13 D
23-03-2019 00:00:00	7.86 D	29.75 D	28.54 D	16.68 D
24-03-2019 00:00:00	7.86	20.93	31.31	12.4
25-03-2019 00:00:00	7.87 <	4.71 <	12.54 <	4.2 <
26-03-2019 00:00:00	7.84 D	7.75 D	19.75 D	5.72 D
27-03-2019 00:00:00	7.85 D	20.34 D	33.1 D	12.04 D
28-03-2019 00:00:00	7.85 D	24.57 D	29.83 D	14.1 D
29-03-2019 00:00:00	7.86 D	28.17 D	19.78 D	15.85 D
30-03-2019 00:00:00	7.86	35.6	31.22	19.68
31-03-2019 00:00:00	7.84	14.8	26.5	9.29
Average	7.6	13	18.4	8.4
Geom.Mean	7.6	8.5	17	6.9
Maximum	7.9	35.6	33.1	19.7
Median	7.6	14.4	15.8	9.1

From Date 1/4/2019 0:00
 To Date 30-04-2019 23:59:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer Dust Old Stack No1
 Parameter PM
 Unit mg/Nm3
 Limit 0 - 0

1/4/2019 0:00	91
2/4/2019 0:00	91 D
3/4/2019 0:00	91 D
4/4/2019 0:00	91 D
5/4/2019 0:00	78.78
6/4/2019 0:00	75
7/4/2019 0:00	75
8/4/2019 0:00	75
9/4/2019 0:00	75
10/4/2019 0:00	75
11/4/2019 0:00	75 D
12/4/2019 0:00	75
13-04-2019 00:00:00	75
14-04-2019 00:00:00	75 D
15-04-2019 00:00:00	75
16-04-2019 00:00:00	75
17-04-2019 00:00:00	75 D
18-04-2019 00:00:00	75 D
19-04-2019 00:00:00	75
20-04-2019 00:00:00	75
21-04-2019 00:00:00	75 D
22-04-2019 00:00:00	75
23-04-2019 00:00:00	75
24-04-2019 00:00:00	75 D
25-04-2019 00:00:00	75
26-04-2019 00:00:00	75
27-04-2019 00:00:00	75
28-04-2019 00:00:00	75
29-04-2019 00:00:00	75
30-04-2019 00:00:00	75
Average	77.3
Geom.Mean	77.1
Maximum	91
Median	75
Minimum	75

From Date 1/4/2019 0:00
 To Date 30-04-2019 23:59:59
 Interval Daily
 Function Average

Plant BSSK
 Analyzer Dust New Stack No 2
 Parameter PM
 Unit mg/Nm3
 Limit 0 - 0

1/4/2019 0:00	74.41
2/4/2019 0:00	74.13 D
3/4/2019 0:00	74.42 D
4/4/2019 0:00	74.37 D
5/4/2019 0:00	73.21
6/4/2019 0:00	74.24
7/4/2019 0:00	74.77
8/4/2019 0:00	74.98
9/4/2019 0:00	74.91
10/4/2019 0:00	74.93 D
11/4/2019 0:00	74.99 D
12/4/2019 0:00	75
13-04-2019 00:00	74.84
14-04-2019 00:00	74.98
15-04-2019 00:00	74.9
16-04-2019 00:00	74.95
17-04-2019 00:00	74.36 D
18-04-2019 00:00	74.98 D
19-04-2019 00:00	74.99
20-04-2019 00:00	74.99
21-04-2019 00:00	74.98 D
22-04-2019 00:00	75
23-04-2019 00:00	75
24-04-2019 00:00	75 D
25-04-2019 00:00	75
26-04-2019 00:00	75
27-04-2019 00:00	75
28-04-2019 00:00	75
29-04-2019 00:00	75
30-04-2019 00:00	75
Average	74.8
Geom.Mean	74.8
Maximum	75
Median	75
Minimum	73.2

From Date 1/4/2019 0:00
 To Date 30-04-2019 23:59:59
 Interval Daily
 Function Average

Plant	BSSK	BSSK	BSSK	BSSK
Analyzer	ETP Analyser	ETP Analyser	ETP Analyser	ETP Analyser
Parameter	pH	COD	TSS	BOD
Unit	pH	mg/l	mg/l	mg/l
Limit	0 - 0	0 - 0	0 - 0	0 - 0
1/4/2019 0:00	7.83	23.65	18.75	13.63
2/4/2019 0:00	7.85 D	25.2 D	17.59 D	14.4 D
3/4/2019 0:00	7.81 D	22.7 D	19.94 D	13.16 D
4/4/2019 0:00	7.84 D	22.48 D	17.53 D	13.06 D
5/4/2019 0:00	7.79	21.03	18.87	12.34
6/4/2019 0:00	7.84	18.65	21.25	11.19
7/4/2019 0:00	7.89	18.32	20.88	11.02
8/4/2019 0:00	7.91	19.43	20.22	11.55
9/4/2019 0:00	7.95	15.56	26.21	9.6
10/4/2019 0:00	7.94 D	22.76 D	19.74 D	13.18 D
11/4/2019 0:00	7.93 D	22.49 D	19.89 D	13.11 D
12/4/2019 0:00	7.92	26.3	42.67	14.95
13-04-2019 00:00:00	7.87	29.84	40	16.67
14-04-2019 00:00:00	7.86 D	33.85 D	42.68 D	18.76 D
15-04-2019 00:00:00	7.86	27.87	42.36	15.73
16-04-2019 00:00:00	7.79	28.18	34.57	15.87
17-04-2019 00:00:00	7.66 D	22.24 D	34.31 D	12.93 D
18-04-2019 00:00:00	7.72	21.31	29.43	12.49
19-04-2019 00:00:00	7.77	18.61	27.76	11.14
20-04-2019 00:00:00	7.81	15.9	29.87	9.81
21-04-2019 00:00:00	7.83 D	14.49 D	25.15 D	9.13 D
22-04-2019 00:00:00	7.87	14.54	25.25	9.16
23-04-2019 00:00:00	7.91	11.97	23.31	7.85
24-04-2019 00:00:00	7.87 D	18.65 D	32.54 D	11.14 D
25-04-2019 00:00:00	7.87	32.09	33.38	17.78
26-04-2019 00:00:00	7.89	28.92	34.2	16.21
27-04-2019 00:00:00	7.92	27.45	29.9	15.47
28-04-2019 00:00:00	7.95	26.05	28.61	14.79
29-04-2019 00:00:00	8	22.13	26.1	12.89
30-04-2019 00:00:00	7.98	19.47	24.89	11.58
Average	7.9	22.4	27.6	13
Geom.Mean	7.9	21.8	26.6	12.7
Maximum	8	33.8	42.7	18.8
Median	7.9	22.4	26.2	13
Minimum	7.7	12	17.5	7.9